AUTHOR INDEX

VOLUME 75

British Journal of Anaesthesia

ARS = Anaesthetic Research Society Abstracts

EACTA = European Association of Cardiothoracic Anaesthesiologists (volume 74)

C = Correspondence

E = Editorial

R = Book Review

e = Erratum

AARAN, R.-K. *see* KAUKINEN, L., (*EACTA*) **74**: A.93
ABBOTT, T. R. *see* HETT, D. A. 293–296
ABOULEISH, E. Negative extradural pressure may not be caused by tenting of the dura, (*C*) 113
ABOULEISH, E., ALI, V., JOUMAA, B., LOPEZ, M. and GUPTA, D. Anaesthetic management of acute puerperal uterine inversion 486–487
ADACHI, H. *see* WAJIMA, Z. 548–551
ADAMEC, R. *see* NEIDHART, P., (*EACTA*) **74**: A.23
ADDY, E. V. *see* KAPILA, A., (*ARS*) 228–229P
ADROUGE, H. J. and WESSON, D. E. *Renal Failure*, (*R*) 827–828
ADT, M. *see* LAMPARTER-SCHUMMERT, B., (*EACTA*) **74**: A.5
AHLBURG, P., KNUDSEN, L., HASENKAM, J. M., KURE, H. H., HUGHES, P., BELLAICHE, L. and CHRISTIANSEN, C. L. Monitoring intra-operative generation of thrombin by thrombin fragment 1+2 during CABG surgery, (*EACTA*) **74**: A.59
AHLBURG, P. *see* CHRISTIANSEN, C. L., (*EACTA*) **74**: A.28; JAKOBSEN, C.-J., (*EACTA*) **74**: A.101; JAKOBSON, C.-J., (*EACTA*) **74**: A.44
AKAZAWA, S. *see* NAKAIGAWA, Y. 616–621
AKPIR, K. *see* KURAL, O., (*EACTA*) **74**: A.26
ALAFANDY, M. *see* UMBRAIN, V. 311–318
ALAHUHTA, S. *see* KARINEN, J. 531–535
ALDRIDGE, L. A. *see* COOK, B. 698–701
ALEXANDER-WILLIAMS, M., OGILVY, A. J., LANGHAM, B. T. and ROWBOTHAM, D. J. Doxapram and the prevention of postoperative hypoxaemia, (*ARS*) 233P
AL-HASANI, A. *see* ROWBOTHAM, D. J., (*ARS*) 241P
ALI, V. *see* ABOULEISH, E. 486–487
AL-KAISY, A. A. Comparison of ropivacaine and bupivacaine for extradural analgesia, (*C*) 246
ALVAREZ, J. *see* FRANCO, A., (*C*) 821–822
ALVAREZ, L. *see* FAULÍ, A., (*EACTA*) **74**: A.80
ALVAREZ VALDIVIELSO, J. M. *see* RIESGO, M. J., (*EACTA*) **74**: A.116; BASTIDA, E., (*EACTA*) **74**: A.31
ANAND, P. Nerve growth factor regulates nociception in human health and disease 201–208
ANDRESEN, E. B. *see* CHRISTIANSEN, C. L., (*EACTA*) **74**: A.28; JAKOBSEN, C.-J., (*EACTA*) **74**: A.101; JAKOBSON, C.-J., (*EACTA*) **74**: A.44
ANDRETTER, H. *see* HÖRMANN, Ch., (*EACTA*) **74**: A.51
ANGEL, A. *see* RUSHTON, A. R. A., (*ARS*) 243P
ANNAN, F. J. *see* DRUMMOND, G. B. 707–712
ANTTONEN, H. *see* PUHAKKA, K., (*C*) 506
AOUIFI, A. *see* NEIDECKER, J., (*EACTA*) **74**: A.69
ARAI, K. *see* ISHIZAKI, K. 636–638
ARENDT-NIELSEN, L. *see* CURATOLO, M. 634–635; PETERSEN-FELIX, S. 55–60
ARMSTRONG, I. R. *see* WALSH, T. S., (*C*) 375
ARMSTRONG, M. A. *see* MCBRIDE, W. T., (*ARS*) 237–238P; 724–733
ARNAU, J. G. *see* PLANUS, A., (*EACTA*) **74**: A.99
ARNOLD, A. *see* COX, M., (*C*) 114
ARVIEUX, C. C. *see* DURAND, P. G., (*EACTA*) **74**: A.94; VEDRINNE, C., (*EACTA*) **74**: A.87
ASAI, T. and LATTO, I. P. Use of the lighted stylet for tracheal intubation via the laryngeal mask airway, (*C*) 503–504
ASAI, T. *see* EGGERS, K. A. 642–644
ASBURY, A. J. and TZABAR, Y. Fuzzy logic: new ways of thinking for anaesthesia, (*E*) 1–2
ASBURY, A. J. *see* TZABAR, Y., (*ARS*) 231P
ASBURY, J. and TSABAR, Y. The world of Null-A, (*C*) 669
AUCLERC, A. *see* BOILLOT, A. 761–767
AUDIBERT, G. and DONATI, F. Onset of neuromuscular block after tourniquet inflation: comparison of suxamethonium with vecuronium 436–440
AUFFRAY, J. P. *see* SICARD-DESNUELLE, M. P., (*EACTA*) **74**: A.81
AUSTIN, B. A. *see* MCCOY, E. P., (*ARS*) 241P
AVRAM, M. J. *see* SHANKS, C. A. 109–112
AYKAÇ, Z. *see* SÜZER, A., (*EACTA*) **74**: A.37; SÜZER, Ö., (*EACTA*) **74**: A.45; YAPICI, N., (*EACTA*) **74**: A.108

BABINGTON, P. C. B. *see* MCINDOE, A. K. 97–101
BACHARAKAKIS, S. *see* KYRITSIS, A., (*EACTA*) **74**: A.78
BADDOO, H. *see* PICKETT, J. A., (*EACTA*) **74**: A.46
BAK, P. *see* PETERSEN-FELIX, S. 55–60
BAKER, A. B. *see* JOYCE, C. J. 417–421; 422–427
BAKHAMEES, H. S. *see* NAGUIB, M. 37–42; 588–592
BALL, D. R. Malignant hyperthermia and compartment syndrome, (*C*) 369
BALOGH, D. *see* MAIR, P., (*EACTA*) **74**: A.83
BANKS, I. *see* TACKLEY, R., (*C*) 117–118
BARALE, F. *see* BOILLOT, A. 761–767
BARHAM, N. J., BOOMERS, O. W., LOCKE, T. J. and SHERRY, K. M. ST segment changes in association with early extubation following coronary artery surgery, (*EACTA*) **74**: A.42
BARLET, H. *see* CALVET, B., (*EACTA*) **74**: A.18
BARNAS, G. M. *see* SPRUNG, J., (*EACTA*) **74**: A.96
BARON, J. F. *see* D'ATTELLIS, N., (*EACTA*) **74**: A.47; HONGNAT, J. M., (*EACTA*) **74**: A.70
BARR, J., KIRKPATRICK, N., DICK, A., LEONARD, L., HAWKSWORTH, G. and NOBLE, D. W. Effects of adrenaline and hyaluronidase on plasma concentrations of lignocaine and bupivacaine after peribulbar anaesthesia 692–697
BARRY, P. *see* STALLARD, N., (*C*) 370–371
BARTOLOMÉ, A. *see* PLANUS, A., (*EACTA*) **74**: A.99
BASORA, M., GOMAR, C., ESCOLAR, G., FAULÍ, A. and NALDA, M. A. Low-dose aprotinin does not protect platelets during cardiopulmonary bypass (CPB), (*EACTA*) **74**: A.65
BASORA, M. *see* FAULÍ, A., (*EACTA*) **74**: A.80
BASTIDA, E., RIESGO, M. J., ALVAREZ VALDIVIELSO, J. M., NAVIA, J., VALLEJO, J. L., MORENO, M., PUERTA, P. and GARCIA FERNANDEZ, M. A. Changes in clinical management induced by transoesophageal echocardiography, (*EACTA*) **74**: A.31
BASTIDA, E. *see* RIESGO, M. J., (*EACTA*) **74**: A.116
BASTIEN, O. *see* DURAND, P. G., (*EACTA*) **74**: A.111
BAUD, F., (editor). *Collection D'Anesthésiologie et de Réanimation, vol. 44 : Réanimation des Intoxications Aigües*, (*R*) 827
BAUMANN-NOSS, S. *see* MOLTER, G., (*EACTA*) **74**: A.72
BAXTER, M. K. *see* GOLDHILL, D. R., (*ARS*) 240P
BEATTY, P. C. W. *see* DEVINE, A., (*ARS*) 653–654P
DE BEAUX, I. and BROCKWAY, M. Randomized controlled trial comparing the effect on respiration of tramadol *vs* placebo in patients receiving fentanyl, (*ARS*) 233–234P
BECK, D. H., MASSEY, S., GRANGER, C., TAYLOR, B. L. and SMITH, G. B. Ovarian hyperstimulation syndrome, (*C*) 371
BECK, D. H. *see* O'DONNELL, C. J., (*C*) 369–370
BECKETT, W. G. *see* MATTERS, R. M. 297–300
BELLAICHE, L. *see* AHLBURG, P., (*EACTA*) **74**: A.59
BELLAMY, M. C. *see* O'BEIRNE, H., (*ARS*) 661P; VALENTINE, J. M. J. 105–108
BELTRAN, R. *see* NEIDHART, P., (*EACTA*) **74**: A.23

BEN-DAVID, B., KATZ, E., GAITINI, L. and GOLDIK, Z. Comparison of i.m. and local infiltration of ketorolac with and without local anaesthetic 409–412
BENDITTE, H. *see* TSCHERNKO, E., (*EACTA*) **74**: A.14; (*EACTA*) **74**: A.102
BENNETTS, F. E. Thiopentone anaesthesia at Pearl Harbor 366–368
BENSON, J. P., PATLA, V., BONSER, R. S. and HUTTON, P. Use of i.m. temperature probes during cardiopulmonary bypass in humans 483–485
BENUMOF, J. L. *Anaesthesia for Thoracic Surgery*, 2nd Edn, (*R*) 254
BENZER, A. *see* HÖRMANN, Ch., (*EACTA*) **74**: A.51
BERMAN, J. Imaging pain in humans 209–216
BERMAN, L. *see* RABY, N., (*R*) 379
BERRIDGE, J. *see* GOWER, S. N., (*ARS*) 238P
BERRIDGE, J. C. *see* GOLDSACK, C., (*EACTA*) **74**: A.68; MOSS, E. 527–530
BERRY, P. D., THOMAS, S. D., FOX, M. A., FABRI, B., WEIR, W. I., SIXSMITH, J., MEEK, D. R., JACKSON, M. and RUSSELL, G. N. Myocardial ischaemia following coronary artery bypass grafting—early vs late extubation, (*EACTA*) **74**: A.41
BERRY, P. D. *see* ROMER, H. C., (*EACTA*) **74**: A.95; RUSSELL, G. N., (*EACTA*) **74**: A.109
BERTIN, M. *see* DUCART, A., (*EACTA*) **74**: A.77
BERTOLISSI, M., PETREI, D., SALINO, R. and GIORDANO, F. Does protamine affect right ventricular function? (*EACTA*) **74**: A.8
BETHUNE, D. W. *see* BOOTH, J. V., (*EACTA*) **74**: A.54
BEVAN, S. *see* WINTER, J. 157–168
BILL, K. M. *see* LOAN, P. B., (*ARS*) 238–239P
BILLE, M. *see* KNUDSEN, K. E. 286–288
BION, J., BURCHARDI, H., DELLINGER, R. P. and DOBB, G. J., (editors) *Current Topics in Intensive Care*, 2nd Edn, (*R*) 825
BIRNBACH, D. J., BOURLIER, R. A., CHOI, R. and THYS, D. M. Anaesthetic management of Caesarean section in a patient with active recurrent genital herpes and AIDS-related dementia 639–641
BISSON, A. *see* JUVIN, P. 488–490
BIZOUARN, P. and BLANLOEIL, Y. Oxygen consumption calculated by the Fick principle using a continuous thermodilution technique, (*EACTA*) **74**: A.15
BIZOUARN, P., BLANLOEIL, Y. and PINAUD, M. Comparison between oxygen consumption calculated by Fick's principle using a continuous thermodilution technique and measured by indirect calorimetry 719–723
BJERRING, P. *see* PETERSEN-FELIX, S. 55–60
BLACK, A., DAY, C., LOPATATZIDIS, A., SHERRY, E. and BOLSIN, S. Which modelling approach for multicentre audit of clinical outcomes? (*ARS*) 241–242P
BLACK, A. *see* DAY, C., (*ARS*) 242P; MOSHAL, D., (*ARS*) 239P
BLACK, J. J. M. *see* GEORGE, S. J. 794–797
BLAKE, D. W., VAN LEEUWEN, A. F., PETRING, O. U., LUDBROOK, J. and VENTURA, S. Haemodynamic response to simulated haemorrhage in the rabbit: interaction of i.v. anaesthesia and hypoxia 610–615
BLANC, P. *see* FILLEY, S., (*EACTA*) **74**: A.92
BLANLOEIL, Y. *see* BIZOUARN, P., (*EACTA*) **74**: A.15; 719–723
BLEIER, J. *see* MAIR, P., (*EACTA*) **74**: A.83
BLIN, D. *see* DURAND, M., (*EACTA*) **74**: A.19
BLITT, C. D. and HINES, R. L., (editors) *Monitoring in Anaesthesia and Critical Care Medicine*, 3rd Edn. (*R*) 510
BLOCH, E. C. *Pediatric Anesthesia—A Pocket Companion*, (*R*) 379
BLUM, S. *see* SPIES, C. D. 734–739
BOGDUK, N. *see* MERSKY, H., (*R*) 254
BÖHRER, H., SCHMIDT, H., MARTIN, E., LUX, R., BOLSEN, K. and GOERZ, G. Testing the porphyrinogenicity of propofol in a primed rat model 334–338
BOILLOT, A., VALLET, B., MARTY, J., AUCLERC, A. and BARALE, F. Effects of halothane, enflurane and isoflurane on contraction of rat aorta induced by endothelin-1 761–767
BOLDT, J., HEESEN, M., WELTERS, I., PADBERG, W., MARTIN, K. and HEMPELMANN, G. Does the type of volume therapy influence endothelial-related coagulation in the critically ill? 740–746
BOLSEN, K. *see* BÖHRER, H. 334–338
BOLSIN, S. *see* BLACK, A., (*ARS*) 241–242P; DAY, C., (*ARS*) 242P; MOSHAL, D., (*ARS*) 239P
BOMPARD, D. *see* NEIDECKER, J., (*EACTA*) **74**: A.69
BONNEAU, D. *see* ZAHARIA, F., (*EACTA*) **74**: A.62
BONNEFOY, E. *see* DURAND, P. G., (*EACTA*) **74**: A.111; FILLEY, S., (*EACTA*) **74**: A.92
BONNETTE, P. *see* JUVIN, P. 488–490
BONSER, R. S. *see* BENSON, J. P. 483–485
BOOGAERTS, J. G., LAFONT, N. D., CARLINO, S., NOEL, E., RAYNAL, P., GOFFINET, G. and LEGROS, F. J. Biodistribution of liposome-associated bupivacaine after extradural administration to rabbits 319–325
BOOGAERTS, J. G. *see* UMBRAIN, V. 311–318
BOOMERS, O. W., DUNCAN, F., FENECK, R. O. and SHERRY, K. M. Comparison of the haemodynamic effects of milrinone and GTN on pulmonary hypertension following mitral valve surgery, (*EACTA*) **74**: A.12
BOOMERS, O. W. *see* BARHAM, N. J., (*EACTA*) **74**: A.42
BOONSTRA, P. W. *see* DE VRIES, A. J., (*EACTA*) **74**: A.105
BOOTH, J. V., DOYLE, A. R., GOPINATH, S., KNEESHAW, J. D. and BETHUNE, D. W. Awareness during cardiac surgery, (*EACTA*) **74**: A.54
BOOTH, J. V. *see* STEVENS, J. J. W. M., (*EACTA*) **74**: A.110
BORTONE, F. *see* JULIANO, G., (*EACTA*) **74**: A.82
BOSCOE, M. J. *see* GEORGE, S. J. 794–797
BOSE, D. Postoperative delirium in the elderly, (*C*) 115
BOURGEOIS, P. *see* UMBRAIN, V. 311–318
BOURLIER, R. A. *see* BIRNBACH, D. J. 639–641
BOURNE, T., OGILVY, A. J., VICKERS, R. and WILLIAMSON, K. Nocturnal hypoxaemia in late pregnancy 678–682
BOWDLE, T. A., HORITA, A. and KHARASCH, E. D., (editors) *The Pharmacological Basis of Anesthesiology*, (*R*) 510–511
BOYD, A. H. *see* EASTWOOD, N. B. 431–435; VAN MIERT, M. M., (*ARS*) 235P
BRADLEY, W. N. *see* STEELE, A. P. H., (*C*) 369
BRAIN, A. I. J. *see* KAPILA, A., (*ARS*) 228–229P
BREHN, Ch. *see* EL-BANAYOSY, A, (*EACTA*) **74**: A.114
BRENNUM, J. *see* KNUDSEN, K. E. 286–288
BRIDGES, L. R. *see* SMITH, P. D., (*ARS*) 658–659P
BRIGHOUSE, D. *see* WILLIAMS, N. 9–11
BROCKWAY, M. *see* DE BEAUX, I., (*ARS*) 233–234P
BRODIN, L-A. *see* GÅRDEBÄCK, M., (*EACTA*) **74**: A.27
BROFELDT, S. *see* KNUDSEN, K. E. 286–288
BROKA, S. *see* COLLARD, E., (*EACTA*) **74**: A.79; DUCART, A., (*EACTA*) **74**: A.77
BROMLEY, P. N., COTTAM, S. J., HILMI, I., TAN, K. C., HEATON, N., GINSBURG, R. and POTTER, D. R. Effects of intraoperative *N*-acetylcysteine in orthotopic liver transplantation 352–354
BROWNE, B. L. *see* SUDARSHAN, G. 19–22; (*e*) 513
BRULE, P. *see* NEIDECKER, J., (*EACTA*) **74**: A.69
BRUMMER, G. *see* SPIES, C. D. 734–739
BRUNNER, M. D., RICH, P., NATHWANI, D., THORNTON, C. and NEWTON, D. E. F. Arousal effect of suxamethonium on the auditory evoked response, (*ARS*) 236P
BRUSHØJ, J. *see* KOSCIELNIAK-NIELSEN, Z. J. 702–706
BUCHE, M. *see* COLLARD, E., (*EACTA*) **74**: A.79; DUCART, A., (*EACTA*) **74**: A.77
BUCKLEY, T. A. *see* GOMERSALL, C. D., (*C*) 507–508
BUDD, K. Tramadol, (*C*) 500
BUGGY, D., HUGHES, N. and GARDINER, J. Ambulatory extradural analgesia, (*C*) 114–115; Ambulatory extradural analgesia, (*C*) 248
BUHRE, W., WEYLAND, A., GRÜNE, F., KAZMAIER, S., SPIEGEL, T. v., STEPHAN, H. and SONNTAG, H. Acid-base management and systemic haemodynamics in patients undergoing hypothermic CPB, (*EACTA*) **74**: A.67
BULLINGHAM, A. and STRUNIN, L. Prevention of postoperative venous thromboembolism 622–630
BUNTING, H. *see* MCCOY, E. P., (*ARS*) 241P
BUNTING, H. E., KELLY, M. C. and MILLIGAN, K. R. Effect of nebulized lignocaine on airway irritation and haemodynamic changes during induction of anaesthesia with desflurane 631–633
BURCHARDI, H. *see* BION, J., (*R*) 825
BURRIN, J. M. *see* MOORE, C. M. 387–393
BURT, D. E. R. Virtual reality in anaesthesia 472–480

CAILLET, J. B. *see* NEIDECKER, J., (*EACTA*) **74**: A.69
CALDER, I. Detection of accidental oesophageal intubation, (*C*) 247
CALDICOTT, L. D. *see* TAN, K., (*EACTA*) **74**: A.17
CALLINGHAM, B. A. *see* STEVENS, J. J. W. M., (*EACTA*) **74**: A.10
CALVET, B., RYCKWAERT, F., BARLET, H., TRINH DUC, P. and COLSON, P. Predictive factors of Swan Ganz catheter requirement during cardiac surgery, (*EACTA*) **74**: A.18
CAMPBELL, D. J., ROWBOTHAM, D. J. and LAMBERT, D. G. Do nitrous oxide and halothane influence opioid receptor binding in SH-SY5Y human neuroblastoma cells? 752–755
CAMPBELL, E. A. *see* WINTER, J. 157–168
CAMPBELL, I. T. *see* DEVINE, A., (*ARS*) 653–654P
CAMU, F. *see* UMBRAIN, V. 311–318
CARANZA, R. *see* ELTON, C., (*ARS*) 663P
CARCOANA, O. V., KATES, R. A. and PANAGOPOULOS, G. The effect of cardiopulmonary bypass on renal tubular

function: does mannitol provide renal tubular protection? (*EACTA*) **74**: A.74
CARLINO, S. *see* BOOGAERTS, J. G. 319–325
CARLSSON, P. S. *see* JAKOBSEN, K. B. 536–540
CARNERO, T., ORTS, M., MEILAN, I., LORENZANA, J. and GILSANZ, F. Comparative study of enoximone and dobutamine in weaning from cardiopulmonary bypass, (*EACTA*) **74**: A.9
CARP, H. M. *see* JAYARAM, A. 358–360
CARSON, D. and WILDSMITH, J. A. W. The risk of extradural abscess, (*E*) 520–521
CERIANA, P. *see* DOMENEGATI, E., (*EACTA*) **74**: A.49
CERIANI, R. *see* JULIANO, G., (*EACTA*) **74**: A.82
CHADWICK, S. *see* JOHNSON, G. W., (*C*) 113
CHAKRABARTI, M. K. *see* PAC SOO, C. K., (*ARS*) 231–232P
CHAMPSAUR, G. *see* NEIDECKER, J., (*EACTA*) **74**: A.69
CHANDRADEVA, K. *see* KING, C. J. 785–786
CHANTZIS, A. *see* KYRITSIS, A., (*EACTA*) **74**: A.78
CHARTRES, S. *see* JOYCE, C. J. 422–427
CHATEL, D. *see* LONGROIS, D., (*EACTA*) **74**: A.61
CHEMTOB, G. *see* MALT, R. A., (*R*) 121
CHEN, T. L., WANG, M. J., HUANG, C. H., LIU, C. C. and UENG, T. H. Difference between *in vivo* and *in vitro* effects of propofol on defluorination and metabolic activities of hamster hepatic cytochrome P450-dependent monooxygenases 462–466
CHERFA, A. *see* NEIDECKER, J., (*EACTA*) **74**: A.69
CHETAILLE, P. *see* SICARD-DESNUELLE, M. P., (*EACTA*) **74**: A.81
CHEVION, M. *see* DRENGER, B., (*EACTA*) **74**: A.84
CHIAUNDANI, M. G. *see* DOMENEGATI, E., (*EACTA*) **74**: A.49
CHILD, J. S. *see* SANGWAN, S., (*EACTA*) **74**: A.32
CHOI, D. *see* SPRUNG, J., (*EACTA*) **74**: A.96
CHOI, R. *see* BIRNBACH, D. J. 639–641
CHRISTENSEN, M.-K. *see* JAKOBSEN, K. B. 536–540
CHRISTIANSEN, C. L., AHLBURG, P., JAKOBSEN, C.-J., ANDRESEN, E. B. and POULSEN, P. K. Propofol preserves hepatic SvO_2 during cardiopulmonary bypass, (*EACTA*) **74**: A.28
CHRISTIANSEN, C. L. *see* AHLBURG, P., (*EACTA*) **74**: A.59
CHRISTIE, I. W. Removal of lumbar extradural catheters, (*C*) 666
CHRUBASIK, J. *see* CHRUBASIK, S., (*C*) 251
CHRUBASIK, S. and CHRUBASIK, J. Optimum opioid for extradural administration, (*C*) 251
CHUZEL, M. *see* DURAND, P. G., (*EACTA*) **74**: A.111
CIJAN, A. *see* PIRC, B., (*EACTA*) **74**: A.86
CIRRI, E. *see* RANUCCI, M., (*EACTA*) **74**: A.104
CLAPHAM, M. C. *see* GOSLING, P., (*R*) 378–379
CLARK, V. A. *see* DUNN, T. J. 12–14
CLARKE, J. T. *see* FAIRLEY, C. J. 801–804
CLAUDEL, J. Ph. *see* DURAND, P. G., (*EACTA*) **74**: A.111
CLOOTE, A. H., PEDEN, C. J., STRATFORD, N., TOOLEY, M. A. and PRYS-ROBERTS, C. Dexmedetomidine decreases dose and concentration of propofol required to suppress consciousness, (*ARS*) 657P
CLOOTE, A. H. *see* PEDEN, C. J., (*ARS*) 657P
CLYBURN, P. and ROSEN, M. Detection of accidental oesophageal intubation, (*C*) 247–248
COHEN, A. M. and LIBAN, J. B. Convective warming after hypothermic cardiopulmonary bypass, (*C*) 504
COLEMAN, R. L. *see* SANDERSON, I. C., (*C*) 502
COLLARD, E., DUCART, A., BUCHE, M., JAMART, J., COSTER, M., SCHROEDER, E., DELIRE, V., BROKA, S., MAYNÉ, A., RANDOUR, P. and JOUCKEN, K. Benefits of coronary surgery without cardiopulmonary bypass, (*EACTA*) **74**: A.79
COLLARD, E. *see* DUCART, A., (*EACTA*) **74**: A.77
COLSON, P. *see* CALVET, B., (*EACTA*) **74**: A.18; RYCKWAERT, F., (*EACTA*) **74**: A.7
CONACHER, I. D. *see* SUDARSHAN, G. 19–22; (*e*) 513
CONNOLLY, F. M., KUMAR, N., MCLOUGHLIN, C. C., MCCARTHY, G. J. and MIRAKHUR, R. K. Comparison of the potency of mivacurium on laryngeal and adductor pollicis muscles, (*ARS*) 235–236P
CONTI, D. *see* RANUCCI, M., (*EACTA*) **74**: A.104
COOK, B., GRUBB, D. J., ALDRIDGE, L. A. and DOYLE, E. Comparison of the effects of adrenaline, clonidine and ketamine on the duration of caudal analgesia produced by bupivacaine in children 698–701
COOK, D. R. and DAVIS, P. J., (editors) *Anesthetic Principles for Organ Transplantation*, (*R*) 120
COOK, T. M. and STANNARD, C. F. Optimum opioid for extradural administration, (*C*) 250–251
CORKE, C. F. and JACKSON, I. J. B. *Companion to Clinical Anaesthesia Exams*, (*R*) 378
CORMACK, R. S. Increase in Mallampati score during pregnancy, (*C*) 822
CORTÉS, J. *see* FRANCO, A., (*C*) 821–822
COSTER, M. *see* COLLARD, E., (*EACTA*) **74**: A.79
COTTAM, S. *see* MILROY, S. J. 747–751
COTTAM, S. J. *see* BROMLEY, P. N. 352–354
COX, M., LAWTON, G., GOWRIE-MOHAN, S., PRIEST, T., ARNOLD, A. and MORGAN, B. Ambulatory extradural analgesia, (*C*) 114
CROCKARD, A. D. *see* MCBRIDE, W. T., (*ARS*) 237–238P; 724–733
CROSS, M. H. *see* MOORE, C. M. 387–393
CROSSLEY, A. W. A. *see* WARD, J. E. H., (*ARS*) 659–660P
CUNDY, J. M. Post traumatic stress disorders, (*C*) 501–502
CUNNINGHAM, A. J. *see* KINIRONS, B., (*ARS*) 664–665P
CURATOLO, M., ORLANDO, A., ZBINDEN, A. M., SCARAMOZZINO, P. and VENUTI, F. S. A multifactorial analysis to explain inadequate surgical analgesia after extradural block 274–281
CURATOLO, M., PETERSEN-FELIX, S., ARENDT-NIELSEN, L., FISCHER, M. and ZBINDEN, A. M. Temporal summation during extradural anaesthesia 634–635

DAHL, J. B. *see* KNUDSEN, K. E. 286–288
DAHLIN, L. G. *see* SVEDJEHOLM, R., (*EACTA*) **74**: A.43; (*EACTA*) **74**: A.91
DALMAS, J. P., GIRARD, C., FOURQUET, E. and LEHOT, J. J. Systolic blood pressure variation as indicator of hypovolaemia during cardiac surgery, (*EACTA*) **74**: A.22
DALMAS, J. P. *see* FLAMENS, C., (*EACTA*) **74**: A.30
D'ATTELLIS, N., OLIVIER, P., DELAYANCE, S. and BARON, J. F. Comparison of two anaesthetic techniques with sufentanil and midazolam for mitral valve surgery: continuous infusion versus bolus administration, (*EACTA*) **74**: A.47
D'ATTELLIS, N. *see* HONGNAT, J. M., (*EACTA*) **74**: A.70
DAUBENEY, P. E. F. *see* JANKE, E., (*EACTA*) **74**: A.39
DAVEY, A. J. *see* KING, C. J. 785–786
DAVIES, N. J. H. *see* RUSHMAN, G. B., (*R*) 670
DAVIES, P. D., PARBROOK, G. D. and KENNY, G. N. C. *Basic Physics and Measurement in Anaesthesia*, 4th Edn, (*R*) 670
DAVIS, L. Mivacurium and prolonged neuromuscular block, (*C*) 374
DAVIS, L. *see* JAYARAM, A. 358–360
DAVIS, P. J. *see* COOK, D. R., (*R*) 120
DAY, C., DUNCAN, F., LOPATATZIDIS, A., FENECK, R., BOLSIN, S. and BLACK, A. Pre-weighted sum scores and stepwise logistic regression in explaining mortality from cardiac surgery, (*ARS*) 242P
DAY, C. *see* BLACK, A., (*ARS*) 241–242P; MOSHAL, D., (*ARS*) 239P
DEARDEN, N. M. *see* MOSS, E. 527–530
DEKLEVA, A. *see* PIRC, B., (*EACTA*) **74**: A.86
DEKORNFELD, T. J. and SANFORD, T. J., (editors) *Anesthesiology: Specialty Board Review*, 9th Edn, (*R*) 512–513
DELAYANCE, S. *see* D'ATTELLIS, N., (*EACTA*) **74**: A.47; HONGNAT, J. M., (*EACTA*) **74**: A.70
DELIRE, V. *see* COLLARD, E., (*EACTA*) **74**: A.79; DUCART, A., (*EACTA*) **74**: A.77
DELLAPORTAS, C. I. *see* HOLDCROFT, A. 522–526
DELLINGER, R. P. *see* BION, J., (*R*) 825
DELORME, S. *see* DURAND, P. G., (*EACTA*) **74**: A.94
DEN BLAUWEN, N. *see* FOUBERT, L., (*EACTA*) **74**: A.1; MOERMAN, A., (*EACTA*) **74**: A.71
DEPOIX, J.-P. *see* LONGROIS, D., (*EACTA*) **74**: A.61
DESAI, J. *see* JOHNSON, J., (*ARS*) 663P; KHAN, Z. P., (*ARS*) 652–653P
DESBOROUGH, J. P. *see* MOORE, C. M. 387–393
DESMONTS, J.-M. *see* LONGROIS, D., (*EACTA*) **74**: A.61
DEVINE, A., BEATTY, P. C. W., MORTIMER, A. J. and CAMPBELL, I. T. Effect of reduced density gas breathing on oxygenation in spontaneously breathing anaesthetized patients, (*ARS*) 653–654P
DEVLIN, J. C. *see* HEAD-RAPSON, A. G. 31–36
D'HAESE, J. *see* UMBRAIN, V. 311–318
DIAB, C. *see* GEORGE, M., (*EACTA*) **74**: A.113
DIAZ, J. *see* LOUBSER, P., (*EACTA*) **74**: A.98
DICK, A. *see* BARR, J. 692–697
DICKENSON, A. H. Spinal cord pharmacology of pain 193–200
DITLEVSEN, E. *see* PEDERSEN, J., (*EACTA*) **74**: A.76
DIXIT, M. D. *see* MURALIDHAR, K., (*EACTA*) **74**: A.20
DIZ, J. C. *see* FRANCO, A., (*C*) 821–822
DMITRIEVA, N. *see* MCMAHON, S. B. 132–144
DOBB, G. J. *see* BION, J., (*R*) 825
DOMENEGATI, E., CERIANA, P. and CHIAUNDANI, M. G. Anaesthesiological management of patients undergoing left ventricular assist system implant as a bridge to cardiac transplantation, (*EACTA*) **74**: A.49
DOMÍNGUEZ, E. *see* PLANUS, A., (*EACTA*) **74**: A.99
DONALD, F. *see* FLORY, N. 23–26
DONATI, F. *see* AUDIBERT, G. 436–440

DÖRING, B. *see* EL-BANAYOSY, A, (*EACTA*) 74: A.114
DORRINGTON, K. L. *see* NAGYOVA, B. 713–718; O'NEILL, M. 603–609
DOURAKI, T. *see* KYRITSIS, A., (*EACTA*) 74: A.78
DOYLE, A. *see* WILLIAMS, N. 9–11
DOYLE, A. R. *see* BOOTH, J. V., (*EACTA*) 74: A.54; DUTHIE, D. J. R. 43–46
DOYLE, E. *see* COOK, B. 698–701
DOYLE, L. A. *see* PICKETT, J. A., (*EACTA*) 74: A.46
DRAY, A. Inflammatory mediators of pain 125–131
DRENGER, B., GOZAL, Y., GLANTZ, L., GINOSAR, Y., EL-AMI, A. and CHEVION, M. Halothane prevents hydroxy radical-related post-ischaemic injury to canine heart, (*EACTA*) 74: A.84
DRESNER, M. *see* LYONS, G., (*C*) 373–374
DRIVER, I., WILTSHIRE, S., MILLS, P., LILLYWHITE, N. and HOWARD-GRIFFIN, R. Midazolam before induction improves conditions for laryngeal mask insertion, (*ARS*) 664P
DRUMMOND, G. B. Red blood cell substitutes, (*C*) 504
DRUMMOND, G. B. and EL-FARHAN, N. M. M. Preoperative anxiety, hypocapnia and apnoea on induction of anaesthesia, (*ARS*) 240–241P
DRUMMOND, G. B., PYE, D. W., ANNAN, F. J. and TOTHILL, P. Changes in blood volume distribution between legs and trunk during halothane anaesthesia 707–712
DRUMMOND, G. B. *see* FOO, I. T. H., (*ARS*) 232–233P
DUBISZ, N. *see* SPIES, C. D. 734–739
DUCART, A., COLLARD, E., BUCHE, M., DELIRE, V., JAMART, J., BERTIN, M., BROKA, S., MAYNÉ, A., RANDOUR, P. and JOUCKEN, K. Anaesthetic management for coronary surgery without cardiopulmonary bypass, (*EACTA*) 74: A.77
DUCART, A. *see* COLLARD, E., (*EACTA*) 74: A.79
DUNCAN, F., FENECK, R. and SPACKMAN, D. Effect of cardiopulmonary bypass and bypass temperature on gastric intra-mucosal pH, (*EACTA*) 74: A.25
DUNCAN, F. and FENECK, R. O. Outcome predictors in cardiac surgery: a comparison of UKACTA data and Parsonnet risk stratification scoring systems, (*EACTA*) 74: A.115
DUNCAN, F. *see* BOOMERS, O. W., (*EACTA*) 74: A.12; DAY, C., (*ARS*) 242P
DUNCAN, L. and WILDSMITH, J. A. W. Liposomal local anaesthetics, (*E*) 260–261
DUNN, T. J., CLARK, V. A. and JONES, G. Preoperative oral naproxen for pain relief after day-case laparoscopic sterilization 12–14
DURAND, M., LAVAL, J., FERRETTI, G., PEREZ, I., WOLLSCHLAGER, K., BLIN, D. and GIRARDET, P. 3 Cases of pulmonary artery false aneurysm induced by Swan-Ganz catheter: treatment by early embolisation, (*EACTA*) 74: A.19
DURAND, P. G., CLAUDEL, J. Ph., CHUZEL, M., BASTIEN, O., GIRARD, C., OBADIA, J. F., JEGADEN, O., PAULUS, S., VILLARD, J., ROBIN, J., BONNEFOY, E. and LEHOT, J. J. Acute postinfarction ventricular septal defect (VSD): are right ventricular haemodynamic parameters better in determining postoperative outcome? (*EACTA*) 74: A.111
DURAND, P. G., DUTHEIL, V., MAITRASSE, B., DELORME, S., LE MACH'ADOUR, F., RIBUOT, C., ESTANOVE, S. and ARVIEUX, C. C. Comparative effects of ketamine and propofol on neurologic outcome and neuronal damage following incomplete cerebral ischaemia in rats, (*EACTA*) 74: A.94
DURAND, P. G. *see* FLAMENS, C., (*EACTA*) 74: A.30
DUTHEIL, V. *see* DURAND, P. G., (*EACTA*) 74: A.94
DUTHIE, D. J. R., WOOLMAN, P. S. and DOYLE, A. R. Enoximone and warming after hypothermic cardiopulmonary bypass 43–46
DUTTON, R. P. and GOLDSMITH, A. D. *The Anesthesiologist's Guide to the OR*, (*R*) 671
DWYER, N. *see* MACLEAN, A. R., (*ARS*) 230P
DZWONCZYK, R. In defence of the Arkive, (*C*) 503

EADSFORTH, P. *see* JOHNSON, G. W., (*C*) 113
EASTWOOD, N. B., BOYD, A. H., PARKER, C. J. R. and HUNTER, J. M. Pharmacokinetics of 1R-*cis* 1′R-*cis* atracurium besylate (51W89) and plasma laudanosine concentrations in health and chronic renal failure 431–435
EASTWOOD, N. B. *see* VAN MIERT, M. M., (*ARS*) 235P
EDWARDS, N. D., TROY, G., YEO, W., JACKSON, P. and REILLY, C. S. Early detection and treatment of myocardial ischaemia after operation using continual ambulatory arterial pressure monitoring and ECG ST segment analysis 491–494
EDWARDS, N. D. *see* MASON, D. G., (*ARS*) 653P
EGGERS, K. A. and ASAI, T. Postoperative brachial plexus neuropathy after total knee replacement under spinal anaesthesia 642–644
EGGERS, K. A. and POWER, I. Tramadol, (*C*) 500; Tramadol, (*C*) 501
EHRENBERG, J. *see* SAMUELSSON, S., (*EACTA*) 74: A.33
EL-AMI, A. *see* DRENGER, B., (*EACTA*) 74: A.84
EL-BAKRY, A. K. *see* NAGUIB, M. 37–42; 588–592
EL-BANAYOSY, A, BREHN, Ch., KIZNER, L., POSIVAL, H., DÖRING, B., HARTMANN, D. and KÖRFER, R. Cardiopulmonary resuscitation; a one year study of patients resuscitated following cardiac surgery, (*EACTA*) 74: A.114
EL-FARHAN, N. M. M. *see* DRUMMOND, G. B., (*ARS*) 240–241P
ELLIS, F. R. Measurement of competence, (*E*) 673–674
ELLIS, F. R. *see* SMITH, P. D., (*ARS*) 658–659P
ELLIS, R. H., (editor) *The Casebooks of Dr John Snow*, (*R*) 826–827
EL OAKLEY, R. *see* HEMMING, A., (*EACTA*) 74: A.90
ELTON, C., GRIEFF, J., CARANZA, R., GRIFFITHS, R., NORMAN, R. I. and ROWBOTHAM, D. J. Enflurane reduces potassium-stimulated release of acetylcholine from rat cortical slices, (*ARS*) 663P
ENDRASS, J. *see* KRUMHOLZ, W. 66–70
ENGLISH, M. J. M. and SCOTT, W. A. C. Cutaneous heat loss during anaesthesia, (*C*) 505–506
ENGUERAND, D. *see* LONGROIS, D., (*EACTA*) 74: A.61
ERZEN, V. *see* PIRC, B., (*EACTA*) 74: A.86
ESCOLAR, G. *see* BASORA, M., (*EACTA*) 74: A.65
ESTANOVE, S. *see* DURAND, P. G., (*EACTA*) 74: A.94

FABRI, B. *see* BERRY, P. D., (*EACTA*) 74: A.41; RUSSELL, G. N., (*EACTA*) 74: A.109
FAIRLEY, C. J. and CLARKE, J. T. Use of esmolol in a parturient with hypertrophic obstructive cardiomyopathy 801–804
FAULÍ, A., GOMAR, C., BASORA, M., ALVAREZ, L., MARTÍNEZ, M. and NALDA, M. A. Glomerular dysfunction or lesion in patients undergoing CPB/evaluation by means of IgG excretion, (*EACTA*) 74: A.80
FAULÍ, A. *see* BASORA, M., (*EACTA*) 74: A.65
FAULI, A. *see* ROVIRA, I., (*EACTA*) 74: A.2; (*EACTA*) 74: A.73
FAUST, R. J., (editor) *Anesthesiology Review*, 2nd Edn, (*R*) 378
FEE, J. P. H. *see* GORMLEY, W. P., (*ARS*) 231P; GRACE, D., (*ARS*) 230P
FENECK, R., SHERRY, K., WITHINGTON, S. and ODURO, A. Comparison of milrinone and dobutamine in pulmonary hypertensive patients following cardiac surgery, (*EACTA*) 74: A.11
FENECK, R. *see* DAY, C., (*ARS*) 242P; DUNCAN, F., (*EACTA*) 74: A.25; HEMMING, A., (*EACTA*) 74: A.90
FENECK, R. O. *see* BOOMERS, O. W., (*EACTA*) 74: A.12; DUNCAN, F., (*EACTA*) 74: A.115; KELLOW, N. H. 578–582; SPACKMAN, D. R., (*EACTA*) 74: A.103
FENN, G. C. and RATCLIFFE, S. Tramadol, (*C*) 501
FERNANDO, R. *see* ROBBINS, P. M. 355–357
FERRETTI, G. *see* DURAND, M., (*EACTA*) 74: A.19
FIDDIAN-GREEN, R. G. Gastric tonometry, (*C*) 508
FILLEY, S., BONNEFOY, E., GRUNER, M. C., BLANC, P., GIRARD, C., MIKAELOFF, P., GUIDOLLET, J. and LEHOT, J. J. Perioperative myocardial infarction (PMI) in coronary artery bypass graft surgery (CABG): limiting the number of serum enzyme measurements, (*EACTA*) 74: A.92
FINDLAY, G. P. Effect of i.v. diamorphine on regression of spinal block, (*C*) 509
FINDLAY, G. P. and SPITTAL, M. J. A subtle cause of circle system failure, (*C*) 667–668
FINE, P. L. *The Wards: An Introduction to Clinical Clerkships*, (*R*) 511–512
FINK, M. P. *see* RIPPE, J. M., (*R*) 510
FISCHER, M. *see* CURATOLO, M. 634–635; PETERSEN-FELIX, S. 55–60
FISCHLER, M. *see* JUVIN, P. 488–490
FISHER, S. *see* WOLF, A. R. 787–789
FITA, G. *see* GOMAR, C., (*EACTA*) 74: A.64; ROVIRA, I., (*EACTA*) 74: A.2; (*EACTA*) 74: A.73
FITZGERALD, M. Developmental biology of inflammatory pain 177–185
FLAMENS, C., SAROUL, C., OBADIA, J. F., DALMAS, J. P., DURAND, P. G., HERCULE, C. and LEHOT, J. J. Intraoperative transoesophageal echocardiography (TOE) utility in patients undergoing mitral valve repair, (*EACTA*) 74: A.30
FLEMING, B. G. *see* ROGERS, J. E. G. 15–18
FLETCHER, J. E., TRIPOLITIS, L., HUBERT, M., VITA, G. M., LEVITT, R. C. and ROSENBERG, H. Genotype and phenotype relationships for mutations in the ryanodine receptor in patients referred for diagnosis of malignant hyperthermia 307–310
FLORY, N. Peripheral analgesic effect of morphine, (*C*) 823

FLORY, N., VAN-GESSEL, E., DONALD, F., HOFFMEYER, P. and GAMULIN, Z. Does the addition of morphine to brachial plexus block improve analgesia after shoulder surgery? 23–26
FLYNN, C. G. *see* LYONS, B. 552–555
FOO, I. T. H., WARREN, P. M. and DRUMMOND, G. B. Effect of oral clonidine on the ventilatory response to sustained isocapnic hypoxia in humans, (*ARS*) 232–233P
FORSTER, A. *see* HOFFMANN, A.-C. 269–273
FOUBERT, L., MAREELS, K., LATIMER, R., HERREGODS, L., DEN BLAUWEN, N. and ROLLY, G. Evaluation of a universal nitric oxide delivery system using predilution of nitric oxide, (*EACTA*) 74: A.1
FOUBERT, L., MAREELS, K., LATIMER, R., HERREGODS, L. and ROLLY, G. Evaluation of soda lime as a nitric oxide and nitrogen dioxide scavenger, (*EACTA*) 74: A.3
FOUBERT, L. *see* MEDINA, H., (*EACTA*) 74: A.21; MOERMAN, A., (*EACTA*) 74: A.29; (*EACTA*) 74: A.71
FOURQUET, E. *see* DALMAS, J. P., (*EACTA*) 74: A.22
FOX, M. and HUNT, P. Mivacurium and prolonged neuromuscular block, (*C*) 374
FOX, M. A. *see* BERRY, P. D., (*EACTA*) 74: A.41; RUSSELL, G. N., (*EACTA*) 74: A.109
FRANCO, A., DIZ, J. C., CORTÉS, J. and ALVAREZ, J. Fires and explosions with anaesthetics, (*C*) 821–822
FREEBAIRN, R. C. *see* GOMERSALL, C. D., (*C*) 507–508
FREEMAN, J. W. *see* RUSSELL, S. H., (*C*) 118; (*C*) 375–376
FRIZELLE, H. P. and ZETLAOUI, P. J. Postoperative analgesia for arthrolysis of the elbow joint, (*C*) 372
FROST, A. *see* LOUBSER, P., (*EACTA*) 74: A.98
FROST, E. A. M. and THOMPSON, D. A., (editors) *Ballière's Clinical Anaesthesiology of Post-anaesthetic Care*, (*R*) 255
FROST, L. *see* JAKOBSON, C.-J., (*EACTA*) 74: A.44
FUJITA, T. *see* ISHIZAKI, K. 636–638
FUKUDA, H. *see* HIRABAYASHI, Y. 3–5; 6–8; (*C*) 245–246; 266–268; 683–687; SAITOH, K. 688–691
FULACHIER, V. *see* SICARD-DESNUELLE, M. P., (*EACTA*) 74: A.81
FUMAGALLI, P., LUSENTI, F., MARTINI, C. and MASSEI, R. Retrograde cannulation of the jugular vein, (*C*) 373
FUNK, W. *see* SPIES, C. D. 734–739
FURUSE, M. *see* HIRABAYASHI, Y. 3–5; 6–8

GAITINI, L. *see* BEN-DAVID, B. 409–412
GALLANDAT HUET, R. C. G. *see* VAN DER MAATEN, J. M. A. A., (*EACTA*) 74: A.36
GALLEY, H. F., NELSON, L. R. and WEBSTER, N. R. Anaesthetic agents decrease the activity of nitric oxide synthase from human polymorphonuclear leucocytes 326–329
GAMULIN, Z. *see* FLORY, N. 23–26; HOFFMANN, A.-C. 269–273
GARCIA FERNANDEZ, M. A. *see* BASTIDA, E., (*EACTA*) 74: A.31
GÅRDEBÄCK, M., LARSEN, F. F. and RÅDEGRAN, K. Nitric oxide improves hypoxaemia following reperfusion oedema after pulmonary thromboendarterectomy 798–800
GÅRDEBÄCK, M., SETTERGREN, G. and BRODIN, L-Å. Hepatic blood flow during heart surgery assessed by trans-oesophageal echocardiography, (*EACTA*) 74: A.27
GARDINER, J. *see* BUGGY, D., (*C*) 114–115; (*C*) 248
GASTON, J. H. *see* LOAN, P. B. 289–292
GAYLARD, D. G. *see* SWALES, H. A., (*e*) 121
GEBHARDT, M. M. *see* HOLZMANN, A. 452–456
GEDNEY, J. A. and GHOSH, S. Pharmacokinetics of analgesics, sedatives and anaesthetic agents during cardiopulmonary bypass 344–351
GEISSLINGER, G., HERING, W., KAMP, H.-D. and VOLLMERS, K.-O. Pharmacokinetics of ketamine enantiomers, (*C*) 506–507
GEORGE, M., DIAB, C., VILLARD, J. and LEHOT, J. J. Use of Detsky's cardiac risk index in a vascular surgery centre, (*EACTA*) 74: A.113
GEORGE, S. J., BLACK, J. J. M. and BOSCOE, M. J. Intraoperative transoesophageal echocardiography for implantation of a pulsatile left ventricular assist device 794–797
GERSAK, B. *see* PIRC, B., (*EACTA*) 74: A.86
VAN GESSEL, E. *see* HOFFMANN, A.-C. 269–273
GHOSH, S. *see* GEDNEY, J. A. 344–351
GHOSH, S *see* STEVENS, J. J. W. M., (*EACTA*) 74: A.110
GIANNOPOULOS, N. *see* KYRITSIS, A., (*EACTA*) 74: A.78
GIBBERD, F. B. *see* HOLDCROFT, A. 522–526
GIBBS, N. M. and SEAR, J. W. Effect of ketorolac, bupivacaine and low-dose heparin on thrombelastographic variables *in vitro* 27–30
GILL, E. W. *see* NAGYOVA, B. 713–718
GILSANZ, F. *see* CARNERO, T., (*EACTA*) 74: A.9
GINOSAR, Y. and SHAPIRA, S. C. The role of an anaesthetist in a field hospital during the cholera epidemic among Rwandan refugees in Goma 810–816
GINOSAR, Y. *see* DRENGER, B., (*EACTA*) 74: A.84
GINSBURG, R. *see* BROMLEY, P. N. 352–354
GIORDANO, F. *see* BERTOLISSI, M., (*EACTA*) 74: A.8
GIRARD, C. *see* DALMAS, J. P., (*EACTA*) 74: A.22; DURAND, P. G., (*EACTA*) 74: A.111; FILLEY, S., (*EACTA*) 74: A.92
GIRARDET, P. *see* DURAND, M., (*EACTA*) 74: A.19
GIRLING, K. J. and MAHAJAN, R. P. Effect of stabilization on the onset of neuromuscular block when assessed using accelerometry, (*ARS*) 653P
GLANTZ, L. *see* DRENGER, B., (*EACTA*) 74: A.84
GLEN, J. B. *see* RUSSELL, D. 562–566
GOERIG, M. Fires and explosions, (*C*) 666–667
GOERZ, G. *see* BÖHRER, H. 334–338
GOFFINET, G. *see* BOOGAERTS, J. G. 319–325; UMBRAIN, V. 311–318
GOLDHILL, D. R., TONER, C. C., TARLING, M. M., BAXTER, M. K., WITHINGTON, P. S. and WHELPTON, R. Effect of cisapride on paracetamol absorption in critically ill patients, (*ARS*) 240P
GOLDIK, Z. *see* BEN-DAVID, B. 409–412
GOLDSACK, C. and BERRIDGE, J. C. Acid-base management during cardiopulmonary bypass: current trends in the United Kingdom, (*EACTA*) 74: A.68
GOLDSMITH, A., ISMAIL, F. and SMITH, D. C. Residual neuromuscular block in the recovery room, (*ARS*) 235P
GOLDSMITH, A. D. *see* DUTTON, R. P., (*R*) 671
GOMAR, C., DEL POZO, D., FITA, G., SALVADOR, L., NALDA, M. A. and MULET, J. Aprotinin in paediatric cardiac surgery: blood loss and use of blood products, (*EACTA*) 74: A.64
GOMAR, C. *see* BASORA, M., (*EACTA*) 74: A.65; FAULÍ, A., (*EACTA*) 74: A.80; ROVIRA, I., (*EACTA*) 74: A.2; (*EACTA*) 74: A.73
GOMBOTZ, H. *see* MAHLA, E., (*EACTA*) 74: A.112
GOMERSALL, C. D., FREEBAIRN, R. C., JOYNT, G. M. and BUCKLEY, T. A. Gastric tonometry, (*C*) 507–508
GONCALVES, O. *see* LONGROIS, D., (*EACTA*) 74: A.61
GONZALES, T. *see* SICARD-DESNUELLE, M. P., (*EACTA*) 74: A.81
GOODMAN, N. W. and STRATFORD, N. Citation of anaesthesia abstracts in original papers published in five anaesthesia journals, (*ARS*) 655–656P; Effect of i.v. lignocaine on the breathing of patients anaesthetized with propofol 573–577
GOPINATH, S. *see* BOOTH, J. V., (*EACTA*) 74: A.54; STEVENS, J. J. W. M., (*EACTA*) 74: A.110
GORMLEY, W. P., MURRAY, J. M. and FEE, J. P. H. Effect of alfentanil used with lignocaine during axillary brachial plexus anaesthesia, (*ARS*) 231P
GOSLING, P., MARSHALL, W. J. and CLAPHAM, M. C. *Intensive Care and Clinical Biochemistry*, (*R*) 378–379
GOULDEN, C. *see* RICHARDSON, J. 405–408
GOULDING, S. T. and HOVELL, B. C. Anaesthetic experience of vertical banded gastroplasty 301–306
GOWER, S. N., HANSBRO, S. and SHAH, M. V. An evaluation of the hemochron RxDx heparin and protamine dose predicting system, (*EACTA*) 74: A.56
GOWER, S. N., MCCLEARY, P., BERRIDGE, J. and MCGOLDRICK, J. Preliminary report of the use of near infrared spectroscopy during hypothermic cardiopulmonary bypass, (*ARS*) 238P
GOWRIE-MOHAN, S. *see* COX, M., (*C*) 114
GOZAL, Y. *see* DRENGER, B., (*EACTA*) 74: A.84
GRACE, D. and FEE, J. P. H. Assessment of intrathecal morphine 6-glucuronide as analgesic for hip replacement, (*ARS*) 230P
GRANGE, C. Maximum doses of local anaesthetics, (*C*) 502
GRANGER, C. *see* BECK, D. H., (*C*) 371
GREEN, M. A., LAM, Y. and MOSS, R. F. Starch, gloves and extradural catheters 768–770
GREIFF, J. M. C., THOMPSON, M. M. and LANGHAM, B. T. Anaesthetic implications of aortic stent surgery 779–781
GREIM, C.-A., ROEWER, N. and SCHULTE AM ESCH, J. Assessment of changes in left ventricular wall stress from the end-systolic pressure–area product 583–587
GRIEFF, J. *see* ELTON, C., (*ARS*) 663P
GRIFFITHS, R. *see* ELTON, C., (*ARS*) 663P
GRUBB, D. J. *see* COOK, B. 698–701
GRUNDMANN, U., MÜLLER, M., LARSEN, B. and LARSEN, R. Haemodynamic effects of desflurane and isoflurane in patients with coronary artery disease, (*EACTA*) 74: A.48
GRUNDMANN, U. *see* MOLTER, G., (*EACTA*) 74: A.72
GRÜNE, F. *see* BUHRE, W., (*EACTA*) 74: A.67
GRUNER, M. C. *see* FILLEY, S., (*EACTA*) 74: A.92
GU, Y. J. *see* DE VRIES, A. J., (*EACTA*) 74: A.105
GUDGEON, A. C. *see* LAWSON, R. A. 282–285
GUIDOLLET, J. *see* FILLEY, S., (*EACTA*) 74: A.92; VEDRINNE, C., (*EACTA*) 74: A.87
GUILLOU, P. J. *see* O'BEIRNE, H., (*ARS*) 661P
GUPTA, D. *see* ABOULEISH, E. 486–487

GWINNUTT, C. L. *see* MCCLUSKEY, A. 645–650

HADJI, B. *see* TONNER, P. H. 467–471
HAGON, O. *see* WILDER-SMITH, O. H. G. 441–446
HAIDER, W. *see* RAJEK, A. M., (*EACTA*) **74**: A.4; TSCHERNKO, E., (*EACTA*) **74**: A.14; (*EACTA*) **74**: A.102
HAIGH, R. and HARRIS., D. *AIDS: A Guide to the Law*, 2nd Edn, (*R*) 511
HÅKANSSON, R. *see* SVEDJEHOLM, R., (*EACTA*) **74**: A.40
HALL, G. M. *see* MOORE, C. M. 387–393
HALSALL, P. J. *see* SMITH, P. D., (*ARS*) 658–659P
HAMILTON, R. C. Single medial injection peribulbar anaesthesia, (*C*) 668; Techniques of orbital regional anaesthesia 88–92
HAMMARÉN, E. and HYNYNEN, M. Haemodynamic effects of propofol infusion for sedation after coronary artery surgery 47–50
HAMMOND, E. J. *see* MCINDOE, A. K. 97–101
HAMMOND, J. S. *see* RICHARDS, J. P., (*ARS*) 657–658P
HANKS, G. W., (editor) *Palliative Medicine: Problem Areas in Pain and Symptom Management*, (*R*) 512
HANNEMANN, L. *see* SPIES, C. D. 734–739
HANSBRO, S. *see* GOWER, S. N., (*EACTA*) **74**: A.56
HANSEN, O. K. *see* PEDERSEN, J., (*EACTA*) **74**: A.76
HARGROVE, R. L. *see* HOLDCROFT, A. 522–526
HARIDAS, R. P. Condensation on tracheal tubes is commonly seen with oesophageal intubation, (*C*) 115–116
HARRIS., D. *see* HAIGH, R., (*R*) 511
HARRISON, S. J. and PONTE, J. Convective warming combined with vasodilator therapy accelerates core rewarming after cardiac surgery, (*ARS*) 659P
HARTMANN, D. *see* EL-BANAYOSY, A, (*EACTA*) **74**: A.114
HARTOPP, I. *see* JOHNSON, G. W., (*C*) 113
HASENKAM, J. M. *see* AHLBURG, P., (*EACTA*) **74**: A.59
HATA, T. *see* ISHIBE, T. 330–333
HATCH, D., SUMNER, E. and HELLMAN, J. *The Surgical Neonate: Anaesthesia & Intensive Care*, (*R*) 826
HATCH, D. J. *see* HODGSON, P. E. 71–79
HAWKINS, D. F. *see* HOLDCROFT, A. 522–526
HAWKSWORTH, G. *see* BARR, J. 692–697
HAYASHI, T. *see* ISHIBE, T. 330–333
HAYES, P. C. *see* PHILIPS, B. J., (*ARS*) 239–240P
HEAD-RAPSON, A. G., DEVLIN, J. C., PARKER, C. J. R. and HUNTER, J. M. Pharmacokinetics and pharmacodynamics of the three isomers of mivacurium in health, in end-stage renal failure and in patients with impaired renal function 31–36
HEALY, T. E. J. and POMFRETT, C. J. Intraoperative awareness and the isolated forearm technique, (*C*) 820–821
HEATON, N. *see* BROMLEY, P. N. 352–354
HEESEN, M. *see* BOLDT, J. 740–746
HEINONEN, J. *see* PERTTUNEN, K. 541–547
HELLMAN, J. *see* HATCH, D., (*R*) 826
HEMMING, A., EL OAKLEY, R., JENKINS, D., DI SALVO, C., WRIGHT, J., WALESBY, R. and FENECK, R. Can the myocardium be preconditioned with ischaemia under hypothermic conditions in man? (*EACTA*) **74**: A.90
HEMPELMANN, G. *see* BOLDT, J. 740–746; KRUMHOLZ, W. 66–70
HENDERSON, D. J. and JONES, G. Effect of i.v. diamorphine on regression of spinal block, (*C*) 509
HENTHORN, T. K. *see* SHANKS, C. A. 109–112
HERCULE, C. *see* FLAMENS, C., (*EACTA*) **74**: A.30
HERING, W. *see* GEISSLINGER, G., (*C*) 506–507
HERREGODS, L. *see* FOUBERT, L., (*EACTA*) **74**: A.1; (*EACTA*) **74**: A.3; MEDINA, H., (*EACTA*) **74**: A.21; MOERMAN, A., (*EACTA*) **74**: A.29; (*EACTA*) **74**: A.71
HERSE, B. *see* WEYLAND, A., (*EACTA*) **74**: A.52
HETT, D., PILKINGTON, S. and SMITH, D. The auditory evoked response during hypothermic cardiopulmonary bypass, (*EACTA*) **74**: A.53
HETT, D. A., SMITH, D. C., PILKINGTON, S. N. and ABBOTT, T. R. Effect of temperature and cardiopulmonary bypass on the auditory evoked response 293–296
HETT, D. A., WALKER, D., PILKINGTON, S. N. and SMITH, D. C. Sonoclot analysis 771–776
HETT, D. A. *see* PILKINGTON, S. N., (*e*) 380
HETZER, R. *see* LAMPARTER-SCHUMMERT, B., (*EACTA*) **74**: A.5
HIESMAYR, M. *see* LAßNIGG, A., (*EACTA*) **74**: A.50; RAJEK, A. M., (*EACTA*) **74**: A.4
HILMI, I. *see* BROMLEY, P. N. 352–354; MILROY, S. J. 747–751
HILTON, S. *see* STREB, M., (*C*) 117
HINDLE, A. T. and HOPKINS, P. M. Effects of 5-HT antagonists on the rat phrenic nerve diaphragm preparation, (*ARS*) 229P
HINES, R. L. *see* BLITT, C. D., (*R*) 510
HIRABAYASHI, Y., SAITOH, K., FUKUDA, H. and SHIMIZU, R. Visceral pain during Caesarean section: effect of varying dose of spinal amethocaine 266–268
HIRABAYASHI, Y., SHIMIZU, R., FUKUDA, H., SAITOH, K. and FURUSE, M. Anatomical configuration of the spinal column in the supine position. II. Comparison of pregnant and non-pregnant women 6–8
HIRABAYASHI, Y., SHIMIZU, R., SAITOH, K. and FUKUDA, H. Cerebrospinal fluid progesterone in pregnant women 683–687; Subarachnoid spread of isobaric tetracaine in adolescents, (*C*) 245–246
HIRABAYASHI, Y., SHIMIZU, R., SAITOH, K., FUKUDA, H. and FURUSE, M. Anatomical configuration of the spinal column in the supine position. I. A study using magnetic resonance imaging 3–5
HIRABAYASHI, Y. *see* SAITOH, K. 688–691
HIRVISALO, E.-L. *see* PERTTUNEN, K. 541–547
HJORTHOLM, K. *see* PEDERSEN, J., (*EACTA*) **74**: A.76
HÖCHE, A., SCHLAPP, U., RIEDEL, W., KLÖVEKORN, W. P. and KARLICZEK, G. Effects of dexamethasone on release of endotoxin, ACTH and cortisol during hypothermic cardiopulmonary bypass, (*EACTA*) **74**: A.75
HODGES, U. Vecuronium infusion requirements in paediatric patients in intensive care units and the use of acceleromyography, (*ARS*) 234P
HODGSON, P. E., REHDER, K. and HATCH, D. J. Comparison of the pharmacodynamics of ketamine in the isolated neonatal and adult porcine airway 71–79
HOEHN, L. *see* NEIDHART, P., (*EACTA*) **74**: A.23
HOFER, S. *see* TSCHERNKO, E., (*EACTA*) **74**: A.14
HOFFMANN, A.-C., VAN GESSEL, E., GAMULIN, Z., RYSER, J.-E. and FORSTER, A. Quantitative evaluation of tourniquet leak during i.v. regional anaesthesia of the upper and lower limbs in human volunteers 269–273
HOFFMEYER, P. *see* FLORY, N. 23–26
HOLDCROFT, A. Hypothermia during liver transplantation, (*C*) 118
HOLDCROFT, A., GIBBERD, F. B., HARGROVE, R. L., HAWKINS, D. F. and DELLAPORTAS, C. I. Neurological complications associated with pregnancy 522–526
HOLZMANN, A., SCHMIDT, H., GEBHARDT, M. M. and MARTIN, E. Propofol-induced alterations in the microcirculation of hamster striated muscle 452–456
HONGNAT, J. M., D'ATTELLIS, N., SIRIEIX, D., DELAYANCE, S. and BARON, J. F. Postoperative plasma volume expansion with hypertonic saline solutions after mitral valve surgery, (*EACTA*) **74**: A.70
HONKONEN, E., KAUKINEN, L., PEHKONEN, E. and KAUKINEN, S. Right coronary artery disease and right ventricular function: antegrade vs retrograde cardioplegia, (*EACTA*) **74**: A.85
HOPKINS, P. M. Use of suxamethonium in children, (*E*) 675–677
HOPKINS, P. M. *see* HINDLE, A. T., (*ARS*) 229P; MORRIS, T. J., (*ARS*) 661–662P; SMITH, P. D., (*ARS*) 658–659P
HORITA, A. *see* BOWDLE, T. A., (*R*) 510–511
HÖRMANN, Ch., MAIR, P., SCHMIDAUER, Ch., ANDRETTER, H. and BENZER, A. Cerebral bloodflow velocity during the first phase of cardiocirculatory arrest, (*EACTA*) **74**: A.51
HOVELL, B. C. *see* GOULDING, S. T. 301–306
HOWARD-GRIFFIN, R. *see* DRIVER, I., (*ARS*) 664P
HUANG, C. H. *see* CHEN, T. L. 462–466
HUBBARD, K. *see* KINIRONS, B., (*ARS*) 664–665P
HUBERT, M. *see* FLETCHER, J. E. 307–310
HUGHES, N. *see* BUGGY, D., (*C*) 114–115; (*C*) 248
HUGHES, P. *see* AHLBURG, P., (*EACTA*) **74**: A.59
HUHTALA, J. *see* TARKKILA, P., (*C*) 376
HUNT, P. *see* FOX, M., (*C*) 374
HUNT, S. P. *see* MUNGLANI, R. 186–192
HUNTER, J. M. *see* EASTWOOD, N. B. 431–435; HEAD-RAPSON, A. G. 31–36; VAN MIERT, M. M., (*ARS*) 235P; SMITH, C. E., (*ARS*) 651P
HUNTER, S. C. *see* RUSSELL, D. 562–566
HUTTON, P. *see* BENSON, J. P. 483–485; RUSSELL, D. 562–566; SMITH, T. C., (*ARS*) 655P
HUYZEN, R. J. *see* VAN DER MAATEN, J. M. A. A., (*EACTA*) **74**: A.36
HVASS, U. *see* LONGROIS, D., (*EACTA*) **74**: A.61
HYNYNEN, M. *see* HAMMARÉN, E. 47–50

IGARASHI, M. and IWASAKI, H. Mechanism of the differential sensitivity in the rat adductor and abductor laryngeal muscles to a non-depolarizing neuromuscular blocker 339–343
IKEDA, S. *see* JAKICS, J., (*EACTA*) **74**: A.60
ILSLEY, A. *see* PLUMMER, J., (*ARS*) 655P
IMRIE, M. M. *see* STEELE, A. P. H., (*C*) 369
INGLIS, S. *see* PLUMMER, J., (*ARS*) 655P
INNES, P. *see* RUSSELL, G. N., (*EACTA*) **74**: A.109
INOUE, T. *see* WAJIMA, Z. 548–551
IPYAM, C. *see* RUSSELL, G. N., (*EACTA*) **74**: A.109

IRELAND, M. A. *see* KENNEDY, N. J. 495–497
IRWIN, R. S. *see* RIPPE, J. M., (*R*) 510
ISHIBE, T., SATO, T., HAYASHI, T., KATO, N. and HATA, T. Absorption of nitrogen dioxide and nitric oxide by soda lime 330–333
ISHII, R. *see* NAKAIGAWA, Y. 616–621
ISHIKAWA, G. *see* WAJIMA, Z. 548–551
ISHIZAKI, K., YOON, D. M., YOSHIDA, N., YAMAZAKI, M., ARAI, K. and FUJITA, T. Intrathecal administration of *N*-methyl-D-aspartate receptor antagonist reduces the minimum alveolar anaesthetic concentration of isoflurane in rats 636–638
ISMAIL, F. *see* GOLDSMITH, A., (*ARS*) 235P
ITO, Y. *see* KAMITANI, K. 457–461
IWASAKI, H. *see* IGARASHI, M. 339–343

JACKSON, I. J. B. *see* CORKE, C. F., (*R*) 378
JACKSON, M. *see* BERRY, P. D., (*EACTA*) 74: A.41; ROMER, H. C., (*EACTA*) 74: A.95; RUSSELL, G. N., (*EACTA*) 74: A.109
JACKSON, P. *see* EDWARDS, N. D. 491–494
JACKSON, R., REID, J. A. and THORBURN, J. Volume preloading is not essential to prevent spinal-induced hypotension at Caesarean section 262–265
JACOBSON, S-L. *see* JAYARAM, A. 358–360
JAKICS, J., LEE, J. and IKEDA, S. The influence of perioperative aspirin and/or heparin therapy on blood loss and blood products requirement in cardiac surgery, (*EACTA*) 74: A.60
JAKOBSEN, C.-J., AHLBURG, P., RYBRO, L., PEDERSEN, K. D. and ANDRESEN, E. B. Preoperative metoprolol attenuates postoperative stress response after thoracotomy, (*EACTA*) 74: A.101
JAKOBSEN, C.-J. *see* CHRISTIANSEN, C. L., (*EACTA*) 74: A.28
JAKOBSEN, K. B., CHRISTENSEN, M.-K. and CARLSSON, P. S. Extradural anaesthesia for repeated surgical treatment in the presence of infection 536–540
JAKOBSON, C.-J., AHLBURG, P., RYBRO, L., ANDRESEN, E. B., PEDERSEN, K. D. and FROST, L. Metoprolol reduces the frequency of atrial fibrillation after lung resection, (*EACTA*) 74: A.44
JALAN, R. *see* PHILIPS, B. J., (*ARS*) 239–240P
JAMART, J. *see* COLLARD, E., (*EACTA*) 74: A.79; DUCART, A., (*EACTA*) 74: A.77
JANKE, E., PILKINGTON, S. and SMITH, D. Evaluation of two warming systems after cardiopulmonary bypass, (*EACTA*) 74: A.55
JANKE, E., PILKINGTON, S. N., DAUBENEY, P. E. F., WEBBER, S. A., LIVESEY, S. A., TSANG, V. T., SHEARMAN, C. P. and SMITH, D. C. Cerebral oximetry during cardiac and carotid surgery in adult patients, (*EACTA*) 74: A.39
JAYARAM, A., CARP, H. M., DAVIS, L. and JACOBSON, S-L. Pregnancy complicated by aortic dissection: Caesarean delivery during extradural anaesthesia 358–360
JAYASURIYA, J. P. Incidents and critical incidents, (*C*) 505
JEEVARATNAM, R. D. and MENON, D. K. Survey of intensive care management of severely head-injured patients in the United Kingdom, (*ARS*) 660–661P
JEGADEN, O. *see* DURAND, P. G., (*EACTA*) 74: A.111
JENKINS, D. *see* HEMMING, A., (*EACTA*) 74: A.90
JEZERNIK, J. *see* PIRC, B., (*EACTA*) 74: A.86
JOHNSON, G. W., CHADWICK, S., EADSFORTH, P. and HARTOPP, I. Anaesthesia and myotonia, (*C*) 113
JOHNSON, J., DESAI, J. and PONTE, J. Observations on muscle temperature changes during cardiopulmonary bypass, (*ARS*) 663P
JOHNSON, R. W. Anatomy for ophthalmic anaesthesia 80–87
JOHNSTON, B. *see* ROGERS, J. E. G. 15–18
JONES, G. *see* DUNN, T. J. 12–14; HENDERSON, D. J., (*C*) 509
JONES, J. Red blood cell substitutes, (*C*) 504–505
JONES, S. F. NSAID for Caesarean section, (*C*) 666
JOSHI, G. P. *see* LYONS, B. 552–555
JOUCKEN, K. *see* COLLARD, E., (*EACTA*) 74: A.79; DUCART, A., (*EACTA*) 74: A.77
JOUMAA, B. *see* ABOULEISH, E. 486–487
JOUPPILA, P. *see* KARINEN, J. 531–535
JOUPPILA, R. *see* KARINEN, J. 531–535
JOYCE, C. J. and BAKER, A. B. Effects of inspired gas composition during anaesthesia for abdominal hysterectomy on postoperative lung volumes 417–421
JOYCE, C. J., BAKER, A. B. and CHARTRES, S. Influence of inspired nitrogen concentration during anaesthesia for coronary artery bypass grafting on postoperative atelectasis 422–427
JOYNT, G. M. *see* GOMERSALL, C. D., (*C*) 507–508
JOZWIAK, H. *see* MCCRAE, A. F., (*C*) 246; (*C*) 374
JULIANO, G., MAZZONI, M., SOLINAS, C., SALIS, S., CERIANI, R., ZUCCHETTI, M., SALVI, L., BORTONE, F., SISILLO, E. and SUSINI, G. CAVH and CVVH in the treatment of acute renal failure after cardiovascular surgery, (*EACTA*) 74: A.82
JUVIN, P., MOUTAFIS, M., RAFFIN, L., BONNETTE, P., BISSON, A. and FISCHLER, M. Double lung transplantation without cardiopulmonary bypass: arterial to end-tidal carbon dioxide partial pressure differences 488–490

KADOTANI, H. *see* WAJIMA, Z. 548–551
KÅGEDAL, B. *see* SVEDJEHOLM, R., (*EACTA*) 74: A.43
KAHN, R. *see* SPRUNG, J., (*EACTA*) 74: A.96
KAJIMOTO, Y. *see* KYTTÄ, J. 447–451
KALSO, E. *see* PERTTUNEN, K. 541–547
KALWEIT, G. *see* MOLTER, G., (*EACTA*) 74: A.72
KAMITANI, K., YAMAZAKI, M., YUKITAKA, M., ITO, Y. and MOMOSE, Y. Effects of propofol on isolated rabbit mesenteric arteries and veins 457–461
KAMP, H.-D. *see* GEISSLINGER, G., (*C*) 506–507
KANEKO, K. *see* WAJIMA, Z. 548–551
KANEKO, M. *see* SAITO, Y. 394–398
KAPILA, A., ADDY, E. V., VERGHESE, C. and BRAIN, A. I. J. Intubating laryngeal mask airway: a preliminary assessment of performance, (*ARS*) 228–229P
KARALLIEDDE, L. Animal toxins, (*C*) 372; Management of puffer fish poisoning, (*C*) 500
KAREVOLD, A. *see* KIRKEBY-GARSTAD, I., (*EACTA*) 74: A.16
KARINEN, J., RÄSÄNEN, J., ALAHUHTA, S., JOUPPILA, R. and JOUPPILA, P. Effect of crystalloid and colloid preloading on uteroplacental and maternal haemodynamic state during spinal anaesthesia for Caesarean section 531–535
KARKELA, J. *see* KAUKINEN, L., (*EACTA*) 74: A.93
KARLICZEK, G. *see* HÖCHE, A., (*EACTA*) 74: A.75
KASTNER, J. *see* LAßNIGG, A., (*EACTA*) 74: A.50; RAJEK, A. M., (*EACTA*) 74: A.4
KATES, R. A. *see* CARCOANA, O. V., (*EACTA*) 74: A.74
KATO, N. *see* ISHIBE, T. 330–333
KATZ, E. *see* BEN-DAVID, B. 409–412
KAUKINEN, L., PELTONIEMI, H., KAUKINEN, S., KARKELA, J., AARAN, R.-K., PEHKONEN, E. and TARKKA, M. Neurological recovery and cerebrospinal fluid enzymes after normothermic (NTCPB) and hypothermic (HTCPB) cardiopulmonary bypass, (*EACTA*) 74: A.93
KAUKINEN, L. *see* HONKONEN, E., (*EACTA*) 74: A.85
KAUKINEN, S. *see* HONKONEN, E., (*EACTA*) 74: A.85; KAUKINEN, L., (*EACTA*) 74: A.93; RINNE, T., (*EACTA*) 74: A.89
KAZMAIER, S., STEPHAN, H., SPIEGEL, T. v. and SONNTAG, H. Effects of different $PaCO_2$-values on myocardial haemodynamics and energetics in patients with coronary artery disease, (*EACTA*) 74: A.24
KAZMAIER, S. *see* BUHRE, W., (*EACTA*) 74: A.67
KEIKKILÄ, L. *see* KUITUNEN, A., (*EACTA*) 74: A.66
KELLOKUMPU, I. *see* LINDGREN, L. 567–572
KELLOW, N. H., SCOTT, A. D., WHITE, S. A. and FENECK, R. O. Comparison of the effects of propofol and isoflurane anaesthesia on right ventricular function and shunt fraction during thoracic surgery 578–582
KELLY, J. *see* NÍ CHONCHUBHAIR, Á. 481–482
KELLY, M. C. *see* BUNTING, H. E. 631–633
KENNEDY, N. J., IRELAND, M. A. and MCCONAGHY, P. M. Transoesophageal echocardiographic examination of a patient with venacaval and pericardial tears after blunt chest trauma 495–497
KENNY, G. N. C. *see* DAVIES, P. D., (*R*) 670; RUSSELL, D. 562–566
KESTIN, I. G. A statistical approach to measuring the competence of anaesthetic trainees at practical procedures 805–809
KEZNICKL, P. *see* LAßNIGG, A., (*EACTA*) 74: A.50
KHAN, Z. P., PONTE, J., MILLS, G. H., POLKEY, M. I., DESAI, J. and MOXHAM, J. Observations on phrenic nerve function during coronary artery surgery, (*ARS*) 652–653P
KHARASCH, E. D. *see* BOWDLE, T. A., (*R*) 510–511
KIDD, A. G. and RESTALL, J. Thiopentone anaesthesia at Pearl Harbor, (*C*) 823
KIM, C. *see* WAJIMA, Z. 548–551
KING, C. J., DAVEY, A. J. and CHANDRADEVA, K. Emergency use of the laryngeal mask airway in severe upper airway obstruction caused by supraglottic oedema 785–786
KING, H.-K. and WOOTEN, D. J. Subarachnoid spread of isobaric tetracaine in adolescents, (*C*) 245
KING, T. E. *see* MATTERS, R. M. 297–300
KINIRONS, B., HUBBARD, K. and CUNNINGHAM, A. J. Laryngeal mask airway—optimum time for insertion? (*ARS*) 664–665P
KINSELLA, S. M. and ROBINSON, S. M. Increase in Mallampati score during pregnancy, (*C*) 822

KIRKBY, K. C. *see* MATTERS, R. M. 297–300
KIRKEBY-GARSTAD, I., SELLEVOLD, O. F. M. and KAREVOLD, A. Oxygen consumption during early mobilization after cardiac surgery in patients with hypertrophic hearts, (*EACTA*) 74: A.16
KIRKPATRICK, N. *see* BARR, J. 692–697
KIZNER, L. *see* EL-BANAYOSY, A, (*EACTA*) 74: A.114
KLÖVEKORN, W. P. *see* HÖCHE, A., (*EACTA*) 74: A.75
KNEESHAW, J. D. *see* BOOTH, J. V., (*EACTA*) 74: A.54; PICKETT, J. A., (*EACTA*) 74: A.46; STEVENS, J. J. W. M., (*EACTA*) 74: A.110
KNUDSEN, K. E., BROFELDT, S., MIKKELSEN, S., BILLE, M., BRENNUM, J. and DAHL, J. B. Peritonsillar infiltration with low-dose tenoxicam after tonsillectomy 286–288
KNUDSEN, L. *see* AHLBURG, P., (*EACTA*) 74: A.59
KOBAYASHI, N. *see* WAJIMA, Z. 548–551
KOCHS, E. *see* RUNDSHAGEN, I. 598–602; WERNER, C. 756–760
KOIVUSALO, A.-M. *see* LINDGREN, L. 567–572
KOLTZENBURG, M. *see* MCMAHON, S. B. 132–144
KOPMAN, E. *see* YAPICI, N., (*EACTA*) 74: A.108
KÖRFER, R. *see* EL-BANAYOSY, A, (*EACTA*) 74: A.114
KOSAKA, Y. *see* SAITO, Y. 394–398
KOSCIELNIAK-NIELSEN, Z. J., QUIST CHRISTENSEN, L., STENS PEDERSEN, H. L. and BRUSHØJ, J. Effect of digital pressure on the neurovascular sheath during perivascular axillary block 702–706
KREJCIE, T. C. *see* SHANKS, C. A. 109–112
KRITZINGER, M. *see* TSCHERNKO, E., (*EACTA*) 74: A.14; (*EACTA*) 74: A.102
KRUMHOLZ, W., ENDRASS, J. and HEMPELMANN, G. Inhibition of phagocytosis and killing of bacteria by anaesthetic agents *in vitro* 66–70
KUITUNEN, A., KEIKKILÄ, L. and SALMENPERÄ, M. Improved haemostasis following cardiopulmonary bypass with heparin-coated circuits is not mediated by preservation of platelets, (*EACTA*) 74: A.66
KUMAR, N. *see* CONNOLLY, F. M., (*ARS*) 235–236P
KURAL, O., TUGRUL, M., PEMBECI, K., TELCI, L. and AKPIR, K. Gastric pHi in cardiac surgery patients with good ventricular function, (*EACTA*) 74: A.26
KURE, H. H. *see* AHLBURG, P., (*EACTA*) 74: A.59; NORENG, M., (*EACTA*) 74: A.63
KYRITSIS, A., DOURAKI, T., GIANNOPOULOS, N., CHANTZIS, A., BACHARAKAKIS, S. and THEODOROPOULOS, S. Calcium-channel blocker administration improves operative conditions in beating heart coronary artery bypass grafting, (*EACTA*) 74: A.78
KYTTÄ, J., RANDELL, T., TANSKANEN, P., KAJIMOTO, Y. and ROSENBERG, P. H. Monitoring lung compliance and end-tidal oxygen content for the detection of venous air embolism 447–451

DE LACEY, G. *see* RABY, N., (*R*) 379
LACK, A. and STUART-TAYLOR, M. Incidents and critical incidents, (*C*) 505
LAFONT, N. D. *see* BOOGAERTS, J. G. 319–325
LAKE, C. L., (EDITOR) *Clinical Monitoring for Anesthesia and Critical Care*, 2nd Edn. (*R*) 120–121
LAKE, C. L. and MOORE, R. A., (editors) *Blood: Hemostasis, Transfusion, and Alternatives in the Perioperative Period*, (*R*) 670
LAKS, H. *see* SANGWAN, S., (*EACTA*) 74: A.32
LALWANI, K. Animal toxins: Scorpaenidae and stingrays, (*C*) 247
LAM, A. *see* MATTA, B., (*ARS*) 242–243P; (*C*) 373
LAM, Y. *see* GREEN, M. A. 768–770
LAMB, F. J. and MALAGON, I. Comparison between two methods of measuring cardiac output: misleading analyses? (*C*) 821
LAMBERT, D. G. *see* CAMPBELL, D. J. 752–755; NICOL, B. 61–65; SMART, D., (*ARS*) 662–663P; WILLETS, J. M., (*ARS*) 243–244P
LAMBERT, D. H. *see* STRICHARTZ, G. R., (*C*) 376
LAMPARTER-SCHUMMERT, B., MUGARAGU, I., HETZER, R. and ADT, M. Aprotinin-re-exposure in patients undergoing repeat cardiac surgery: effect of prophylaxis with H1- and H2-receptor antagonists, (*EACTA*) 74: A.5
LANGHAM, B. T. *see* ALEXANDER-WILLIAMS, M., (*ARS*) 233P; GREIFF, J. M. C. 779–781
LAROUX, M. C. *see* NEIDECKER, J., (*EACTA*) 74: A.69
LARSEN, B. *see* GRUNDMANN, U., (*EACTA*) 74: A.48
LARSEN, F. F. *see* GÅRDEBÄCK, M. 798–800
LARSEN, F. S. *see* OLSEN, K. S. 51–54
LARSEN, R. *see* GRUNDMANN, U., (*EACTA*) 74: A.48; MOLTER, G., (*EACTA*) 74: A.72
LAßNIGG, A., KASTNER, J., PERNERSTORFER, T., KEZNICKL, P., STIX, G., PLÖCHL, W. and HIESMAYR, M. General anaesthesia does not affect efficiency of automatic intracardial defibrillator (AICD) placement, (*EACTA*) 74: A.50
LAßNIGG, A. *see* RAJEK, A. M., (*EACTA*) 74: A.4; TSCHERNKO, E., (*EACTA*) 74: A.102
LATIMER, M. D. *see* STEVENS, J. J. W. M., (*EACTA*) 74: A.10
LATIMER, R. *see* FOUBERT, L., (*EACTA*) 74: A.1; (*EACTA*) 74: A.3
LATIMER, R. D. *see* POWROZNYK, A. V. V., (*C*) 253; STEVENS, J. J. W. M., (*EACTA*) 74: A.10
LATTO, I. P. *see* ASAI, T., (*C*) 503–504
LAURENCE, A. S. *see* SABAR, M. A., (*ARS*) 232P
LAVAL, J. *see* DURAND, M., (*EACTA*) 74: A.19
LAWSON, R. A., SMART, N. G., GUDGEON, A. C. and MORTON, N. S. Evaluation of an amethocaine gel preparation for percutaneous analgesia before venous cannulation in children 282–285
LAWSON, R. A. *see* WOLF, A. R. 787–789
LAWTON, G. *see* COX, M., (*C*) 114
LEE, A. *see* PHILIPS, B. J., (*ARS*) 239–240P
LEE, J. *see* JAKICS, J., (*EACTA*) 74: A.60
LEGROS, F. J. *see* BOOGAERTS, J. G. 319–325; UMBRAIN, V. 311–318
LEHOT, J. J. *see* DALMAS, J. P., (*EACTA*) 74: A.22; DURAND, P. G., (*EACTA*) 74: A.111; FILLEY, S., (*EACTA*) 74: A.92; FLAMENS, C., (*EACTA*) 74: A.30; GEORGE, M., (*EACTA*) 74: A.113; NEIDECKER, J., (*EACTA*) 74: A.69; VEDRINNE, C., (*EACTA*) 74: A.87
LEONARD, L. *see* BARR, J. 692–697
LETHEREN, M. J. R. *see* SMURTHWAITE, G. J. 102–104
LEVITT, R. C. *see* FLETCHER, J. E. 307–310
LIBAN, J. B. *see* COHEN, A. M., (*C*) 504
LICKER, M. *see* NEIDHART, P., (*EACTA*) 74: A.23
LILLYWHITE, N. *see* DRIVER, I., (*ARS*) 664P
LIM, G. H. *see* ROBBINS, P. M. 355–357
LINDGREN, L., KOIVUSALO, A.-M. and KELLOKUMPU, I. Conventional pneumoperitoneum compared with abdominal wall lift for laparoscopic cholecystectomy 567–572
LINKENS, D. A. *see* MASON, D. G., (*ARS*) 653P
LITTLE, J. *see* STEVENS, J. J. W. M., (*EACTA*) 74: A.110
LIU, C. C. *see* CHEN, T. L. 462–466
LIVESEY, S. A. *see* JANKE, E., (*EACTA*) 74: A.39
LOAN, P. B., MIRAKHUR, R. K., PAXTON, L. D. and GASTON, J. H. Comparison of desflurane and isoflurane in anaesthesia for dental surgery 289–292
LOAN, P. B., SYMINGTON, M. J. J., BILL, K. M., MCMURRAY, T. J., MIRAKHUR, R. K. and PATTERSON, C. C. Effect of neuromuscular block with vecuronium on oxygen consumption in postoperative cardiac surgical patients, (*ARS*) 238–239P
LOCKE, T. J. *see* BARHAM, N. J., (*EACTA*) 74: A.42
LOCKWOOD, G. G. *see* WATTS, J. D., (*ARS*) 654P
LOGAN, M. *see* THORPE, C. M., (*C*) 246
LOHAN, D. *see* LYONS, B. 552–555
LOMAX, D. and VALENTINE, S. Effect of inspired oxygen on the cardiovascular effects of protamine after cardiopulmonary bypass 413–416
LOMOVÁ, J. Is tramadol a suitable analgesic for high-risk patients after heart surgery? (*EACTA*) 74: A.13
LONGROIS, D., GONCALVES, O., DEPOIX, J.-P., ENGUERAND, D., PHILIP, Y., MONTRAVERS, P., CHATEL, D., HVASS, U. and DESMONTS, J.-M. Effect of preoperative anticoagulant treatment on activated coagulation time and heparin levels during normothermic cardio-pulmonary bypass (CPB), (*EACTA*) 74: A.61
LOPATATZIDIS, A. *see* BLACK, A., (*ARS*) 241–242P; DAY, C., (*ARS*) 242P; MOSHAL, D., (*ARS*) 239P
LOPEZ, M. *see* ABOULEISH, E. 486–487
LORA, J. I. *see* PLANUS, A., (*EACTA*) 74: A.99
LORENZANA, J. *see* CARNERO, T., (*EACTA*) 74: A.9
DE LORGERIL, M. *see* VEDRINNE, C., (*EACTA*) 74: A.87
LÖSCHER, W. *see* TONNER, P. H. 467–471
LOUBSER, P., DIAZ, J. and FROST, A. Cardiopulmonary bypass during single lung transplantation: patient characteristics, (*EACTA*) 74: A.98
LUBARSKY, D. A. *see* SANDERSON, I. C., (*C*) 502
LUDBROOK, J. *see* BLAKE, D. W. 610–615
LUNDBERG, C. *see* SVEDJEHOLM, R., (*EACTA*) 74: A.43; (*EACTA*) 74: A.91
LUSENTI, F. *see* FUMAGALLI, P., (*C*) 373
LUX, R. *see* BÖHRER, H. 334–338
LYONS, B., LOHAN, D., FLYNN, C. G., JOSHI, G. P., O'BRIEN, T. M. and MCCARROLL, M. Intra-articular analgesia for arthroscopic meniscectomy 552–555
LYONS, G., DRESNER, M. and WILSON, R. Comparison of ropivacaine and bupivacaine for extradural analgesia, (*C*) 373–374
LYONS, G. *see* MACLEAN, A. R., (*ARS*) 230P

VAN DER MAATEN, J. M. A. A., HUYZEN, R. J. and GALLANDAT HUET, R. C. G. Cerebrovascular reactivity is impaired during rewarming from hypothermic cardiopulmonary bypass, (*EACTA*) **74**: A.36
McBRIDE, W. T., ARMSTRONG, M. A., CROCKARD, A. D. and McMURRAY, T. J. Effect of fentanyl on the immune response using an isolated cardiopulmonary bypass system, (*ARS*) 237–238P
McBRIDE, W. T., ARMSTRONG, M. A., CROCKARD, A. D., McMURRAY, T. J. and REA, J. M. Cytokine balance and immunosuppressive changes at cardiac surgery: contrasting response between patients and isolated CPB circuits 724–733
McCARROLL, M. *see* LYONS, B. 552–555
McCARTHY, G. J. *see* CONNOLLY, F. M., (*ARS*) 235–236P
McCLEARY, P. *see* GOWER, S. N., (*ARS*) 238P
McCLURE, J. H. *see* McCRAE, A. F., (*C*) 246; (*C*) 374
McCLUSKEY, A. and GWINNUTT, C. L. Evaluation of the Pneupac Ventipac portable ventilator: comparison of performance in a mechanical lung and anaesthetized patients 645–650
McCONAGHY, P. M. Psychological characteristics and patient-controlled analgesia, (*C*) 376
McCONAGHY, P. M. *see* KENNEDY, N. J. 495–497
McCOY, E. P., MIRAKHUR, R. K., RAFFERTY, C., BUNTING, H. and AUSTIN, B. A. Comparison of the forces exerted at laryngoscopy; the Macintosh *vs* the McCoy blade, (*ARS*) 241P
McCRAE, A. F., JOZWIAK, H. and McCLURE, J. H. Comparison of ropivacaine and bupivacaine for extradural analgesia, (*C*) 246; Comparison of ropivacaine and bupivacaine for extradural analgesia, (*C*) 374
McDIARMID, A. J. and WALLIS, C. B. *In vitro* study of the effect of propofol, intralipid and halothane on platelet aggregation, (*ARS*) 658P
MACDONALD, I. A. *see* MOORE, C. M. 387–393
McGOLDRICK, J. *see* GOWER, S. N., (*ARS*) 238P
McGOWAN, P. and SKINNER, A. Preoxygenation—the importance of a good face mask seal 777–778
LE MACH'ADOUR, F. *see* DURAND, P. G., (*EACTA*) **74**: A.94
McINDOE, A. K., HAMMOND, E. J. and BABINGTON, P. C. B. Peripartum cardiomyopathy presenting as a cardiac arrest at induction of anaesthesia for emergency Caesarean section 97–101
MACINTOSH, K. C. *see* ROGERS, J. E. G. 15–18
MACKENZIE, J. Expanding the applications of patient-controlled techniques, (*C*) 377
MACLEAN, A. R., DWYER, N. and LYONS, G. *In vitro* study of the effect of cerebrospinal fluid on coagulation and fibrinolysis of parturient blood, (*ARS*) 230P
McLOUGHLIN, C. C. *see* CONNOLLY, F. M., (*ARS*) 235–236P
McMAHON, S. B., DMITRIEVA, N. and KOLTZENBURG, M. Visceral pain 132–144
McMURRAY, T. J. *see* LOAN, P. B., (*ARS*) 238–239P; McBRIDE, W. T., (*ARS*) 237–238P; 724–733
McQUAY, H. *see* TRAMÈR, M. 556–561
MAGBOUL, M. A. *see* NAGUIB, M. 37–42; 588–592
MAHAJAN, R. P. *see* GIRLING, K. J., (*ARS*) 653P
MAHLA, E., ROTMAN, B., REHAK, P., GOMBOTZ, H. and METZLER, H. Perioperative arrhythmias in non-cardiac surgery, the role of ventricular function, (*EACTA*) **74**: A.112
MAIR, J. *see* MAIR, P., (*EACTA*) **74**: A.83
MAIR, P., BLEIER, J., MAIR, J. and BALOGH, D. Ischaemia induces release of atrial and brain natriuretic peptide from the human heart, (*EACTA*) **74**: A.83
MAIR, P. *see* HÖRMANN, Ch., (*EACTA*) **74**: A.51
MAITRASSE, B. *see* DURAND, P. G., (*EACTA*) **74**: A.94
MALAGON, I. *see* LAMB, F. J., (*C*) 821
MALLICK, A., WELSH, K. and VUCEVIC, M. Peripheral analgesic effect of morphine, (*C*) 822–823
MALT, R. A. and CHEMTOB, G., (editors) *On Call in Anesthesia and Surgery*, (*R*) 121
MAREELS, K. *see* FOUBERT, L., (*EACTA*) **74**: A.1; (*EACTA*) **74**: A.3
MARSHALL, W. J. *see* GOSLING, P., (*R*) 378–379
MARTIN, E. *see* BÖHRER, H. 334–338; HOLZMANN, A. 452–456
MARTIN, K. *see* BOLDT, J. 740–746
MARTIN, P. *see* SMITH, S. N., (*EACTA*) **74**: A.57
MARTÍNEZ, M. *see* FAULÍ, A., (*EACTA*) **74**: A.80
MARTINI, C. *see* FUMAGALLI, P., (*C*) 373
MARTY, J. *see* BOILLOT, A. 761–767
MASON, D. G., EDWARDS, N. D., LINKENS, D. A. and REILLY, C. S. Performance assessment of a fuzzy controller for atracurium-induced neuromuscular block, (*ARS*) 653P
MASSEI, R. *see* FUMAGALLI, P., (*C*) 373
MASSEY, S. *see* BECK, D. H., (*C*) 371
MATHER, S. J. *see* SKINNER, T. A. 790–793
MATTA, B. and LAM, A. Retrograde cannulation of the jugular vein, (*C*) 373
MATTA, B., LAM, A. and WINN, R. H. Intraoperative use of transcranial Doppler ultrasonography during resection of arteriovenous malformations, (*ARS*) 242–243P
MATTERS, R. M., BECKETT, W. G., KIRKBY, K. C. and KING, T. E. Recovery after electroconvulsive therapy: comparison of propofol with methohexitone anaesthesia 297–300
MATTHEWS, J. N. S. *see* SUDARSHAN, G. 19–22; (*e*) 513
MATUTE, P. *see* ROVIRA, I., (*EACTA*) **74**: A.2; (*EACTA*) **74**: A.73
MAYNÉ, A. *see* COLLARD, E., (*EACTA*) **74**: A.79; DUCART, A., (*EACTA*) **74**: A.77
MAZZONI, M. *see* JULIANO, G., (*EACTA*) **74**: A.82
McGOLDRICK, K. E., (EDITOR) *Ambulatory Anesthesiology: A Problem Orientated Approach*, (*R*) 511
MEARNS, A. J. *see* RICHARDSON, J. 405–408
MEDINA, H., HERREGODS, L., MOERMAN, A., POELAERT, J., FOUBERT, L., VAN BELLEGHEM, Y. and ROLLY, G. Intraoperative corrected diagnosis of a Valsalva sinus aneurysm by means of CVP wave interpretation: a case report, (*EACTA*) **74**: A.21
MEEK, D. R. *see* BERRY, P. D., (*EACTA*) **74**: A.41
MEILAN, I. *see* CARNERO, T., (*EACTA*) **74**: A.9
MEINKE, J. *see* WEYLAND, A., (*EACTA*) **74**: A.52
MENON, D. K. *see* JEEVARATNAM, R. D., (*ARS*) 660–661P
MERCER, M. Cardiac arrest after unrecognized dynamic inflation, (*C*) 252
MERSKY, H. and BOGDUK, N., (editors) *Classification of Chronic Pain. Descriptions of Chronic Pain Syndromes and Definitions of Pain Terms*, 2nd Edn, (*R*) 254
METZLER, H. *see* MAHLA, E., (*EACTA*) **74**: A.112
MICHELS, A. M. J., STOTT, S. A. and SANDERS, D. J. End-tidal oxygen concentrations produced by oxygen delivered through nasal cannulae, (*ARS*) 234P
MIELCK, F., STEPHAN, H., WEYLAND, A. and SONNTAG, H. Cerebral venous oxygen saturation is no indicator of cerebral blood flow, (*EACTA*) **74**: A.38
VAN MIERT, M. M., BOYD, A. H., EASTWOOD, N. B., PARKER, C. J. R. and HUNTER, J. M. Effect of hepatic cirrhosis on the pharmacokinetics of rocuronium bromide, (*ARS*) 235P
VAN MIERT, M. M. *see* SMITH, C. E., (*ARS*) 651P
MIKAELOFF, P. *see* FILLEY, S., (*EACTA*) **74**: A.92
MIKKELSEN, S. *see* KNUDSEN, K. E. 286–288
MILLAR, K. *see* TZABAR, Y., (*ARS*) 231P
MILLER, B. M. The world of Null-A, (*C*) 668–669
MILLER, J. D. Ensuring adequate cerebral perfusion during aneurysm surgery, (*E*) 518–519
MILLIGAN, K. R. *see* BUNTING, H. E. 631–633
MILLS, G. H. *see* KHAN, Z. P., (*ARS*) 652–653P
MILLS, P. *see* DRIVER, I., (*ARS*) 664P
MILROY, S. J., COTTAM, S., TAN, K. C., HILMI, I. and OYESOLA, B. Improved haemodynamic stability with administration of aprotinin during orthotopic liver transplantation 747–751
MIRAKHUR, R. K. *see* CONNOLLY, F. M., (*ARS*) 235–236P; LOAN, P. B., (*ARS*) 238–239P; 289–292; McCOY, E. P., (*ARS*) 241P
MITSUHATA, H. *see* SAITOH, K. 688–691
MOERMAN, A., HERREGODS, L., FOUBERT, L., DEN BLAUWEN, N. and ROLLY, G. Blood saving effect of limited intentional normovolaemic haemodilution (INH) in patients with left main stenosis, (*EACTA*) **74**: A.71
MOERMAN, A., HERREGODS, L., POELAERT, J., FOUBERT, L. and ROLLY, G. Biplane transoesophageal echocardiography (TOE) and decision making during mitral valve surgery, (*EACTA*) **74**: A.29
MOERMAN, A. *see* MEDINA, H., (*EACTA*) **74**: A.21
MOGHADAM, H. F. and WINLOW, W. Actions of isoflurane and halothane on whole cell calcium and potassium currents in cultured, identified, mollusc neurones, (*ARS*) 661P
MÖLLENBERG, O. *see* WERNER, C. 756–760
MOLTER, G., LARSEN, R., GRUNDMANN, U., KALWEIT, G., ROSE, S. and BAUMANN-NOSS, S. Immunologic reactions during myocardial revascularisation after haemodilution with colloid solutions, (*EACTA*) **74**: A.72
MOMOSE, Y. *see* KAMITANI, K. 457–461
MONTRAVERS, P. *see* LONGROIS, D., (*EACTA*) **74**: A.61
MOORE, A. *see* TRAMÈR, M. 556–561
MOORE, C. M., CROSS, M. H., DESBOROUGH, J. P., BURRIN, J. M., MACDONALD, I. A. and HALL, G. M. Hormonal effects of thoracic extradural analgesia for cardiac surgery 387–393
MOORE, D. C., MULROY, M. F. and THOMPSON, G. E. Peripheral nerve damage and regional anaesthesia, (*C*) 117
MOORE, R. A. *see* LAKE, C. L., (*R*) 670

MORENO, M. *see* BASTIDA, E., (*EACTA*) **74**: A.31
MORGAN, B. *see* COX, M., (*C*) 114
MORGAN-HUGHES, J. O. *see* ROGERS, J. E. G. 15–18
MORRIS, G. N. Removal of lumbar extradural catheters, (*C*) 666
MORRIS, T. J., HOPKINS, P. M. and WINLOW, W. Method for voltage clamping cut fibres of human skeletal muscle, (*ARS*) 661–662P
MORTIMER, A. J. *see* DEVINE, A., (*ARS*) 653–654P
MORTON, N. S. *see* LAWSON, R. A. 282–285
MOSHAL, D., DAY, C., LOPATATZIDIS, A., BOLSIN, S. and BLACK, A. Artificial neural network and multiple logistic regression modelling of outcome data from cardiac surgery, (*ARS*) 239P
MOSS, E., DEARDEN, N. M. and BERRIDGE, J. C. Effects of changes in mean arterial pressure on $S\bar{i}_{O_2}$ during cerebral aneurysm surgery 527–530
MOSS, R. F. *see* GREEN, M. A. 768–770
MOUTAFIS, M. *see* JUVIN, P. 488–490
MOXHAM, J. *see* KHAN, Z. P., (*ARS*) 652–653P
MUGARAGU, I. *see* LAMPARTER-SCHUMMERT, B., (*EACTA*) **74**: A.5
MULET, J. and NALDA, M. A. Changes in the venous jugular bulb saturation during cardiac surgery, (*EACTA*) **74**: A.34
MULET, J. *see* GOMAR, C., (*EACTA*) **74**: A.64
MÜLLER, C. *see* SPIES, C. D. 734–739
MÜLLER, M. *see* GRUNDMANN, U., (*EACTA*) **74**: A.48
MULROY, M. F. *see* MOORE, D. C., (*C*) 117
MUNGLANI, R. and HUNT, S. P. Molecular biology of pain 186–192
MURALIDHAR, K., DIXIT, M. D. and SHETTY, D. P. A safe technique to monitor pulmonary artery pressure during/after paediatric cardiac surgery, (*EACTA*) **74**: A.20
MURPHY, P. G. *see* STRATFORD, N., (*ARS*) 229–230P
MURPHY, P. M. *Essays and Multiple Choice Questions in Anaesthesia and Intensive Care*, (*R*) 254–255
MURPHY, W. *see* THORPE, C. M., (*C*) 246
MURRAY, J. M. *see* GORMLEY, W. P., (*ARS*) 231P
MUSHAMBI, M. C. and WILLIAMSON, K. Ovarian hyperstimulation syndrome, (*C*) 372
MUSHAMBI, M. C. *see* ROWBOTHAM, D. J., (*ARS*) 241P
MYLES, P. S. Cardiac arrest after unrecognized dynamic inflation, (*C*) 252

NAGUIB, M., SAMARKANDI, A. H., BAKHAMEES, H. S., MAGBOUL, M. A. and EL-BAKRY, A. K. Comparative potency of steroidal neuromuscular blocking drugs and isobolographic analysis of the interaction between rocuronium and other aminosteroids 37–42; Histamine-release haemodynamic changes produced by rocuronium, vecuronium, mivacurium, atracurium and tubocurarine 588–592
NAGYOVA, B., DORRINGTON, K. L., GILL, E. W. and ROBBINS, P. A. Comparison of the effects of sub-hypnotic concentrations of propofol and halothane on the acute ventilatory response to hypoxia 713–718
NAGYOVA, B. *see* O'NEILL, M. 603–609
NAKAIGAWA, Y., AKAZAWA, S., SHIMIZU, R., ISHII, R. and YAMATO, R. Effects of graded infusion rates of propofol on cardiovascular haemodynamics, coronary circulation and myocardial metabolism in dogs 616–621
NAKAJIMA, Y. *see* WAJIMA, Z. 548–551
NALDA, M. A. *see* BASORA, M., (*EACTA*) **74**: A.65; FAULÍ, A., (*EACTA*) **74**: A.80; GOMAR, C., (*EACTA*) **74**: A.64; MULET, J., (*EACTA*) **74**: A.34; ROVIRA, I., (*EACTA*) **74**: A.2; (*EACTA*) **74**: A.73
NARBEKOV, J. *see* RÄTSEP, I., (*EACTA*) **74**: A.88
NATHWANI, D. *see* BRUNNER, M. D., (*ARS*) 236P
NAVIA, J. *see* BASTIDA, E., (*EACTA*) **74**: A.31; RIESGO, M. J., (*EACTA*) **74**: A.116
NEIDECKER, J., AOUIFI, A., CHERFA, A., BRULE, P., LAROUX, M. C., BOMPARD, D., NINET, J., CAILLET, J. B., CHAMPSAUR, G. and LEHOT, J. J. Dextrose versus lactated Ringer's solution infusion in paediatric cardiac patients, (*EACTA*) **74**: A.69
NEIDHART, P., SZTAJZEL, J., HOEHN, L., BELTRAN, R., LICKER, M. and ADAMEC, R. Heart rate variability before, during and after peripheral vascular surgery, (*EACTA*) **74**: A.23
NEL, M. R. *see* WATTS, J. D., (*ARS*) 654P
NELSON, L. R. *see* GALLEY, H. F. 326–329
NEWTON, D. E. F. *see* BRUNNER, M. D., (*ARS*) 236P
NÍ CHONCHUBHAIR, Á., VALACIO, R., KELLY, J. and O'KEEFFE, S. Use of the abbreviated mental test to detect postoperative delirium in elderly people 481–482
NICOL, B., ROWBOTHAM, D. J. and LAMBERT, D. G. Glutamate uptake is not a major target site for anaesthetic agents 61–65
NILSSON, E. *see* PERTTUNEN, K. 541–547
NINET, J. *see* NEIDECKER, J., (*EACTA*) **74**: A.69
NISHIKAWA, T. *see* TANAKA, M. 593–597
NISKANEN, J. *see* PUHAKKA, K., (*C*) 506
NOBLE, D. W. *see* BARR, J. 692–697
NOEL, E. *see* BOOGAERTS, J. G. 319–325
NORENG, M., STEINBRUCHEL, D. and KURE, H. H. The use of allogenic blood products is reduced by autotransfusion of mediastinal shed blood in cardiac surgery, (*EACTA*) **74**: A.63
NORMAN, R. I. *see* ELTON, C., (*ARS*) 663P
NOTCUTT, W. G. Cannabis as a medicine, (*C*) 251–252
NYLANDER, E. *see* SVEDJEHOLM, R., (*EACTA*) **74**: A.43

OBADIA, J. F. *see* DURAND, P. G., (*EACTA*) **74**: A.111; FLAMENS, C., (*EACTA*) **74**: A.30
O'BEIRNE, H., GUILLOU, P. J. and BELLAMY, M. C. Liver microcirculation during major surgery in humans, (*ARS*) 661P
O'BRIEN, T. M. *see* LYONS, B. 552–555
O'DONNELL, C. J., BECK, D. H., TAYLOR, B. L. and SMITH, G. B. Malignant hyperthermia and compartment syndrome, (*C*) 369–370
ODURO, A. *see* FENECK, R., (*EACTA*) **74**: A.11; POWROZNYK, A. V. V., (*C*) 253; STEVENS, J. J. W. M., (*EACTA*) **74**: A.10; (*EACTA*) **74**: A.110
VAN OEVEREN, W. *see* DE VRIES, A. J., (*EACTA*) **74**: A.105
OGAWA, R. *see* WAJIMA, Z. 548–551
OGILVY, A. J. *see* ALEXANDER-WILLIAMS, M., (*ARS*) 233P; BOURNE, T. 678–682
O'KEEFFE, S. Postoperative delirium in the elderly, (*C*) 115
O'KEEFFE, S. *see* NÍ CHONCHUBHAIR, Á. 481–482
O'KELLY, S. W., SMITH, D. C. and PILKINGTON, S. N. The auditory evoked potential and paediatric anaesthesia 428–430
OLIN, C. *see* SVEDJEHOLM, R., (*EACTA*) **74**: A.43; (*EACTA*) **74**: A.91
OLIVIER, P. *see* D'ATTELLIS, N., (*EACTA*) **74**: A.47
OLSEN, K. S., SVENDSEN, L. B., LARSEN, F. S. and PAULSON, O. B. Effect of labetalol on cerebral blood flow, oxygen metabolism and autoregulation in healthy humans 51–54
O'NEILL, M., VEJLSTRUP, N. G., NAGYOVA, B. and DORRINGTON, K. L. Dependence of pulmonary venous admixture on inspired oxygen fraction and time during regional hypoxia in the rabbit 603–609
ORLANDO, A. *see* CURATOLO, M. 274–281
ORTS, M. *see* CARNERO, T., (*EACTA*) **74**: A.9
OWEN, H. *see* PLUMMER, J., (*ARS*) 655P
OYESOLA, B. *see* MILROY, S. J. 747–751
ÖZÜNER, Z. *see* SÜZER, Ö., (*EACTA*) **74**: A.45

PAC SOO, C. K., WANG, C., CHAKRABARTI, M. K. and WHITWAM, J. G. Effects of desflurane and isoflurane on spontaneous and reflexly mediated sympathetic activity in dogs, (*ARS*) 231–232P
PACHECO, M. *see* ROVIRA, I., (*EACTA*) **74**: A.2; (*EACTA*) **74**: A.73
PADBERG, W. *see* BOLDT, J. 740–746
PÄLVE, H. Maximum dose of lignocaine for brachial plexus block, (*C*) 824; Maximum doses of local anaesthetics, (*C*) 502
PANAGOPOULOS, G. *see* CARCOANA, O. V., (*EACTA*) **74**: A.74
PARBROOK, G. D. *see* DAVIES, P. D., (*R*) 670
PARIKH, R. K., RYMASZEWSKI, L. R. and SCOTT, N. B. Postoperative analgesia for arthrolysis of the elbow joint, (*C*) 372
PARKER, C. J. R. *see* EASTWOOD, N. B. 431–435; HEAD-RAPSON, A. G. 31–36; VAN MIERT, M. M., (*ARS*) 235P; SMITH, C. E., (*ARS*) 651P
PARKIN, G. *see* VALENTINE, J. M. J. 105–108
PARVIAINEN, I. *see* UUSARO, A., (*C*) 249
PASCH, T. *see* SPAHN, D. R., (*EACTA*) **74**: A.6
PATLA, V. *see* BENSON, J. P. 483–485
PATTERSON, C. C. *see* LOAN, P. B., (*ARS*) 238–239P
PAULSON, O. B. *see* OLSEN, K. S. 51–54
PAULUS, S. *see* DURAND, P. G., (*EACTA*) **74**: A.111
PAXTON, L. D. *see* LOAN, P. B. 289–292
PÉCASTAING, M. *see* RYCKWAERT, F., (*EACTA*) **74**: A.7
PEDEN, C. J., CLOOTE, A. H., STRATFORD, N., ROBINSON, S. M. and PRYS-ROBERTS, C. Haemodynamic changes associated with dexmedetomidine, propofol and alfentanil anaesthesia, (*ARS*) 657P
PEDEN, C. J. *see* CLOOTE, A. H., (*ARS*) 657P
PEDERSEN, J., HJORTHOLM, K., SLOTH, E., HANSEN, O. K. and DITLEVSEN, E. Modified ultrafiltration in paediatric cardiac surgery, (*EACTA*) **74**: A.76
PEDERSEN, K. D. *see* JAKOBSEN, C.-J., (*EACTA*) **74**: A.101; JAKOBSON, C.-J., (*EACTA*) **74**: A.44

PEHKONEN, E. *see* HONKONEN, E., (*EACTA*) **74**: A.85; KAUKINEN, L., (*EACTA*) **74**: A.93
PEK, B. *see* ZAHARIA, F., (*EACTA*) **74**: A.62
PELTONIEMI, H. *see* KAUKINEN, L., (*EACTA*) **74**: A.93
PEMBECI, K. *see* KURAL, O., (*EACTA*) **74**: A.26
PEREZ, I. *see* DURAND, M., (*EACTA*) **74**: A.19
PERNERSTORFER, T. *see* LAßNIGG, A., (*EACTA*) **74**: A.50
PERTTUNEN, K., NILSSON, E., HEINONEN, J., HIRVISALO, E.-L., SALO, J. A. and KALSO, E. Extradural, paravertebral and intercostal nerve blocks for post-thoracotomy pain 541–547
PETERSEN-FELIX, S., ARENDT-NIELSEN, L., BAK, P., ROTH, D., FISCHER, M., BJERRING, P. and ZBINDEN, A. M. Analgesic effect in humans of subanaesthetic isoflurane concentrations evaluated by experimentally induced pain 55–60
PETERSEN-FELIX, S. *see* CURATOLO, M. 634–635
PETREI, D. *see* BERTOLISSI, M., (*EACTA*) **74**: A.8
PETRING, O. U. *see* BLAKE, D. W. 610–615
PETROVIC, P. *see* SINDJELIC, R., (*EACTA*) **74**: A.106; VLAJKOVIC, G., (*EACTA*) **74**: A.107
PHILIP, Y. *see* LONGROIS, D., (*EACTA*) **74**: A.61
PHILIPS, B. J., JALAN, R., POLLOK, A., HAYES, P. C. and LEE, A. Indocyanine green elimination measured *in vivo* by near infrared spectroscopy, (*ARS*) 239–240P
PHILIPS, B. J. *see* WALSH, T. S., (*C*) 375
PICKETT, J. A., DOYLE, L. A., BADDOO, H. and KNEESHAW, J. D. Comparison of methohexitone/fentanyl and propofol/fentanyl anaesthesia for myocardial revascularisation, (*EACTA*) **74**: A.46
PIERCE, J. M. T. *see* PILKINGTON, S. N., (***e***) 380
PILKINGTON, S. *see* HETT, D., (*EACTA*) **74**: A.53; JANKE, E., (*EACTA*) **74**: A.55
PILKINGTON, S. N., HETT, D. A., PIERCE, J. M. T. and SMITH, D. C. Auditory evoked responses and near infrared spectroscopy during cardiac arrest, (***e***) 380
PILKINGTON, S. N. *see* HETT, D. A. 293–296; 771–776; JANKE, E., (*EACTA*) **74**: A.39; O'KELLY, S. W. 428–430
PINAUD, M. *see* BIZOUARN, P. 719–723
PIRC, B., JEZERNIK, J., ERZEN, V., RABIC, F., CIJAN, A., VRECA, I., DEKLEVA, A. and GERSAK, B. Neoton (phosphocreatine); an additive to cold crystalloid cardioplegia solution, (*EACTA*) **74**: A.86
PLANTE, G. E. *see* ZAHARIA, F., (*EACTA*) **74**: A.62
PLANUS, A., LORA, J. I., ARNAU, J. G., DEL VALLE, S. G., DOMÍNGUEZ, E., TEJADA, J. J. and BARTOLOMÉ, A. Haemodynamic management in single (SLT) and double (DLT) lung transplant, (*EACTA*) **74**: A.99
PLÖCHL, W. *see* LAßNIGG, A., (*EACTA*) **74**: A.50
PLUMMER, J., OWEN, H., INGLIS, S. and ILSLEY, A. Comparison of morphine and pethidine given by PCA for postoperative pain, (*ARS*) 655P
POELAERT, J. *see* MEDINA, H., (*EACTA*) **74**: A.21; MOERMAN, A., (*EACTA*) **74**: A.29
POLHILL, S. L. and SMITH, D. C. Are changes in the EMG response during anaesthesia caused by failure of supramaximal nerve stimulation? (*ARS*) 652P
POLKEY, M. I. *see* KHAN, Z. P., (*ARS*) 652–653P
POLLARD, S. G. *see* VALENTINE, J. M. J. 105–108
POLLOK, A. *see* PHILIPS, B. J., (*ARS*) 239–240P
POMFRETT, C. J. *see* HEALY, T. E. J., (*C*) 820–821
PONTE, J. *see* HARRISON, S. J., (*ARS*) 659P; JOHNSON, J., (*ARS*) 663P; KHAN, Z. P., (*ARS*) 652–653P
POSIVAL, H. *see* EL-BANAYOSY, A, (*EACTA*) **74**: A.114
POTTER, D. R. *see* BROMLEY, P. N. 352–354
POULSEN, P. K. *see* CHRISTIANSEN, C. L., (*EACTA*) **74**: A.28
POWER, I. *see* EGGERS, K. A., (*C*) 500; (*C*) 501
POWROZNYK, A. V. V., LATIMER, R. D. and ODURO, A. Design of nitric oxide delivery systems, (*C*) 253
DEL POZO, D. *see* GOMAR, C., (*EACTA*) **74**: A.64
PRIEBE, H.-J. and SKARVAN, K., (editors) *Cardiovascular Physiology*, (*R*) 825
PRIEST, T. *see* COX, M., (*C*) 114
PRITHVI RAJ, P., (editor) *Current Review of Pain*, (*R*) 670–671
PRYS-ROBERTS, C. *see* CLOOTE, A. H., (*ARS*) 657P; PEDEN, C. J., (*ARS*) 657P
PUERTA, P. *see* BASTIDA, E., (*EACTA*) **74**: A.31
PUHAKKA, K., RYHÄNEN, P., ANTTONEN, H. and NISKANEN, J. Cutaneous heat loss during anaesthesia, (*C*) 506
PYE, D. W. *see* DRUMMOND, G. B. 707–712

QAZZAZ, M. and WINLOW, W. Volatile anaesthetics and barbiturates have different actions on the input resistance of an identified molluscan neurone, (*ARS*) 656–657P
QUIST CHRISTENSEN, L. *see* KOSCIELNIAK-NIELSEN, Z. J. 702–706

RABIC, F. *see* PIRC, B., (*EACTA*) **74**: A.86
RABY, N., BERMAN, L. and DE LACEY, G., (editors) *Accident and Emergency Radiology: A Survival Guide*, (*R*) 379
RÅDEGRAN, K. *see* GÅRDEBÄCK, M. 798–800
RAFFERTY, C. *see* MCCOY, E. P., (*ARS*) 241P
RAFFIN, L. *see* JUVIN, P. 488–490
RAJEK, A. M., KASTNER, J., LAßNIGG, A., HIESMAYR, M., TSCHERNKO, E. and HAIDER, W. Comparison between inhaled nitric oxide and prostaglandin E1 infusion after heart transplantation, (*EACTA*) **74**: A.4
RANDELL, T. *see* KYTTÄ, J. 447–451
RANDOUR, P. *see* COLLARD, E., (*EACTA*) **74**: A.79; DUCART, A., (*EACTA*) **74**: A.77
RANG, H. P. and URBAN, L. New molecules in analgesia 145–156
RANUCCI, M., CIRRI, E. and CONTI, D. Postperfusion lung dysfunction: effects of heparin-coated circuits, (*EACTA*) **74**: A.104
RÄSÄNEN, J. *see* KARINEN, J. 531–535
RASKIN, D. *see* SHAUGHNESSY, T. E. 782–784
RATCLIFFE, S. *see* FENN, G. C., (*C*) 501
RÄTSEP, I., NARBEKOV, J., SULLING, T., UTNO, L. and SAKS, V. Cardioprotective effect of warm reperfusion in patients undergoing coronary bypass surgery, (*EACTA*) **74**: A.88
RAYNAL, P. *see* BOOGAERTS, J. G. 319–325
REA, J. M. *see* MCBRIDE, W. T. 724–733
REHAK, P. *see* MAHLA, E., (*EACTA*) **74**: A.112
REHDER, K. *see* HODGSON, P. E. 71–79
REICH, D. L. *see* SILVAY, G., (*EACTA*) **74**: A.35
REID, J. A. *see* JACKSON, R. 262–265
REILLY, C. S. *see* EDWARDS, N. D. 491–494; MASON, D. G., (*ARS*) 653P; RUSHTON, A. R. A., (*ARS*) 243P
REINOSO-BARBERO, F. and SANABRIA, P. Ventilatory changes induced by HFPPV in children during selective left lung collapse, (*EACTA*) **74**: A.97
RESTALL, J. *see* KIDD, A. G., (*C*) 823
REVELL, S. *see* STREB, M., (*C*) 117
REYES, J. G. *see* SANDERSON, I. C., (*C*) 502
REYNOLDS, F. Maternal sequelae of childbirth, (*E*) 515–517
RIBSTEIN, J. *see* RYCKWAERT, F., (*EACTA*) **74**: A.7
RIBUOT, C. *see* DURAND, P. G., (*EACTA*) **74**: A.94
RICE, A. S. C. Peripheral nerve damage and regional anaesthesia, (*C*) 116
RICH, P. *see* BRUNNER, M. D., (*ARS*) 236P
RICHARD, Ch. and TEBOUL, J. L., (editors) *Collection d'Anesthésiologie et de Réanimation, vol. 42: Oxygénation Tissulaire*, (*R*) 255
RICHARDS, J. P. and HAMMOND, J. S. Intraocular pressure decreases during intubation under propofol, (*ARS*) 657–658P
RICHARDSON, J., SABANATHAN, S., MEARNS, A. J., SHAH, R. D. and GOULDEN, C. A prospective, randomized comparison of interpleural and paravertebral analgesia in thoracic surgery 405–408
RICHTER, A. *see* TONNER, P. H. 467–471
RIEDEL, W. *see* HÖCHE, A., (*EACTA*) **74**: A.75
RIESGO, M. J., BASTIDA, E., ALVAREZ VALDIVIELSO, J. M., VALLEJO, J. L. and NAVIA, J. Usefulness of jugular venous haemoglobin saturation in cardiac surgery, (*EACTA*) **74**: A.116
RIESGO, M. J. *see* BASTIDA, E., (*EACTA*) **74**: A.31
RINNE, T. and KAUKINEN, S. Cardioprotection by lidocaine and cardioplegia: analysis with troponin-T, (*EACTA*) **74**: A.89
RIPPE, J. M., IRWIN, R. S. and FINK, M. P. *Procedures and Techniques in Intensive Care Management*, (*R*) 510
ROBBINS, P. A. *see* NAGYOVA, B. 713–718
ROBBINS, P. M., FERNANDO, R. and LIM, G. H. Accidental intrathecal insertion of an extradural catheter during combined spinal–extradural anaesthesia for Caesarean section 355–357
ROBERTS, J. T., (editor) *Clinical Management of the Airway*, (*R*) 119
ROBIN, J. *see* DURAND, P. G., (*EACTA*) **74**: A.111
ROBINSON, S. M. *see* KINSELLA, S. M., (*C*) 822; PEDEN, C. J., (*ARS*) 657P
ROCKE, D. A. and ROUT, C. C. Volume preloading, spinal hypotension and Caesarean section, (*E*) 257–259
ROEWER, N. *see* GREIM, C.-A. 583–587; TONNER, P. H. 467–471
ROGERS, J. E. G., FLEMING, B. G., MACINTOSH, K. C., JOHNSTON, B. and MORGAN-HUGHES, J. O. Effect of timing of ketorolac administration on patient-controlled opioid use 15–18
ROLLY, G. *see* FOUBERT, L., (*EACTA*) **74**: A.1; (*EACTA*) **74**: A.3; MEDINA, H., (*EACTA*) **74**: A.21; MOERMAN, A., (*EACTA*) **74**: A.29; (*EACTA*) **74**: A.71
ROMER, H. C., BERRY, P. D., THOMAS, S., JACKSON, M., SOORAE, A. and RUSSELL, G. N. The anatomy of the human tracheobronchial tree in relation to double lumen tube design, (*EACTA*) **74**: A.95
ROMMELSPACHER, H. *see* SPIES, C. D. 734–739

ROSE, S. *see* MOLTER, G., (*EACTA*) **74**: A.72
ROSEN, M. *see* CLYBURN, P., (*C*) 247–248
ROSENBERG, H. *see* FLETCHER, J. E. 307–310
ROSENBERG, P. H. *see* KYTTÄ, J. 447–451
ROTH, D. *see* PETERSEN-FELIX, S. 55–60
ROTMAN, B. *see* MAHLA, E., (*EACTA*) **74**: A.112
ROUT, C. C. *see* ROCKE, D. A., (*E*) 257–259
ROUX, C. *see* ROVIRA, I., (*EACTA*) **74**: A.2; (*EACTA*) **74**: A.73
ROVIRA, I., FITA, G., FAULI, A., MATUTE, P., ROUX, C., PACHECO, M., GOMAR, C. and NALDA, M. A. Effects of cardiopulmonary bypass on exhaled nitric oxide, (*EACTA*) **74**: A.73; Nitric oxide uptake from oxygen/air during mechanical ventilation for cardiac surgery, (*EACTA*) **74**: A.2
ROWBOTHAM, D. J., MUSHAMBI, M. C., TROTTER, T. and AL-HASANI, A. Effect of erythromycin on morphine-induced delay in gastric emptying, (*ARS*) 241P
ROWBOTHAM, D. J. *see* ALEXANDER-WILLIAMS, M., (*ARS*) 233P; CAMPBELL, D. J. 752–755; ELTON, C., (*ARS*) 663P; NICOL, B. 61–65
ROYSTON, B. *see* WORTHINGTON, L., (*ARS*) 228P
RUBIN, A. P. Complications of local anaesthesia for ophthalmic surgery 93–96
RUNDSHAGEN, I., KOCHS, E. and SCHULTE AM ESCH, J. Surgical stimulation increases median nerve somatosensory evoked responses during isoflurane–nitrous oxide anaesthesia 598–602
RUOKONEN, E. *see* UUSARO, A., (*C*) 249
RUSHMAN, G. B. and DAVIES, N. J. H. *MCQ Selftest Companion to Lee's Synopsis of Anaesthesia*, (*R*) 670
RUSHTON, A. R. A., ANGEL, A. and REILLY, C. S. Rat model to study the effects of anaesthetic drugs on the auditory evoked response, (*ARS*) 243P
RUSSELL, D., WILKES, M. P., HUNTER, S. C., GLEN, J. B., HUTTON, P. and KENNY, G. N. C. Manual compared with target-controlled infusion of propofol 562–566
RUSSELL, G. N., FOX, M. A., TRAN, J., BERRY, P. D., THOMAS, S. D., IPYAM, C., INNES, P., JACKSON, M., FABRI, B. and WEIR, W. I. Influence of nasogastric tube on gastro-oesophageal reflux (GOR) and tracheal aspiration during cardiac surgery, (*EACTA*) **74**: A.109
RUSSELL, G. N. *see* BERRY, P. D., (*EACTA*) **74**: A.41; ROMER, H. C., (*EACTA*) **74**: A.95
RUSSELL, I. F. and WANG, M. Intraoperative awareness and the isolated forearm technique, (*C*) 819–820
RUSSELL, S. H. and FREEMAN, J. W. Hypothermia during liver transplantation, (*C*) 118; Hypothermia during liver transplantation, (*C*) 375–376
RUTBERG, H. *see* SVEDJEHOLM, R., (*EACTA*) **74**: A.43; (*EACTA*) **74**: A.91
RUTHERFORD, A. M. *see* STEELE, A. P. H., (*C*) 369
RYBRO, L. *see* JAKOBSEN, C.-J., (*EACTA*) **74**: A.101; JAKOBSON, C.-J., (*EACTA*) **74**: A.44
RYCKWAERT, F., COLSON, P., RIBSTEIN, J., PÉCASTAING, M. and WINTREBERT, P. Effects of enalapril on haemodynamics and renal function during cardiac surgery, (*EACTA*) **74**: A.7
RYCKWAERT, F. *see* CALVET, B., (*EACTA*) **74**: A.18
RYHÄNEN, P. *see* PUHAKKA, K., (*C*) 506
RYMASZEWSKI, L. R. *see* PARIKH, R. K., (*C*) 372
RYSER, J.-E. *see* HOFFMANN, A.-C. 269–273

SABANATHAN, S. *see* RICHARDSON, J. 405–408
SABAR, M. A., TEALE, K. F. H. and LAURENCE, A. S. Propofol/alfentanil without neuromuscular block for gynaecological laparoscopy, (*ARS*) 232P
SAITO, Y., SAKURA, S., KANEKO, M. and KOSAKA, Y. Interaction of extradural morphine and lignocaine on ventilatory response 394–398
SAITOH, K., HIRABAYASHI, Y., SHIMIZU, R., MITSUHATA, H. and FUKUDA, H. Extensive extradural spread in the elderly may not relate to decreased leakage through intervertebral foramina 688–691
SAITOH, K. *see* HIRABAYASHI, Y. 3–5; 6–8; (*C*) 245–246; 266–268; 683–687
SAKS, V. *see* RÄTSEP, I., (*EACTA*) **74**: A.88
SAKURA, S. *see* SAITO, Y. 394–398
SALINO, R. *see* BERTOLISSI, M., (*EACTA*) **74**: A.8
SALIS, S. *see* JULIANO, G., (*EACTA*) **74**: A.82
SALMENPERÄ, M. *see* KUITUNEN, A., (*EACTA*) **74**: A.66
SALO, J. A. *see* PERTTUNEN, K. 541–547
SALVADOR, L. *see* GOMAR, C., (*EACTA*) **74**: A.64
SALVI, L. *see* JULIANO, G., (*EACTA*) **74**: A.82
DI SALVO, C. *see* HEMMING, A., (*EACTA*) **74**: A.90
SAMARKANDI, A. H. *see* NAGUIB, M. 37–42; 588–592
SAMUELSSON, S., EHRENBERG, J. and SETTERGREN, G. Estimation of left and right ventricular volume, clinically with open chest compared to transoesophageal echocardiography and fast response thermodilution, (*EACTA*) **74**: A.33
SANABRIA, P. *see* REINOSO-BARBERO, F., (*EACTA*) **74**: A.97
SANDERS, D. J. *see* MICHELS, A. M. J., (*ARS*) 234P
SANDERSON, I. C., COLEMAN, R. L., LUBARSKY, D. A. and REVES, J. G. In defence of the Arkive, (*C*) 502
SANFORD, T. J. *see* DEKORNFELD, T. J., (*R*) 512–513
SANGWAN, S., CHILD, J. S. and LAKS, H. Transoesophageal echocardiography and intraoperative assessment of aortic and pulmonary valve annulus for the Ross procedure, (*EACTA*) **74**: A.32
SAROUL, C. *see* FLAMENS, C., (*EACTA*) **74**: A.30
SATO, T. *see* ISHIBE, T. 330–333
SCARAMOZZINO, P. *see* CURATOLO, M. 274–281
SCHAFFARTZIK, W. *see* SPIES, C. D. 734–739
SCHLAPP, U. *see* HÖCHE, A., (*EACTA*) **74**: A.75
SCHMID, E. R. *see* SPAHN, D. R., (*EACTA*) **74**: A.6
SCHMIDAUER, Ch. *see* HÖRMANN, Ch., (*EACTA*) **74**: A.51
SCHMIDT, H. *see* BÖHRER, H. 334–338; HOLZMANN, A. 452–456
SCHOLZ, J. *see* TONNER, P. H. 467–471
SCHROEDER, E. *see* COLLARD, E., (*EACTA*) **74**: A.79
SCHULTE AM ESCH, J. *see* GREIM, C.-A. 583–587; RUNDSHAGEN, I. 598–602; TONNER, P. H. 467–471; WERNER, C. 756–760
SCOTT, A. D. *see* KELLOW, N. H. 578–582
SCOTT, N. B. *see* PARIKH, R. K., (*C*) 372
SCOTT, R. P. F. *see* WATT, N. A. 498–499
SCOTT, W. A. C. *see* ENGLISH, M. J. M., (*C*) 505–506
SEAR, J. W. *see* GIBBS, N. M. 27–30
SEAVELL, C. R. *see* SMITH, D. C., (*ARS*) 651–652P
SEBBAG, L. *see* VEDRINNE, C., (*EACTA*) **74**: A.87
SELANDER, D. Peripheral nerve damage and regional anaesthesia, (*C*) 116–117
SELLEVOLD, O. F. M. *see* KIRKEBY-GARSTAD, I., (*EACTA*) **74**: A.16
SETTERGREN, G. *see* GÅRDEBÄCK, M., (*EACTA*) **74**: A.27; SAMUELSSON, S., (*EACTA*) **74**: A.33
SHAH, J. L. Negative extradural pressure may not be caused by tenting of the dura, (*C*) 113–114
SHAH, M. V. *see* GOWER, S. N., (*EACTA*) **74**: A.56; SMITH, S. N., (*EACTA*) **74**: A.57; TAN, K., (*EACTA*) **74**: A.17
SHAH, R. D. *see* RICHARDSON, J. 405–408
SHANKS, C. A., AVRAM, M. J., KREJCIE, T. C. and HENTHORN, T. K. Calculation of an effect compartment rate constant using recovery indices obtained with an isolated arm technique 109–112
SHAPIRA, S. C. *see* GINOSAR, Y. 810–816
SHAUGHNESSY, T. E. and RASKIN, D. Cardiovascular collapse after laparoscopic liver biopsy 782–784
SHEARMAN, C. P. *see* JANKE, E., (*EACTA*) **74**: A.39
SHERRY, E. *see* BLACK, A., (*ARS*) 241–242P
SHERRY, K. *see* FENECK, R., (*EACTA*) **74**: A.11
SHERRY, K. M. *see* BARHAM, N. J., (*EACTA*) **74**: A.42; BOOMERS, O. W., (*EACTA*) **74**: A.12
SHETTY, D. P. *see* MURALIDHAR, K., (*EACTA*) **74**: A.20
SHIMIZU, R. *see* HIRABAYASHI, Y. 3–5; 6–8; (*C*) 245–246; 266–268; 683–687; NAKAIGAWA, Y. 616–621; SAITOH, K. 688–691
SHITARA, T. *see* WAJIMA, Z. 548–551
SHNEERSON, J. M. *see* SMITH, I. E. 399–404
SICARD-DESNUELLE, M. P., CHETAILLE, P., FULACHIER, V., GONZALES, T. and AUFFRAY, J. P. Continuous veno-venous haemofiltration (CVVH) after cardiac surgery: indications and prognosis in 39 patients, (*EACTA*) **74**: A.81
SILVAY, G., REICH, D. L. and VELA-CANTOS, F. Jugular bulb oxygen saturation in surgery requiring deep hypothermic circulatory arrest, (*EACTA*) **74**: A.35
SINDJELIC, R., VLAJKOVIC, G. and PETROVIC, P. Influence of the length of bypass time on value of pulmonary shunt after myocardial revascularization, (*EACTA*) **74**: A.106
SINDJELIC, R. *see* VLAJKOVIC, G., (*EACTA*) **74**: A.107
SIRIEIX, D. *see* HONGNAT, J. M., (*EACTA*) **74**: A.70
SIROIS, P. *see* ZAHARIA, F., (*EACTA*) **74**: A.62
SISILLO, E. *see* JULIANO, G., (*EACTA*) **74**: A.82
SIXSMITH, J. *see* BERRY, P. D., (*EACTA*) **74**: A.41
SKARVAN, K. *see* PRIEBE, H.-J., (*R*) 825
SKINNER, A. *see* MCGOWAN, P. 777–778
SKINNER, T. A. and MATHER, S. J. Inadvertent extradural insertion of an internal jugular catheter in an infant 790–793
SLOTH, E. *see* PEDERSEN, J., (*EACTA*) **74**: A.76
SMART, D. and LAMBERT, D. G. μ_3-opioid receptors couple to phospholipase C in SH-SY5Y human neuroblastoma cells, (*ARS*) 662–663P
SMART, N. G. *see* LAWSON, R. A. 282–285
SMITH, C. E., VAN MIERT, M. M., PARKER, C. J. R. and HUNTER, J. M. Pharmacokinetics of 51W89 administered by constant infusion: a comparison with atracurium besylate, (*ARS*) 651P

SMITH, D. *see* HETT, D., (*EACTA*) 74: A.53; JANKE, E., (*EACTA*) 74: A.55; WALKER, D., (*EACTA*) 74: A.58
SMITH, D. C. and SEAVELL, C. R. Effect of neuromuscular block on the shape of the evoked electromyogram, (*ARS*) 651–652P
SMITH, D. C. *see* GOLDSMITH, A., (*ARS*) 235P; HETT, D. A. 293–296; 771–776; JANKE, E., (*EACTA*) 74: A.39; O'KELLY, S. W. 428–430; PILKINGTON, S. N., (*e*) 380; POLHILL, S. L., (*ARS*) 652P
SMITH, G. Research in anaesthesia—the key to the future, (*E*) 383–386
SMITH, G. *see* WILLETS, J. M., (*ARS*) 243–244P
SMITH, G. B. *see* BECK, D. H., (*C*) 371; O'DONNELL, C. J., (*C*) 369–370
SMITH, I. E. and SHNEERSON, J. M. A progressive care programme for prolonged ventilatory failure: analysis of outcome 399–404
SMITH, P. D., HOPKINS, P. M., ELLIS, F. R., HALSALL, P. J. and BRIDGES, L. R. Calcium sensitivity of skinned muscle fibres correlates with the rapidity and severity of symptom development in the clinical reactions of malignant hyperthermia susceptible probands, (*ARS*) 658–659P
SMITH, S. N., SHAH, M. V. and MARTIN, P. The effect of colloid dilution on in vitro clot dynamics using thromboelastography, (*EACTA*) 74: A.57
SMITH, T. C. and HUTTON, P. Effect of respiratory obstruction on peak carbon dioxide concentrations in sleeping children using nasal capnography, (*ARS*) 655P
SMURTHWAITE, G. J. and LETHEREN, M. J. R. Airway obstruction after trans-jugular liver biopsy: anaesthetic management 102–104
SOCKALINGAM, I. Mivacurium and prolonged neuromuscular block, (*C*) 374
SOLINAS, C. *see* JULIANO, G., (*EACTA*) 74: A.82
SONNTAG, H. *see* BUHRE, W., (*EACTA*) 74: A.67; KAZMAIER, S., (*EACTA*) 74: A.24; MIELCK, F., (*EACTA*) 74: A.38; WEYLAND, A., (*EACTA*) 74: A.52
SOORAE, A. *see* ROMER, H. C., (*EACTA*) 74: A.95
SPACKMAN, D. *see* DUNCAN, F., (*EACTA*) 74: A.25
SPACKMAN, D. R. and FENECK, R. O. High frequency jet ventilation (HFJV) and alveolar gas trapping, (*EACTA*) 74: A.103
SPAHN, D. R., PASCH, T. and SCHMID, E. R. Effect of chronic beta blockade on haemodilution tolerance in patients with severe coronary artery disease, (*EACTA*) 74: A.6
SPECHT, M. *see* SPIES, C. D. 734–739
VON SPIEGEL, T. *see* WEYLAND, A., (*EACTA*) 74: A.52
SPIEGEL, T. v. *see* BUHRE, W., (*EACTA*) 74: A.67; KAZMAIER, S., (*EACTA*) 74: A.24
SPIES, C. D., DUBISZ, N., FUNK, W., BLUM, S., MÜLLER, C., ROMMELSPACHER, H., BRUMMER, G., SPECHT, M., HANNEMANN, L., STRIEBEL, H. W. and SCHAFFARTZIK, W. Prophylaxis of alcohol withdrawal syndrome in alcohol-dependent patients admitted to the intensive care unit after tumour resection 734–739
SPITTAL, M. J. *see* FINDLAY, G. P., (*C*) 667–668
SPRUNG, J., BARNAS, G. M., CHOI, D. and KAHN, R. The effects of one-lung ventilation on lung mechanics, (*EACTA*) 74: A.96
STACK, C. G. and STOKES, M. A. Preoperative fasting for paediatric anaesthesia, (*C*) 375
STALLARD, N. and BARRY, P. Another complication of the combined extradural–subarachnoid technique, (*C*) 370–371
STAMFORD, J. A. Descending control of pain 217–227
STAMFORD, J. A. *see* TONER, C. C., (*ARS*) 660P; TONER, S. C., (*ARS*) 236–237P
STANNARD, C. F. *see* COOK, T. M., (*C*) 250–251
STEELE, A. P. H., IMRIE, M. M., RUTHERFORD, A. M. and BRADLEY, W. N. Malignant hyperthermia and compartment syndrome, (*C*) 369
STEINBRUCHEL, D. *see* NORENG, M., (*EACTA*) 74: A.63
STEINFATH, M. *see* TONNER, P. H. 467–471
STENS PEDERSEN, H. L. *see* KOSCIELNIAK-NIELSEN, Z. J. 702–706
STEPHAN, H. *see* BUHRE, W., (*EACTA*) 74: A.67; KAZMAIER, S., (*EACTA*) 74: A.24; MIELCK, F., (*EACTA*) 74: A.38; WEYLAND, A., (*EACTA*) 74: A.52
STEVENS, J. J. W. M., BOOTH, J. V., LITTLE, J., GOPINATH, S., GHOSH, S, KNEESHAW, J. D. and ODURO, A. The value of immediate postoperative chest radiography in adult cardiac surgery, (*EACTA*) 74: A.110
STEVENS, J. J. W. M., LATIMER, M. D., LATIMER, R. D., ODURO, A. and CALLINGHAM, B. A. Inotropic effects of milrinone and piroximone: a comparison, (*EACTA*) 74: A.10
STEWARD, D. J. *Manual of Pediatric Anesthesia*, 4th Edn, (*R*) 826
STIX, G. *see* LAßNIGG, A., (*EACTA*) 74: A.50
STOKES, M. A. *see* STACK, C. G., (*C*) 375
STONEHAM, M. D. An evaluation of methods of increasing the flow rate of i.v. fluid administration 361–365
STOTT, S. A. *see* MICHELS, A. M. J., (*ARS*) 234P
STRATFORD, N. and MURPHY, P. G. Effect of lipid and propofol on superoxide-mediated haemoglobin oxidation, (*ARS*) 229–230P
STRATFORD, N. *see* CLOOTE, A. H., (*ARS*) 657P; GOODMAN, N. W. 573–577; (*ARS*) 655–656P; PEDEN, C. J., (*ARS*) 657P
STREB, M., REVELL, S. and HILTON, S. A standard set of terms for critical incident recording? (*C*) 117
STRICHARTZ, G. R. and LAMBERT, D. H. Neurotoxicity of 5% lignocaine, (*C*) 376
STRIEBEL, H. W. *see* SPIES, C. D. 734–739
STRUNIN, L. *see* BULLINGHAM, A. 622–630
STUART-TAYLOR, M. *see* LACK, A., (*C*) 505
SUDARSHAN, G., BROWNE, B. L., MATTHEWS, J. N. S. and CONACHER, I. D. Intrathecal fentanyl for post-thoracotomy pain 19–22; Intrathecal fentanyl for post-thoracotomy pain, (*e*) 513
SULLING, T. *see* RÄTSEP, I., (*EACTA*) 74: A.88
SUMNER, E. *see* HATCH, D., (*R*) 826
SUN, K. O. Management of puffer fish poisoning, (*C*) 500; Maximum dose of lignocaine for brachial plexus block, (*C*) 823–824
SUSINI, G. *see* JULIANO, G., (*EACTA*) 74: A.82
SÜZER, A., YAPICI, N., SÜZER, O. and AYKAÇ, Z. Similar brain oxygen consumption with thiopentone or midazolam in cardiopulmonary bypass, (*EACTA*) 74: A.37
SÜZER, A. *see* SÜZER, Ö., (*EACTA*) 74: A.45; YAPICI, N., (*EACTA*) 74: A.108
SÜZER, Ö., SÜZER, A., AYKAÇ, Z. and ÖZÜNER, Z. Dose response curve comparisons for midazolam and thiopental in isolated perfused rat hearts, (*EACTA*) 74: A.45
SÜZER, O. *see* SÜZER, A., (*EACTA*) 74: A.37
SVEDJEHOLM, R., DAHLIN, L. G., LUNDBERG, C., KÅGEDAL, B., NYLANDER, E., OLIN, C. and RUTBERG, H. Are electrocardiographic Q-wave criteria reliable for diagnosis of perioperative myocardial infarction (PMI) in cardiac surgery? (*EACTA*) 74: A.43
SVEDJEHOLM, R., DAHLIN, L. G., LUNDBERG, C., OLIN, C. and RUTBERG, H. The value of plasma kinetics of CKMB for early detection of perioperative myocardial infarction after CABG surgery, (*EACTA*) 74: A.91
SVEDJEHOLM, R., HÅKANSSON, R. and VANHANEN, I. The short-term prognostic value of SVO_2 measurements of admission to ICU after CABG surgery, (*EACTA*) 74: A.40
SVENDSEN, L. B. *see* OLSEN, K. S. 51–54
SWALES, H. A. and GAYLARD, D. G. Rocuronium for Caesarean section, (*e*) 121
SYMINGTON, M. J. J. *see* LOAN, P. B., (*ARS*) 238–239P
SZTAJZEL, J. *see* NEIDHART, P., (*EACTA*) 74: A.23

TACKLEY, R. and BANKS, I. A standard set of terms for critical incident recording? (*C*) 117–118
TAKALA, J. *see* UUSARO, A., (*C*) 249
TAN, K., CALDICOTT, L. D. and SHAH, M. V. A study to investigate the effect of different injectates on cardiac output measured by the thermodilution method, (*EACTA*) 74: A.17
TAN, K. C. *see* BROMLEY, P. N. 352–354; MILROY, S. J. 747–751
TANAKA, M. and NISHIKAWA, T. Effects of clonidine premedication on the pressor response to α-adrenergic agonists 593–597
TANSKANEN, P. *see* KYTTÄ, J. 447–451
TARKKA, M. *see* KAUKINEN, L., (*EACTA*) 74: A.93
TARKKILA, P., HUHTALA, J. and TUOMINEN, M. Neurotoxicity of 5% lignocaine, (*C*) 376
TARLING, M. M. *see* GOLDHILL, D. R., (*ARS*) 240P
TASSONYI, E. *see* WILDER-SMITH, O. H. G. 441–446
TAYLOR, B. L. *see* BECK, D. H., (*C*) 371; O'DONNELL, C. J., (*C*) 369–370
TEALE, K. F. H. *see* SABAR, M. A., (*ARS*) 232P
TEBOUL, J. L. *see* RICHARD, Ch., (*R*) 255
TEIJEIRA, J. *see* ZAHARIA, F., (*EACTA*) 74: A.62
TEJADA, J. J. *see* PLANUS, A., (*EACTA*) 74: A.99
TELCI, L. *see* KURAL, O., (*EACTA*) 74: A.26
TÉTRAULT, J. P. *see* ZAHARIA, F., (*EACTA*) 74: A.62
THEODOROPOULOS, S. *see* KYRITSIS, A., (*EACTA*) 74: A.78
THOMAS, S. *see* ROMER, H. C., (*EACTA*) 74: A.95
THOMAS, S. D. *see* BERRY, P. D., (*EACTA*) 74: A.41; RUSSELL, G. N., (*EACTA*) 74: A.109
THOMPSON, D. A. *see* FROST, E. A. M., (*R*) 255
THOMPSON, G. E. *see* MOORE, D. C., (*C*) 117
THOMPSON, M. M. *see* GREIFF, J. M. C. 779–781
THORBURN, J. *see* JACKSON, R. 262–265

THORNTON, C. *see* BRUNNER, M. D., (*ARS*) 236P
THORPE, C. M., MURPHY, W. and LOGAN, M. Aprotinin therapy, (*C*) 246
THYS, D. M. *see* BIRNBACH, D. J. 639–641
TONER, C. C. and STAMFORD, J. A. Effects of anaesthetic drugs on dopamine release in a model of hypoxia and hypoglycaemia, (*ARS*) 660P
TONER, C. C. *see* GOLDHILL, D. R., (*ARS*) 240P
TONER, S. C. and STAMFORD, J. A. Effects of ketamine on ischaemia-induced striatal dopamine release, (*ARS*) 236–237P
TONNER, P. H., SCHOLZ, J., RICHTER, A., LÖSCHER, W., STEINFATH, M., WAPPLER, F., WLAZ, P., HADJI, B., ROEWER, N. and SCHULTE AM ESCH, J. Alterations of inositol polyphosphates in skeletal muscle during porcine malignant hyperthermia 467–471
TOOLEY, M. A. *see* CLOOTE, A. H., (*ARS*) 657P
TOTHILL, P. *see* DRUMMOND, G. B. 707–712
TRAMÈR, M., MOORE, A. and MCQUAY, H. Prevention of vomiting after paediatric strabismus surgery: a systematic review using the numbers-needed-to-treat method 556–561
TRAN, J. *see* RUSSELL, G. N., (*EACTA*) 74: A.109
TRINDER, T. J. Gastric mucosal pH and splanchnic blood flow, (*C*) 248–249
TRINH DUC, P. *see* CALVET, B., (*EACTA*) 74: A.18
TRIPOLITIS, L. *see* FLETCHER, J. E. 307–310
TROTTER, T. *see* ROWBOTHAM, D. J., (*ARS*) 241P
TROY, G. *see* EDWARDS, N. D. 491–494
TSABAR, Y. *see* ASBURY, J., (*C*) 669
TSANG, V. T. *see* JANKE, E., (*EACTA*) 74: A.39
TSCHERNKO, E., BENDITTE, H., KRITZINGER, M., HOFER, S. and HAIDER, W. Effect of clonidine added to the anaesthetic solution: duration of analgesia and oxygen uptake after intercostal nerve blockade, (*EACTA*) 74: A.14
TSCHERNKO, E., KRITZINGER, M., BENDITTE, H., LAßNIGG, A. and HAIDER, W. Post operative pain after lobectomy or wedge resection: videoendoscopic approach versus anteroaxillary thoracotomy, (*EACTA*) 74: A.102
TSCHERNKO, E. *see* RAJEK, A. M., (*EACTA*) 74: A.4
TUGRUL, M. *see* KURAL, O., (*EACTA*) 74: A.26
TUOMINEN, M. *see* TARKKILA, P., (*C*) 376
TZABAR, Y., ASBURY, A. J. and MILLAR, K. Cognitive failures after operation, (*ARS*) 231P
TZABAR, Y. *see* ASBURY, A. J., (*E*) 1–2

UENG, T. H. *see* CHEN, T. L. 462–466
UMBRAIN, V., ALAFANDY, M., BOURGEOIS, P., D'HAESE, J., BOOGAERTS, J. G., GOFFINET, G., CAMU, F. and LEGROS, F. J. Biodistribution of liposomes after extradural administration in rodents 311–318
URBAN, L. *see* RANG, H. P. 145–156
UTNO, L. *see* RÄTSEP, I., (*EACTA*) 74: A.88
UUSARO, A., PARVIAINEN, I., RUOKONEN, E. and TAKALA, J. Gastric mucosal pH and splanchnic blood flow, (*C*) 249

VALACIO, R. *see* NÍ CHONCHUBHAIR, Á. 481–482
VALENTINE, J. M. J., PARKIN, G., POLLARD, S. G. and BELLAMY, M. C. Combined orthotopic liver transplantation and Caesarean section for the Budd–Chiari syndrome 105–108
VALENTINE, S. *see* LOMAX, D. 413–416
DEL VALLE, S. G. *see* PLANUS, A., (*EACTA*) 74: A.99
VALLEJO, J. L. *see* BASTIDA, E., (*EACTA*) 74: A.31; RIESGO, M. J., (*EACTA*) 74: A.116
VALLET, B. *see* BOILLOT, A. 761–767
VAN LEEUWEN, A. F. *see* BLAKE, D. W. 610–615
VAN BELLEGHEM, Y. *see* MEDINA, H., (*EACTA*) 74: A.21
VAN-GESSEL, E. *see* FLORY, N. 23–26
VANHANEN, I. *see* SVEDJEHOLM, R., (*EACTA*) 74: A.40
VEDRINNE, C., SEBBAG, L., ARVIEUX, C. C., GUIDOLLET, J., LEHOT, J. J. and DE LORGERIL, M. Trimetazidine (TMZ) does not reduce myocardial stunning, (*EACTA*) 74: A.87
VEJLSTRUP, N. G. *see* O'NEILL, M. 603–609
VELA-CANTOS, F. *see* SILVAY, G., (*EACTA*) 74: A.35
VENTURA, S. *see* BLAKE, D. W. 610–615
VENUTI, F. S. *see* CURATOLO, M. 274–281
VERGHESE, C. *see* KAPILA, A., (*ARS*) 228–229P
VICKERS, R. *see* BOURNE, T. 678–682
VILLARD, J. *see* DURAND, P. G., (*EACTA*) 74: A.111; GEORGE, M., (*EACTA*) 74: A.113
VITA, G. M. *see* FLETCHER, J. E. 307–310
VLAJKOVIC, G., SINDJELIC, R. and PETROVIC, P. Relationship between right ventricle function and pulmonary shunt after cardiopulmonary bypass, (*EACTA*) 74: A.107
VLAJKOVIC, G. *see* SINDJELIC, R., (*EACTA*) 74: A.106
VOLLMERS, K.-O. *see* GEISSLINGER, G., (*C*) 506–507
VRECA, I. *see* PIRC, B., (*EACTA*) 74: A.86

DE VRIES, A. J. Ventilatory management of lung transplantation patients with severe pulmonary hypertension, (*EACTA*) 74: A.100
DE VRIES, A. J., GU, Y. J., BOONSTRA, P. W. and VAN OEVEREN, W. Transfusion of leucocyte-depleted heart-lung machine blood improves lung function following cardiopulmonary bypass, (*EACTA*) 74: A.105
VUCEVIC, M. *see* MALLICK, A., (*C*) 822–823

WAINWRIGHT, A. C. Positive pressure ventilation and the laryngeal mask airway in ophthalmic anaesthesia, (*C*) 249–250
WAJIMA, Z., SHITARA, T., NAKAJIMA, Y., KIM, C., KOBAYASHI, N., KADOTANI, H., ADACHI, H., ISHIKAWA, G., KANEKO, K., INOUE, T. and OGAWA, R. Comparison of continuous brachial plexus infusion of butorphanol, mepivacaine and mepivacaine–butorphanol mixtures for postoperative analgesia 548–551
WALESBY, R. *see* HEMMING, A., (*EACTA*) 74: A.90
WALKER, D. and SMITH, D. Thromboelastography is a predictor of bleeding after cardiac surgery, (*EACTA*) 74: A.58
WALKER, D. *see* HETT, D. A. 771–776
WALL, P. D. Inflammatory and neurogenic pain: new molecules, new mechanisms, (*E*) 123–124
WALLIS, C. B. *see* MCDIARMID, A. J., (*ARS*) 658P
WALSH, T. S., PHILIPS, B. J. and ARMSTRONG, I. R. Hypothermia during liver transplantation, (*C*) 375
WANG, C. *see* PAC SOO, C. K., (*ARS*) 231–232P
WANG, M. *see* RUSSELL, I. F., (*C*) 819–820
WANG, M. J. *see* CHEN, T. L. 462–466
WAPPLER, F. *see* TONNER, P. H. 467–471
WARD, J. E. H. and CROSSLEY, A. W. A. Perioperative body temperature does not influence postanaesthetic shivering, (*ARS*) 659–660P
WARREN, P. M. *see* FOO, I. T. H., (*ARS*) 232–233P
WATT, N. A. and SCOTT, R. P. F. Mivacurium chloride and myotonic dystrophy 498–499
WATTS, J. D., NEL, M. R. and LOCKWOOD, G. G. Nitrous oxide in a very low-flow breathing system, (*ARS*) 654P
WEBBER, S. A. *see* JANKE, E., (*EACTA*) 74: A.39
WEBSTER, N. R. *see* GALLEY, H. F. 326–329
WEE, M. Ambulatory extradural analgesia, (*C*) 248
WEIR, W. I. *see* BERRY, P. D., (*EACTA*) 74: A.41; RUSSELL, G. N., (*EACTA*) 74: A.109
WELSH, K. *see* MALLICK, A., (*C*) 822–823
WELTERS, I. *see* BOLDT, J. 740–746
WERNER, C., MÖLLENBERG, O., KOCHS, E. and SCHULTE AM ESCH, J. Sevoflurane improves neurological outcome after incomplete cerebral ischaemia in rats 756–760
WESSON, D. E. *see* ADROUGE, H. J., (*R*) 827–828
WEYLAND, A., VON SPIEGEL, T., MEINKE, J., HERSE, B., STEPHAN, H. and SONNTAG, H. Cerebral consequences of brief cardiac arrest in humans, (*EACTA*) 74: A.52
WEYLAND, A. *see* BUHRE, W., (*EACTA*) 74: A.67; MIELCK, F., (*EACTA*) 74: A.38
WHELPTON, R. *see* GOLDHILL, D. R., (*ARS*) 240P
WHITE, D. *see* WORTHINGTON, L., (*ARS*) 228P
WHITE, S. A. *see* KELLOW, N. H. 578–582
WHITEHEAD, C. F. Animal toxins, (*C*) 372
WHITEHEAD, P. N. General anaesthesia for day-case cataract surgery, (*C*) 252–253
WHITWAM, J. G. *see* PAC SOO, C. K., (*ARS*) 231–232P
WILDER-SMITH, O. H. G., HAGON, O. and TASSONYI, E. EEG arousal during laryngoscopy and intubation: comparison of thiopentone or propofol supplemented with nitrous oxide 441–446
WILDSMITH, J. A. W. *see* CARSON, D., (*E*) 520–521; DUNCAN, L., (*E*) 260–261
WILKES, M. P. *see* RUSSELL, D. 562–566
WILLETS, J. M., SMITH, G. and LAMBERT, D. G. Thiopentone inhibits potassium-stimulated calcium influx in SH-SY5Y human neuroblastoma cells, (*ARS*) 243–244P
WILLIAMS, N., DOYLE, A. and BRIGHOUSE, D. Spinal anaesthesia for transurethral surgery: comparison of 2% lignocaine with hyperbaric 0.5% bupivacaine 9–11
WILLIAMSON, K. *see* BOURNE, T. 678–682; MUSHAMBI, M. C., (*C*) 372
WILSON, R. *see* LYONS, G., (*C*) 373–374
WILTSHIRE, S. *see* DRIVER, I., (*ARS*) 664P
WINLOW, W. *see* MOGHADAM, H. F., (*ARS*) 661P; MORRIS, T. J., (*ARS*) 661–662P; QAZZAZ, M., (*ARS*) 656–657P
WINN, R. H. *see* MATTA, B., (*ARS*) 242–243P
WINTER, J., BEVAN, S. and CAMPBELL, E. A. Capsaicin and pain mechanisms 157–168
WINTREBERT, P. *see* RYCKWAERT, F., (*EACTA*) 74: A.7
WITHINGTON, P. S. *see* GOLDHILL, D. R., (*ARS*) 240P

WITHINGTON, S. *see* FENECK, R., (*EACTA*) **74**: A.11
WLAZ, P. *see* TONNER, P. H. 467–471
WOLF, A. R., LAWSON, R. A. and FISHER, S. Ventilatory arrest after a fluid challenge in a neonate receiving s.c. morphine 787–789
WOLLSCHLAGER, K. *see* DURAND, M., (*EACTA*) **74**: A.19
WOOLF, C. J. Somatic pain—pathogenesis and prevention 169–176
WOOLMAN, P. S. *see* DUTHIE, D. J. R. 43–46
WOOTEN, D. J. *see* KING, H.-K., (*C*) 245
WORTHINGTON, L., ROYSTON, B. and WHITE, D. Performance of vaporizers in circle systems (I), (*ARS*) 228P
WRIGHT, J. *see* HEMMING, A., (*EACTA*) **74**: A.90

XIFARAS, G. P. Single medial injection peribulbar anaesthesia, (*C*) 668

YAMATO, R. *see* NAKAIGAWA, Y. 616–621
YAMAZAKI, M. *see* ISHIZAKI, K. 636–638; KAMITANI, K. 457–461
YAPICI, F. *see* YAPICI, N., (*EACTA*) **74**: A.108
YAPICI, N., YAPICI, F., SÜZER, A., AYKAÇ, Z. and KOPMAN, E. The effect of intra-aortic balloon pump on right ventricle function, (*EACTA*) **74**: A.108
YAPICI, N. *see* SÜZER, A., (*EACTA*) **74**: A.37
YEO, W. *see* EDWARDS, N. D. 491–494
YOON, D. M. *see* ISHIZAKI, K. 636–638
YOSHIDA, N. *see* ISHIZAKI, K. 636–638
YOUNG, J. D. Design of nitric oxide delivery systems, (*C*) 253
YUKITAKA, M. *see* KAMITANI, K. 457–461

ZAHARIA, F., PEK, B., TÉTRAULT, J. P., PLANTE, G. E., SIROIS, P., BONNEAU, D. and TEIJEIRA, J. Aprotinin, tranexamic acid, and mediastinal autotransfusion in elective coronary artery surgery, (*EACTA*) **74**: A.62
ZBINDEN, A. M. *see* CURATOLO, M. 274–281; 634–635; PETERSEN-FELIX, S. 55–60
ZETLAOUI, P. J. *see* FRIZELLE, H. P., (*C*) 372
ZIMMER, S. Mivacurium and prolonged neuromuscular block, (*C*) 823
ZUCCHETTI, M. *see* JULIANO, G., (*EACTA*) **74**: A.82

SUBJECT INDEX

Accident and Emergency Radiology: A Survival Guide, RABY, N., *et al.*, (editors), (*R*) 379

Acid–base equilibrium, Acid-base management and systemic haemodynamics in patients undergoing hypothermic CPB, BUHRE, W., *et al.*, (*EACTA*) **74**: A.67

——, Acid-base management during cardiopulmonary bypass: current trends in the United Kingdom, GOLDSACK, C., *et al.*, (*EACTA*) **74**: A.68

Acid–base equilibrium, pH, Gastric tonometry, FIDDIAN-GREEN, R. G., (*C*) 508

——, Gastric tonometry, GOMERSALL, C. D., *et al.*, (*C*) 507–508

Age factors, Extensive extradural spread in the elderly may not relate to decreased leakage through intervertebral foramina, SAITOH, K., *et al.* 688–691

AIDS: A Guide to the Law, 2nd Edn, HAIGH, R., *et al.*, (*R*) 511

Airway, Laryngeal mask airway—optimum time for insertion? KINIRONS, B., *et al.*, (*ARS*) 664–665P

Airway, muscles, Comparison of the pharmacodynamics of ketamine in the isolated neonatal and adult porcine airway, HODGSON, P. E., *et al.* 71–79

Alcohol, withdrawal, Prophylaxis of alcohol withdrawal syndrome in alcohol-dependent patients admitted to the intensive care unit after tumour resection, SPIES, C. D., *et al.* 734–739

Ambulatory Anesthesiology: A Problem Orientated Approach, MCGOLDRICK, K. E., (editor), (*R*) 511

Anaesthesia, audit, A standard set of terms for critical incident recording? STREB, M., *et al.*, (*C*) 117

——, A standard set of terms for critical incident recording? TACKLEY, R., *et al.*, (*C*) 117–118

——, A statistical approach to measuring the competence of anaesthetic trainees at practical procedures, KESTIN, I. G. 805–809

——, Anaesthesiological management of patients undergoing left ventricular assist system implant as a bridge to cardiac transplantation, DOMENEGATI, E., *et al.*, (*EACTA*) **74**: A.49

——, Cardiopulmonary bypass during single lung transplantation: patient characteristics, LOUBSER, P., *et al.*, (*EACTA*) **74**: A.98

——, Citation of anaesthesia abstracts in original papers published in five anaesthesia journals, GOODMAN, N. W., *et al.*, (*ARS*) 655–656P

——, Fuzzy logic: new ways of thinking for anaesthesia, ASBURY, A. J., *et al.*, (*E*) 1–2

——, In defence of the Arkive, DZWONCZYK, R., (*C*) 503

——, In defence of the Arkive, SANDERSON, I. C., *et al.*, (*C*) 502

——, Incidents and critical incidents, JAYASURIYA, J. P., (*C*) 505

——, Incidents and critical incidents, LACK, A., *et al.*, (*C*) 505

——, Measurement of competence, ELLIS, F. R., (*E*) 673–674

——, Neurological complications associated with pregnancy, HOLDCROFT, A., *et al.* 522–526

——, The world of Null-A, ASBURY, J., *et al.*, (*C*) 669

——, The world of Null-A, MILLER, B. M., (*C*) 668–669

——, Which modelling approach for multicentre audit of clinical outcomes? BLACK, A., *et al.*, (*ARS*) 241–242P

Anaesthesia, awareness, Awareness during cardiac surgery, BOOTH, J. V., *et al.*, (*EACTA*) **74**: A.54

——, The auditory evoked response during hypothermic cardiopulmonary bypass, HETT, D., *et al.*, (*EACTA*) **74**: A.53

Anaesthesia, day-case, Cognitive failures after operation, TZABAR, Y., *et al.*, (*ARS*) 231P

——, General anaesthesia for day-case cataract surgery, WHITEHEAD, P. N., (*C*) 252–253

——, Preoperative oral naproxen for pain relief after day-case laparoscopic sterilization, DUNN, T. J., *et al.* 12–14

Anaesthesia, depth, EEG arousal during laryngoscopy and intubation: comparison of thiopentone or propofol supplemented with nitrous oxide, WILDER-SMITH, O. H. G., *et al.* 441–446

——, Intraoperative awareness and the isolated forearm technique, HEALY, T. E. J., *et al.*, (*C*) 820–821

——, Intraoperative awareness and the isolated forearm technique, RUSSELL, I. F., *et al.*, (*C*) 819–820

——, Post traumatic stress disorders, CUNDY, J. M., (*C*) 501–502

Anaesthesia, electroconvulsive therapy, Recovery after electroconvulsive therapy: comparison of propofol with methohexitone anaesthesia, MATTERS, R. M., *et al.* 297–300

Anaesthesia for Thoracic Surgery, 2nd Edn, BENUMOF, J. L., (*R*) 254

Anaesthesia, general, Anaesthetic experience of vertical banded gastroplasty, GOULDING, S. T., *et al.* 301–306

——, General anaesthesia does not affect efficiency of automatic intra-cardial defibrillator (AICD) placement, LAßNIGG, A., *et al.*, (*EACTA*) **74**: A.50

——, Midazolam before induction improves conditions for laryngeal mask insertion, DRIVER, I., *et al.*, (*ARS*) 664P

Anaesthesia, geriatric, General anaesthesia for day-case cataract surgery, WHITEHEAD, P. N., (*C*) 252–253

——, Postoperative delirium in the elderly, BOSE, D., (*C*) 115

——, Postoperative delirium in the elderly, O'KEEFFE, S., (*C*) 115

——, Use of the abbreviated mental test to detect postoperative delirium in elderly people, NÍ CHONCHUBHAIR, A., *et al.* 481–482

Anaesthesia, journals, Research in anaesthesia—the key to the future, SMITH, G., (*E*) 383–386

Anaesthesia, obstetric, Accidental intrathecal insertion of an extradural catheter during combined spinal–extradural anaesthesia for Caesarean section, ROBBINS, P. M., *et al.* 355–357

——, Ambulatory extradural analgesia, BUGGY, D., *et al.*, (*C*) 114–115

——, Ambulatory extradural analgesia, BUGGY, D., *et al.*, (*C*) 248

——, Ambulatory extradural analgesia, COX, M., *et al.*, (*C*) 114

——, Ambulatory extradural analgesia, WEE, M., (*C*) 248

——, Anaesthetic management of acute puerperal uterine inversion, ABOULEISH, E., *et al.* 486–487

——, Anaesthetic management of Caesarean section in a patient with active recurrent genital herpes and AIDS-related dementia, BIRNBACH, D. J., *et al.* 639–641

——, Anatomical configuration of the spinal column in the supine position. II. Comparison of pregnant and non-pregnant women, HIRABAYASHI, Y., *et al.* 6–8

——, Another complication of the combined extradural–subarachnoid technique, STALLARD, N., *et al.*, (*C*) 370–371

——, Cerebrospinal fluid progesterone in pregnant women, HIRABAYASHI, Y., *et al.* 683–687

——, Combined orthotopic liver transplantation and Caesarean section for the Budd–Chiari syndrome, VALENTINE, J. M. J., *et al.* 105–108

——, Effect of crystalloid and colloid preloading on uteroplacental and maternal haemodynamic state during spinal anaesthesia for Caesarean section, KARINEN, J., *et al.* 531–535

——, Increase in Mallampati score during pregnancy, CORMACK, R. S., (*C*) 822

——, Increase in Mallampati score during pregnancy, KINSELLA, S. M., *et al.*, (*C*) 822

——, NSAID for Caesarean section, JONES, S. F., (*C*) 666

——, Peripartum cardiomyopathy presenting as a cardiac arrest at induction of anaesthesia for emergency Caesarean section, MCINDOE, A. K., *et al.* 97–101

——, Pregnancy complicated by aortic dissection: Caesarean delivery during extradural anaesthesia, JAYARAM, A., *et al.* 358–360

——, Rocuronium for Caesarean section, SWALES, H. A., *et al.*, (*e*) 121

——, Use of esmolol in a parturient with hypertrophic obstructive cardiomyopathy, FAIRLEY, C. J., *et al.* 801–804

——, Visceral pain during Caesarean section: effect of varying dose of spinal amethocaine, HIRABAYASHI, Y., *et al.* 266–268

——, Volume preloading is not essential to prevent spinal-

induced hypotension at Caesarean section, JACKSON, R., *et al.* 262–265
——, Volume preloading, spinal hypotension and Caesarean section, ROCKE, D. A., *et al.*, (*E*) 257–259
Anaesthesia, ophthalmological, Anatomy for ophthalmic anaesthesia, JOHNSON, R. W. 80–87
Anaesthesia, paediatric, Cutaneous heat loss during anaesthesia, ENGLISH, M. J. M., *et al.*, (*C*) 505–506
——, Cutaneous heat loss during anaesthesia, PUHAKKA, K., *et al.*, (*C*) 506
——, Preoperative fasting for paediatric anaesthesia, STACK, C. G., *et al.*, (*C*) 375
——, The auditory evoked potential and paediatric anaesthesia, O'KELLY, S. W., *et al.* 428–430
Anaesthesia, research, Research in anaesthesia—the key to the future, SMITH, G., (*E*) 383–386
Anaesthesia, virtual reality, Virtual reality in anaesthesia, BURT, D. E. R. 472–480
Anaesthetic techniques, extradural, A multifactorial analysis to explain inadequate surgical analgesia after extradural block, CURATOLO, M., *et al.* 274–281
——, Accidental intrathecal insertion of an extradural catheter during combined spinal–extradural anaesthesia for Caesarean section, ROBBINS, P. M., *et al.* 355–357
——, Ambulatory extradural analgesia, BUGGY, D., *et al.*, (*C*) 248
——, Ambulatory extradural analgesia, WEE, M., (*C*) 248
——, Another complication of the combined extradural–subarachnoid technique, STALLARD, N., *et al.*, (*C*) 370–371
——, Biodistribution of liposome-associated bupivacaine after extradural administration to rabbits, BOOGAERTS, J. G., *et al.* 319–325
——, Biodistribution of liposomes after extradural administration in rodents, UMBRAIN, V., *et al.* 311–318
——, Comparison of ropivacaine and bupivacaine for extradural analgesia, AL-KAISY, A. A., (*C*) 246
——, Comparison of ropivacaine and bupivacaine for extradural analgesia, LYONS, G., *et al.*, (*C*) 373–374
——, Comparison of ropivacaine and bupivacaine for extradural analgesia, MCCRAE, A. F., *et al.*, (*C*) 246
——, Comparison of ropivacaine and bupivacaine for extradural analgesia, MCCRAE, A. F., *et al.*, (*C*) 374
——, Extensive extradural spread in the elderly may not relate to decreased leakage through intervertebral foramina, SAITOH, K., *et al.* 688–691
——, Extradural anaesthesia for repeated surgical treatment in the presence of infection, JAKOBSEN, K. B., *et al.* 536–540
——, Extradural, paravertebral and intercostal nerve blocks for post-thoracotomy pain, PERTTUNEN, K., *et al.* 541–547
——, Interaction of extradural morphine and lignocaine on ventilatory response, SAITO, Y., *et al.* 394–398
——, Negative extradural pressure may not be caused by tenting of the dura, ABOULEISH, E., (*C*) 113
——, Negative extradural pressure may not be caused by tenting of the dura, SHAH, J. L., (*C*) 113–114
——, Pregnancy complicated by aortic dissection: Caesarean delivery during extradural anaesthesia, JAYARAM, A., *et al.* 358–360
——, Temporal summation during extradural anaesthesia, CURATOLO, M., *et al.* 634–635
——, The risk of extradural abscess, CARSON, D., *et al.*, (*E*) 520–521
Anaesthetic techniques, induction, EEG arousal during laryngoscopy and intubation: comparison of thiopentone or propofol supplemented with nitrous oxide, WILDER-SMITH, O. H. G., *et al.* 441–446
——, Preoperative anxiety, hypocapnia and apnoea on induction of anaesthesia, DRUMMOND, G. B., *et al.*, (*ARS*) 240–241P
Anaesthetic techniques, i.v. bolus, Comparison of two anaesthetic techniques with sufentanil and midazolam for mitral valve surgery: continuous infusion versus bolus administration, D'ATTELLIS, N., *et al.*, (*EACTA*) **74**: A.47
Anaesthetic techniques, i.v. infusion, Comparison of two anaesthetic techniques with sufentanil and midazolam for mitral valve surgery: continuous infusion versus bolus administration, D'ATTELLIS, N., *et al.*, (*EACTA*) **74**: A.47
——, Manual compared with target-controlled infusion of propofol, RUSSELL, D., *et al.* 562–566
Anaesthetic techniques, laryngoscopy, EEG arousal during laryngoscopy and intubation: comparison of thiopentone or propofol supplemented with nitrous oxide, WILDER-SMITH, O. H. G., *et al.* 441–446
Anaesthetic techniques, preoxygenation, Preoxygenation—the importance of a good face mask seal, MCGOWAN, P., *et al.* 777–778
Anaesthetic techniques, regional, Complications of local anaesthesia for ophthalmic surgery, RUBIN, A. P. 93–96
——, Peripheral nerve damage and regional anaesthesia, MOORE, D. C., *et al.*, (*C*) 117
——, Peripheral nerve damage and regional anaesthesia, RICE, A. S. C., (*C*) 116
——, Peripheral nerve damage and regional anaesthesia, SELANDER, D., (*C*) 116–117
——, Quantitative evaluation of tourniquet leak during i.v. regional anaesthesia of the upper and lower limbs in human volunteers, HOFFMANN, A.-C., *et al.* 269–273
——, Single medial injection peribulbar anaesthesia, HAMILTON, R. C., (*C*) 668
——, Single medial injection peribulbar anaesthesia, XIFARAS, G. P., (*C*) 668
——, Techniques of orbital regional anaesthesia, HAMILTON, R. C. 88–92
Anaesthetic techniques, regional, brachial plexus, Does the addition of morphine to brachial plexus block improve analgesia after shoulder surgery? FLORY, N., *et al.* 23–26
——, Effect of alfentanil used with lignocaine during axillary brachial plexus anaesthesia, GORMLEY, W. P., *et al.*, (*ARS*) 231P
——, Effect of digital pressure on the neurovascular sheath during perivascular axillary block, KOSCIELNIAK-NIELSEN, Z. J., *et al.* 702–706
——, Peripheral analgesic effect of morphine, FLORY, N., (*C*) 823
——, Peripheral analgesic effect of morphine, MALLICK, A., *et al.*, (*C*) 822–823
Anaesthetic techniques, regional, intercostal, Extradural, paravertebral and intercostal nerve blocks for post-thoracotomy pain, PERTTUNEN, K., *et al.* 541–547
Anaesthetic techniques, regional, paravertebral, Extradural, paravertebral and intercostal nerve blocks for post-thoracotomy pain, PERTTUNEN, K., *et al.* 541–547
Anaesthetic techniques, regional, peribulbar, Effects of adrenaline and hyaluronidase on plasma concentrations of lignocaine and bupivacaine after peribulbar anaesthesia, BARR, J., *et al.* 692–697
Anaesthetic techniques, subarachnoid, Accidental intrathecal insertion of an extradural catheter during combined spinal–extradural anaesthesia for Caesarean section, ROBBINS, P. M., *et al.* 355–357
——, Anatomical configuration of the spinal column in the supine position. I. A study using magnetic resonance imaging, HIRABAYASHI, Y., *et al.* 3–5
——, Anatomical configuration of the spinal column in the supine position. II. Comparison of pregnant and non-pregnant women, HIRABAYASHI, Y., *et al.* 6–8
——, Another complication of the combined extradural–subarachnoid technique, STALLARD, N., *et al.*, (*C*) 370–371
——, Cerebrospinal fluid progesterone in pregnant women, HIRABAYASHI, Y., *et al.* 683–687
——, Effect of crystalloid and colloid preloading on uteroplacental and maternal haemodynamic state during spinal anaesthesia for Caesarean section, KARINEN, J., *et al.* 531–535
——, Effect of i.v. diamorphine on regression of spinal block, FINDLAY, G. P., (*C*) 509
——, Effect of i.v. diamorphine on regression of spinal block, HENDERSON, D. J., *et al.*, (*C*) 509
——, Neurotoxicity of 5% lignocaine, STRICHARTZ, G. R., *et al.*, (*C*) 376
——, Neurotoxicity of 5% lignocaine, TARKKILA, P., *et al.*, (*C*) 376
——, Postoperative brachial plexus neuropathy after total knee replacement under spinal anaesthesia, EGGERS, K. A., *et al.* 642–644
——, Spinal anaesthesia for transurethral surgery: comparison of 2% lignocaine with hyperbaric 0.5% bupivacaine, WILLIAMS, N., *et al.* 9–11
——, Subarachnoid spread of isobaric tetracaine in adolescents, HIRABAYASHI, Y., *et al.*, (*C*) 245–246
——, Subarachnoid spread of isobaric tetracaine in adolescents, KING, H.-K., *et al.*, (*C*) 245
——, Visceral pain during Caesarean section: effect of varying dose of spinal amethocaine, HIRABAYASHI, Y., *et al.* 266–268
——, Volume preloading is not essential to prevent spinal-induced hypotension at Caesarean section, JACKSON, R., *et al.* 262–265
——, Volume preloading, spinal hypotension and Caesarean section, ROCKE, D. A., *et al.*, (*E*) 257–259
Anaesthetics gases, nitrous oxide, Do nitrous oxide and halothane influence opioid receptor binding in SH-SY5Y human neuroblastoma cells? CAMPBELL, D. J., *et al.* 752–755

——, Effects of inspired gas composition during anaesthesia for abdominal hysterectomy on postoperative lung volumes, JOYCE, C. J., *et al.* 417–421
——, Influence of inspired nitrogen concentration during anaesthesia for coronary artery bypass grafting on postoperative atelectasis, JOYCE, C. J., *et al.* 422–427
——, Nitrous oxide in a very low-flow breathing system, WATTS, J. D., *et al.*, (*ARS*) 654P
——, Surgical stimulation increases median nerve somatosensory evoked responses during isoflurane–nitrous oxide anaesthesia, RUNDSHAGEN, I., *et al.* 598–602
Anaesthetics i.v., Haemodynamic response to simulated haemorrhage in the rabbit: interaction of i.v. anaesthesia and hypoxia, BLAKE, D. W., *et al.* 610–615
——, Pharmacokinetics of analgesics, sedatives and anaesthetic agents during cardiopulmonary bypass, GEDNEY, J. A., *et al.* 344–351
——, Preoperative anxiety, hypocapnia and apnoea on induction of anaesthesia, DRUMMOND, G. B., *et al.*, (*ARS*) 240–241P
Anaesthetics i.v., etomidate, Anaesthetic agents decrease the activity of nitric oxide synthase from human polymorphonuclear leucocytes, GALLEY, H. F., *et al.* 326–329
——, General anaesthesia for day-case cataract surgery, WHITEHEAD, P. N., (*C*) 252–253
——, Inhibition of phagocytosis and killing of bacteria by anaesthetic agents *in vitro*, KRUMHOLZ, W., *et al.* 66–70
Anaesthetics i.v., ketamine, Anaesthetic agents decrease the activity of nitric oxide synthase from human polymorphonuclear leucocytes, GALLEY, H. F., *et al.* 326–329
——, Comparison of the effects of adrenaline, clonidine and ketamine on the duration of caudal analgesia produced by bupivacaine in children, COOK, B., *et al.* 698–701
——, Comparison of the pharmacodynamics of ketamine in the isolated neonatal and adult porcine airway, HODGSON, P. E., *et al.* 71–79
——, Effects of ketamine on ischaemia-induced striatal dopamine release, TONER, S. C., *et al.*, (*ARS*) 236–237P
——, Glutamate uptake is not a major target site for anaesthetic agents, NICOL, B., *et al.* 61–65
——, Inhibition of phagocytosis and killing of bacteria by anaesthetic agents *in vitro*, KRUMHOLZ, W., *et al.* 66–70
——, Pharmacokinetics of ketamine enantiomers, GEISSLINGER, G., *et al.*, (*C*) 506–507
Anaesthetics i.v., methohexitone, Comparison of methohexitone/fentanyl and propofol/fentanyl anaesthesia for myocardial revascularisation, PICKETT, J. A., *et al.*, (*EACTA*) **74**: A.46
——, Recovery after electroconvulsive therapy: comparison of propofol with methohexitone anaesthesia, MATTERS, R. M., *et al.* 297–300
Anaesthetics i.v., propofol, Anaesthesia and myotonia, JOHNSON, G. W., *et al.*, (*C*) 113
——, Anaesthetic management for coronary surgery without cardiopulmonary bypass, DUCART, A., *et al.*, (*EACTA*) **74**: A.77
——, Comparison of methohexitone/fentanyl and propofol/fentanyl anaesthesia for myocardial revascularisation, PICKETT, J. A., *et al.*, (*EACTA*) **74**: A.46
——, Comparison of the effects of propofol and isoflurane anaesthesia on right ventricular function and shunt fraction during thoracic surgery, KELLOW, N. H., *et al.* 578–582
——, Comparison of the effects of sub-hypnotic concentrations of propofol and halothane on the acute ventilatory response to hypoxia, NAGYOVA, B., *et al.* 713–718
——, Dexmedetomidine decreases dose and concentration of propofol required to suppress consciousness, CLOOTE, A. H., *et al.*, (*ARS*) 657P
——, Difference between *in vivo* and *in vitro* effects of propofol on defluorination and metabolic activities of hamster hepatic cytochrome P450-dependent mono-oxygenases, CHEN, T. L., *et al.* 462–466
——, EEG arousal during laryngoscopy and intubation: comparison of thiopentone or propofol supplemented with nitrous oxide, WILDER-SMITH, O. H. G., *et al.* 441–446
——, Effect of i.v. lignocaine on the breathing of patients anaesthetized with propofol, GOODMAN, N. W., *et al.* 573–577
——, Effect of lipid and propofol on superoxide-mediated haemoglobin oxidation, STRATFORD, N., *et al.*, (*ARS*) 229–230P
——, Effects of graded infusion rates of propofol on cardiovascular haemodynamics, coronary circulation and myocardial metabolism in dogs, NAKAIGAWA, Y., *et al.* 616–621
——, Effects of propofol on isolated rabbit mesenteric arteries and veins, KAMITANI, K., *et al.* 457–461
——, General anaesthesia for day-case cataract surgery, WHITEHEAD, P. N., (*C*) 252–253
——, Glutamate uptake is not a major target site for anaesthetic agents, NICOL, B., *et al.* 61–65
——, Haemodynamic changes associated with dexmedetomidine, propofol and alfentanil anaesthesia, PEDEN, C. J., *et al.*, (*ARS*) 657P
——, Haemodynamic effects of propofol infusion for sedation after coronary artery surgery, HAMMARÉN, E., *et al.* 47–50
——, *In vitro* study of the effect of propofol, intralipid and halothane on platelet aggregation, MCDIARMID, A. J., *et al.*, (*ARS*) 658P
——, Intraocular pressure decreases during intubation under propofol, RICHARDS, J. P., *et al.*, (*ARS*) 657–658P
——, Manual compared with target-controlled infusion of propofol, RUSSELL, D., *et al.* 562–566
——, Midazolam before induction improves conditions for laryngeal mask insertion, DRIVER, I., *et al.*, (*ARS*) 664P
——, Propofol/alfentanil without neuromuscular block for gynaecological laparoscopy, SABAR, M. A., *et al.*, (*ARS*) 232P
——, Propofol-induced alterations in the microcirculation of hamster striated muscle, HOLZMANN, A., *et al.* 452–456
——, Recovery after electroconvulsive therapy: comparison of propofol with methohexitone anaesthesia, MATTERS, R. M., *et al.* 297–300
——, Testing the porphyrinogenicity of propofol in a primed rat model, BÖHRER, H., *et al.* 334–338
Anaesthetics i.v., thiopentone, Anaesthetic agents decrease the activity of nitric oxide synthase from human polymorphonuclear leucocytes, GALLEY, H. F., *et al.* 326–329
——, Dose response curve comparisons for midazolam and thiopental in isolated perfused rat hearts, SÜZER, Ö., *et al.*, (*EACTA*) **74**: A.45
——, EEG arousal during laryngoscopy and intubation: comparison of thiopentone or propofol supplemented with nitrous oxide, WILDER-SMITH, O. H. G., *et al.* 441–446
——, Glutamate uptake is not a major target site for anaesthetic agents, NICOL, B., *et al.* 61–65
——, Inhibition of phagocytosis and killing of bacteria by anaesthetic agents *in vitro*, KRUMHOLZ, W., *et al.* 66–70
——, Similar brain oxygen consumption with thiopentone or midazolam in cardiopulmonary bypass, SÜZER, A., *et al.*, (*EACTA*) **74**: A.37
——, Thiopentone anaesthesia at Pearl Harbor, BENNETTS, F. E. 366–368
——, Thiopentone anaesthesia at Pearl Harbor, KIDD, A. G., *et al.*, (*C*) 823
——, Thiopentone inhibits potassium-stimulated calcium influx in SH-SY5Y human neuroblastoma cells, WILLETS, J. M., *et al.*, (*ARS*) 243–244P
Anaesthetics local, Comparison of i.m. and local infiltration of ketorolac with and without local anaesthetic, BEN-DAVID, B., *et al.* 409–412
——, Liposomal local anaesthetics, DUNCAN, L., *et al.*, (*E*) 260–261
——, Maximum doses of local anaesthetics, GRANGE, C., (*C*) 502
——, Maximum doses of local anaesthetics, PÄLVE, H., (*C*) 502
Anaesthetics local, amethocaine, Cerebrospinal fluid progesterone in pregnant women, HIRABAYASHI, Y., *et al.* 683–687
——, Evaluation of an amethocaine gel preparation for percutaneous analgesia before venous cannulation in children, LAWSON, R. A., *et al.* 282–285
——, Subarachnoid spread of isobaric tetracaine in adolescents, HIRABAYASHI, Y., *et al.*, (*C*) 245–246
——, Subarachnoid spread of isobaric tetracaine in adolescents, KING, H.-K., *et al.*, (*C*) 245
——, Visceral pain during Caesarean section: effect of varying dose of spinal amethocaine, HIRABAYASHI, Y., *et al.* 266–268
Anaesthetics local, bupivacaine, Biodistribution of liposome-associated bupivacaine after extradural administration to rabbits, BOOGAERTS, J. G., *et al.* 319–325
——, Comparison of ropivacaine and bupivacaine for extradural analgesia, AL-KAISY, A. A., (*C*) 246
——, Comparison of ropivacaine and bupivacaine for extradural analgesia, LYONS, G., *et al.*, (*C*) 373–374
——, Comparison of ropivacaine and bupivacaine for extradural analgesia, MCCRAE, A. F., *et al.*, (*C*) 246
——, Comparison of ropivacaine and bupivacaine for extradural analgesia, MCCRAE, A. F., *et al.*, (*C*) 374
——, Comparison of the effects of adrenaline, clonidine and ketamine on the duration of caudal analgesia produced by bupivacaine in children, COOK, B., *et al.* 698–701
——, Effect of ketorolac, bupivacaine and low-dose heparin on

thrombelastographic variables *in vitro*, GIBBS, N. M., *et al.* 27–30
——, Effects of adrenaline and hyaluronidase on plasma concentrations of lignocaine and bupivacaine after peribulbar anaesthesia, BARR, J., *et al.* 692–697
——, Extradural, paravertebral and intercostal nerve blocks for post-thoracotomy pain, PERTTUNEN, K., *et al.* 541–547
——, Spinal anaesthesia for transurethral surgery: comparison of 2% lignocaine with hyperbaric 0.5% bupivacaine, WILLIAMS, N., *et al.* 9–11
Anaesthetics local, lignocaine, Effect of i.v. lignocaine on the breathing of patients anaesthetized with propofol, GOODMAN, N. W., *et al.* 573–577
——, Effect of nebulized lignocaine on airway irritation and haemodynamic changes during induction of anaesthesia with desflurane, BUNTING, H. E., *et al.* 631–633
——, Effects of adrenaline and hyaluronidase on plasma concentrations of lignocaine and bupivacaine after peribulbar anaesthesia, BARR, J., *et al.* 692–697
——, Interaction of extradural morphine and lignocaine on ventilatory response, SAITO, Y., *et al.* 394–398
——, Maximum dose of lignocaine for brachial plexus block, PÄLVE, H., (*C*) 824
——, Maximum dose of lignocaine for brachial plexus block, SUN, K. O., (*C*) 823–824
——, Neurotoxicity of 5% lignocaine, STRICHARTZ, G. R., *et al.*, (*C*) 376
——, Neurotoxicity of 5% lignocaine, TARKKILA, P., *et al.*, (*C*) 376
——, Spinal anaesthesia for transurethral surgery: comparison of 2% lignocaine with hyperbaric 0.5% bupivacaine, WILLIAMS, N., *et al.* 9–11
Anaesthetics local, mepivacaine, Comparison of continuous brachial plexus infusion of butorphanol, mepivacaine and mepivacaine–butorphanol mixtures for postoperative analgesia, WAJIMA, Z., *et al.* 548–551
——, Effect of digital pressure on the neurovascular sheath during perivascular axillary block, KOSCIELNIAK-NIELSEN, Z. J., *et al.* 702–706
Anaesthetics local, ropivacaine, Comparison of ropivacaine and bupivacaine for extradural analgesia, AL-KAISY, A. A., (*C*) 246
——, Comparison of ropivacaine and bupivacaine for extradural analgesia, LYONS, G., *et al.*, (*C*) 373–374
——, Comparison of ropivacaine and bupivacaine for extradural analgesia, MCCRAE, A. F., *et al.*, (*C*) 246
——, Comparison of ropivacaine and bupivacaine for extradural analgesia, MCCRAE, A. F., *et al.*, (*C*) 374
Anaesthetics volatile, Effects of desflurane and isoflurane on spontaneous and reflexly mediated sympathetic activity in dogs, PAC SOO, C. K., *et al.*, (*ARS*) 231–232P
——, Pharmacokinetics of analgesics, sedatives and anaesthetic agents during cardiopulmonary bypass, GEDNEY, J. A., *et al.* 344–351
——, Volatile anaesthetics and barbiturates have different actions on the input resistance of an identified molluscan neurone, QAZZAZ, M., *et al.*, (*ARS*) 656–657P
Anaesthetics volatile, desflurane, Comparison of desflurane and isoflurane in anaesthesia for dental surgery, LOAN, P. B., *et al.* 289–292
——, Effect of nebulized lignocaine on airway irritation and haemodynamic changes during induction of anaesthesia with desflurane, BUNTING, H. E., *et al.* 631–633
——, Haemodynamic effects of desflurane and isoflurane in patients with coronary artery disease, GRUNDMANN, U., *et al.*, (*EACTA*) 74: A.48
Anaesthetics volatile, enflurane, Effects of halothane, enflurane and isoflurane on contraction of rat aorta induced by endothelin-1, BOILLOT, A., *et al.* 761–767
——, Enflurane reduces potassium-stimulated release of acetylcholine from rat cortical slices, ELTON, C., *et al.*, (*ARS*) 663P
Anaesthetics volatile, halothane, Actions of isoflurane and halothane on whole cell calcium and potassium currents in cultured, identified, mollusc neurones, MOGHADAM, H. F., *et al.*, (*ARS*) 661P
——, Alterations of inositol polyphosphates in skeletal muscle during porcine malignant hyperthermia, TONNER, P. H., *et al.* 467–471
——, Anaesthetic agents decrease the activity of nitric oxide synthase from human polymorphonuclear leucocytes, GALLEY, H. F., *et al.* 326–329
——, Anaesthetic management of acute puerperal uterine inversion, ABOULEISH, E., *et al.* 486–487
——, Changes in blood volume distribution between legs and trunk during halothane anaesthesia, DRUMMOND, G. B., *et al.* 707–712
——, Comparison of the effects of sub-hypnotic concentrations of propofol and halothane on the acute ventilatory response to hypoxia, NAGYOVA, B., *et al.* 713–718
——, Do nitrous oxide and halothane influence opioid receptor binding in SH-SY5Y human neuroblastoma cells? CAMPBELL, D. J., *et al.* 752–755
——, Effects of halothane, enflurane and isoflurane on contraction of rat aorta induced by endothelin-1, BOILLOT, A., *et al.* 761–767
——, Glutamate uptake is not a major target site for anaesthetic agents, NICOL, B., *et al.* 61–65
——, Halothane prevents hydroxy radical-related post-ischaemic injury to canine heart, DRENGER, B., *et al.*, (*EACTA*) 74: A.84
Anaesthetics volatile, isoflurane, Actions of isoflurane and halothane on whole cell calcium and potassium currents in cultured, identified, mollusc neurones, MOGHADAM, H. F., *et al.*, (*ARS*) 661P
——, Anaesthetic management of acute puerperal uterine inversion, ABOULEISH, E., *et al.* 486–487
——, Analgesic effect in humans of subanaesthetic isoflurane concentrations evaluated by experimentally induced pain, PETERSEN-FELIX, S., *et al.* 55–60
——, Comparison of desflurane and isoflurane in anaesthesia for dental surgery, LOAN, P. B., *et al.* 289–292
——, Comparison of the effects of propofol and isoflurane anaesthesia on right ventricular function and shunt fraction during thoracic surgery, KELLOW, N. H., *et al.* 578–582
——, Effects of halothane, enflurane and isoflurane on contraction of rat aorta induced by endothelin-1, BOILLOT, A., *et al.* 761–767
——, General anaesthesia for day-case cataract surgery, WHITEHEAD, P. N., (*C*) 252–253
——, Glutamate uptake is not a major target site for anaesthetic agents, NICOL, B., *et al.* 61–65
——, Haemodynamic effects of desflurane and isoflurane in patients with coronary artery disease, GRUNDMANN, U., *et al.*, (*EACTA*) 74: A.48
——, Intrathecal administration of *N*-methyl-D-aspartate receptor antagonist reduces the minimum alveolar anaesthetic concentration of isoflurane in rats, ISHIZAKI, K., *et al.* 636–638
——, Surgical stimulation increases median nerve somatosensory evoked responses during isoflurane–nitrous oxide anaesthesia, RUNDSHAGEN, I., *et al.* 598–602
Anaesthetics volatile, sevoflurane, Sevoflurane improves neurological outcome after incomplete cerebral ischaemia in rats, WERNER, C., *et al.* 756–760
Anaesthetist, activity, The role of an anaesthetist in a field hospital during the cholera epidemic among Rwandan refugees in Goma, GINOSAR, Y., *et al.* 810–816
Anaesthetist, role, The role of an anaesthetist in a field hospital during the cholera epidemic among Rwandan refugees in Goma, GINOSAR, Y., *et al.* 810–816
Anaesthetist, training, A statistical approach to measuring the competence of anaesthetic trainees at practical procedures, KESTIN, I. G. 805–809
——, Measurement of competence, ELLIS, F. R., (*E*) 673–674
Analgesia, obstetric, Comparison of ropivacaine and bupivacaine for extradural analgesia, AL-KAISY, A. A., (*C*) 246
——, Comparison of ropivacaine and bupivacaine for extradural analgesia, LYONS, G., *et al.*, (*C*) 373–374
——, Comparison of ropivacaine and bupivacaine for extradural analgesia, MCCRAE, A. F., *et al.*, (*C*) 246
——, Comparison of ropivacaine and bupivacaine for extradural analgesia, MCCRAE, A. F., *et al.*, (*C*) 374
——, NSAID for Caesarean section, JONES, S. F., (*C*) 666
Analgesia, paediatric, Comparison of the effects of adrenaline, clonidine and ketamine on the duration of caudal analgesia produced by bupivacaine in children, COOK, B., *et al.* 698–701
——, Ventilatory arrest after a fluid challenge in a neonate receiving s.c. morphine, WOLF, A. R., *et al.* 787–789
Analgesia, patient-controlled, Comparison of morphine and pethidine given by PCA for postoperative pain, PLUMMER, J., *et al.*, (*ARS*) 655P
——, Effect of timing of ketorolac administration on patient-controlled opioid use, ROGERS, J. E. G., *et al.* 15–18
——, Expanding the applications of patient-controlled techniques, MACKENZIE, J., (*C*) 377
——, Psychological characteristics and patient-controlled analgesia, MCCONAGHY, P. M., (*C*) 376
Analgesia, postoperative, Anaesthetic implications of aortic stent surgery, GREIFF, J. M. C., *et al.* 779–781
——, Comparison of continuous brachial plexus infusion of butorphanol, mepivacaine and mepivacaine–butorphanol

mixtures for postoperative analgesia, WAJIMA, Z., *et al.* 548–551
——, Extradural, paravertebral and intercostal nerve blocks for post-thoracotomy pain, PERTTUNEN, K., *et al.* 541–547
——, Intra-articular analgesia for arthroscopic meniscectomy, LYONS, B., *et al.* 552–555
——, Postoperative analgesia for arthrolysis of the elbow joint, FRIZELLE, H. P., *et al.*, (*C*) 372
——, Postoperative analgesia for arthrolysis of the elbow joint, PARIKH, R. K., *et al.*, (*C*) 372
Analgesia, pre-emptive, Effect of timing of ketorolac administration on patient-controlled opioid use, ROGERS, J. E. G., *et al.* 15–18
Analgesic techniques, extradural, Ambulatory extradural analgesia, BUGGY, D., *et al.*, (*C*) 114–115
——, Ambulatory extradural analgesia, COX, M., *et al.*, (*C*) 114
——, Hormonal effects of thoracic extradural analgesia for cardiac surgery, MOORE, C. M., *et al.* 387–393
——, Optimum opioid for extradural administration, CHRUBASIK, S., *et al.*, (*C*) 251
——, Optimum opioid for extradural administration, COOK, T. M., *et al.*, (*C*) 250–251
Analgesic techniques, intra-articular, Intra-articular analgesia for arthroscopic meniscectomy, LYONS, B., *et al.* 552–555
Analgesic techniques, regional, Effect of clonidine added to the anaesthetic solution: duration of analgesia and oxygen uptake after intercostal nerve blockade, TSCHERNKO, E., *et al.*, (*EACTA*) 74: A.14
Analgesic techniques, regional, brachial plexus, Comparison of continuous brachial plexus infusion of butorphanol, mepivacaine and mepivacaine–butorphanol mixtures for postoperative analgesia, WAJIMA, Z., *et al.* 548–551
Analgesic techniques, regional, interpleural, A prospective, randomized comparison of interpleural and paravertebral analgesia in thoracic surgery, RICHARDSON, J., *et al.* 405–408
Analgesic techniques, regional, paravertebral, A prospective, randomized comparison of interpleural and paravertebral analgesia in thoracic surgery, RICHARDSON, J., *et al.* 405–408
Analgesic techniques, subarachnoid, Intrathecal fentanyl for post-thoracotomy pain, SUDARSHAN, G., *et al.* 19–22
——, Intrathecal fentanyl for post-thoracotomy pain, SUDARSHAN, G., *et al.*, (*e*) 513
Analgesics non-opioid, capsaicin, Capsaicin and pain mechanisms, WINTER, J., *et al.* 157–168
Analgesics non-opioid, ketorolac, Comparison of i.m. and local infiltration of ketorolac with and without local anaesthetic, BEN-DAVID, B., *et al.* 409–412
——, Effect of ketorolac, bupivacaine and low-dose heparin on thrombelastographic variables *in vitro*, GIBBS, N. M., *et al.* 27–30
——, Effect of timing of ketorolac administration on patient-controlled opioid use, ROGERS, J. E. G., *et al.* 15–18
Analgesics non-opioid, naproxen, Preoperative oral naproxen for pain relief after day-case laparoscopic sterilization, DUNN, T. J., *et al.* 12–14
Analgesics non-opioid, tenoxicam, NSAID for Caesarean section, JONES, S. F., (*C*) 666
——, Peritonsillar infiltration with low-dose tenoxicam after tonsillectomy, KNUDSEN, K. E., *et al.* 286–288
Analgesics opioid, Descending control of pain, STAMFORD, J. A. 217–227
——, Optimum opioid for extradural administration, CHRUBASIK, S., *et al.*, (*C*) 251
——, Optimum opioid for extradural administration, COOK, T. M., *et al.*, (*C*) 250–251
——, Pharmacokinetics of analgesics, sedatives and anaesthetic agents during cardiopulmonary bypass, GEDNEY, J. A., *et al.* 344–351
——, Spinal cord pharmacology of pain, DICKENSON, A. H. 193–200
Analgesics opioid, alfentanil, Effect of alfentanil used with lignocaine during axillary brachial plexus anaesthesia, GORMLEY, W. P., *et al.*, (*ARS*) 231P
——, Haemodynamic changes associated with dexmedetomidine, propofol and alfentanil anaesthesia, PEDEN, C. J., *et al.*, (*ARS*) 657P
——, Propofol/alfentanil without neuromuscular block for gynaecological laparoscopy, SABAR, M. A., *et al.*, (*ARS*) 232P
Analgesics opioid, butorphanol, Comparison of continuous brachial plexus infusion of butorphanol, mepivacaine and mepivacaine–butorphanol mixtures for postoperative analgesia, WAJIMA, Z., *et al.* 548–551
Analgesics opioid, diamorphine, Effect of i.v. diamorphine on regression of spinal block, FINDLAY, G. P., (*C*) 509
——, Effect of i.v. diamorphine on regression of spinal block, HENDERSON, D. J., *et al.*, (*C*) 509
Analgesics opioid, fentanyl, Comparison of methohexitone/fentanyl and propofol/fentanyl anaesthesia for myocardial revascularisation, PICKETT, J. A., *et al.*, (*EACTA*) 74: A.46
——, Effect of fentanyl on the immune response using an isolated cardiopulmonary bypass system, MCBRIDE, W. T., *et al.*, (*ARS*) 237–238P
——, Intrathecal fentanyl for post-thoracotomy pain, SUDARSHAN, G., *et al.* 19–22
——, Intrathecal fentanyl for post-thoracotomy pain, SUDARSHAN, G., *et al.*, (*e*) 513
——, Randomized controlled trial comparing the effect on respiration of tramadol *vs* placebo in patients receiving fentanyl, DE BEAUX, I., *et al.*, (*ARS*) 233–234P
Analgesics opioid, morphine, Comparison of morphine and pethidine given by PCA for postoperative pain, PLUMMER, J., *et al.*, (*ARS*) 655P
——, Does the addition of morphine to brachial plexus block improve analgesia after shoulder surgery? FLORY, N., *et al.* 23–26
——, Effect of erythromycin on morphine-induced delay in gastric emptying, ROWBOTHAM, D. J., *et al.*, (*ARS*) 241P
——, Glutamate uptake is not a major target site for anaesthetic agents, NICOL, B., *et al.* 61–65
——, Interaction of extradural morphine and lignocaine on ventilatory response, SAITO, Y., *et al.* 394–398
——, Intra-articular analgesia for arthroscopic meniscectomy, LYONS, B., *et al.* 552–555
——, Peripheral analgesic effect of morphine, FLORY, N., (*C*) 823
——, Peripheral analgesic effect of morphine, MALLICK, A., *et al.*, (*C*) 822–823
——, Ventilatory arrest after a fluid challenge in a neonate receiving s.c. morphine, WOLF, A. R., *et al.* 787–789
Analgesics opioid, morphine-6-glucuronide, Assessment of intrathecal morphine 6-glucuronide as analgesic for hip replacement, GRACE, D., *et al.*, (*ARS*) 230P
Analgesics opioid, pethidine, Comparison of morphine and pethidine given by PCA for postoperative pain, PLUMMER, J., *et al.*, (*ARS*) 655P
——, Intra-articular analgesia for arthroscopic meniscectomy, LYONS, B., *et al.* 552–555
Analgesics opioid, sufentanil, Comparison of two anaesthetic techniques with sufentanil and midazolam for mitral valve surgery: continuous infusion versus bolus administration, D'ATTELLIS, N., *et al.*, (*EACTA*) 74: A.47
Analgesics opioid, tramadol, Is tramadol a suitable analgesic for high-risk patients after heart surgery? LOMOVÁ, J., (*EACTA*) 74: A.13
——, Randomized controlled trial comparing the effect on respiration of tramadol *vs* placebo in patients receiving fentanyl, DE BEAUX, I., *et al.*, (*ARS*) 233–234P
——, Tramadol, BUDD, K., (*C*) 500
——, Tramadol, EGGERS, K. A., *et al.*, (*C*) 500
——, Tramadol, EGGERS, K. A., *et al.*, (*C*) 501
——, Tramadol, FENN, G. C., *et al.*, (*C*) 501
Anatomy, eye, Anatomy for ophthalmic anaesthesia, JOHNSON, R. W. 80–87
Anatomy, spinal column, Anatomical configuration of the spinal column in the supine position. I. A study using magnetic resonance imaging, HIRABAYASHI, Y., *et al.* 3–5
——, Anatomical configuration of the spinal column in the supine position. II. Comparison of pregnant and non-pregnant women, HIRABAYASHI, Y., *et al.* 6–8
Anesthesiology Review, 2nd Edn, FAUST, R. J., (editor), (*R*) 378
Anesthesiology: Specialty Board Review, 9th Edn, DEKORNFELD, T. J., *et al.*, (editors), (*R*) 512–513
Anesthetic Principles for Organ Transplantation, COOK, D. R., *et al.*, (editors), (*R*) 120
Antagonists NMDA receptor, Intrathecal administration of *N*-methyl-D-aspartate receptor antagonist reduces the minimum alveolar anaesthetic concentration of isoflurane in rats, ISHIZAKI, K., *et al.* 636–638
Antibiotics, erythromycin, Effect of erythromycin on morphine-induced delay in gastric emptying, ROWBOTHAM, D. J., *et al.*, (*ARS*) 241P
Arterial pressure, Systolic blood pressure variation as indicator of hypovolaemia during cardiac surgery, DALMAS, J. P., *et al.*, (*EACTA*) 74: A.22
Arterial pressure, drug effects, Effects of clonidine premedication on the pressor response to α-adrenergic agonists, TANAKA, M., *et al.* 593–597
Arterial pressure, hypotension, Volume preloading is not essential to prevent spinal-induced hypotension at Caesarean section, JACKSON, R., *et al.* 262–265

——, Volume preloading, spinal hypotension and Caesarean section, ROCKE, D. A., *et al.*, (*E*) 257–259
Arterial pressure, measurement, Effects of changes in mean arterial pressure on Sj_{O_2} during cerebral aneurysm surgery, MOSS, E., *et al.* 527–530
Arteries, Effects of propofol on isolated rabbit mesenteric arteries and veins, KAMITANI, K., *et al.* 457–461
Arteries, aorta, Anaesthetic implications of aortic stent surgery, GREIFF, J. M. C., *et al.* 779–781
——, Effects of halothane, enflurane and isoflurane on contraction of rat aorta induced by endothelin-1, BOILLOT, A., *et al.* 761–767
Arteries, internal mammary, Observations on phrenic nerve function during coronary artery surgery, KHAN, Z. P., *et al.*, (*ARS*) 652–653P
Ataractics, cannabis, Cannabis as a medicine, NOTCUTT, W. G., (*C*) 251–252

Ballière's Clinical Anaesthesiology of Post-anaesthetic Care, FROST, E. A. M., *et al.*, (editors), (*R*) 255
Basic Physics and Measurement in Anaesthesia, 4th Edn, DAVIES, P. D., *et al.*, (*R*) 670
Blood, anticoagulants, Does the type of volume therapy influence endothelial-related coagulation in the critically ill? BOLDT, J., *et al.* 740–746
Blood, anticoagulants, heparin, An evaluation of the hemochron RxDx heparin and protamine dose predicting system, GOWER, S. N., *et al.*, (*EACTA*) **74**: A.56
——, Effect of ketorolac, bupivacaine and low-dose heparin on thrombelastographic variables *in vitro*, GIBBS, N. M., *et al.* 27–30
——, Effect of preoperative anticoagulant treatment on activated coagulation time and heparin levels during normothermic cardio-pulmonary bypass (CPB), LONGROIS, D., *et al.*, (*EACTA*) **74**: A.61
——, Prevention of postoperative venous thromboembolism, BULLINGHAM, A., *et al.* 622–630
——, The influence of perioperative aspirin and/or heparin therapy on blood loss and blood products requirement in cardiac surgery, JAKICS, J., *et al.*, (*EACTA*) **74**: A.60
Blood, coagulation, An evaluation of the hemochron RxDx heparin and protamine dose predicting system, GOWER, S. N., *et al.*, (*EACTA*) **74**: A.56
——, Aprotinin in paediatric cardiac surgery: blood loss and use of blood products, GOMAR, C., *et al.*, (*EACTA*) **74**: A.64
——, Does the type of volume therapy influence endothelial-related coagulation in the critically ill? BOLDT, J., *et al.* 740–746
——, Effect of inspired oxygen on the cardiovascular effects of protamine after cardiopulmonary bypass, LOMAX, D., *et al.* 413–416
——, Effect of ketorolac, bupivacaine and low-dose heparin on thrombelastographic variables *in vitro*, GIBBS, N. M., *et al.* 27–30
——, Effect of preoperative anticoagulant treatment on activated coagulation time and heparin levels during normothermic cardio-pulmonary bypass (CPB), LONGROIS, D., *et al.*, (*EACTA*) **74**: A.61
——, *In vitro* study of the effect of cerebrospinal fluid on coagulation and fibrinolysis of parturient blood, MACLEAN, A. R., *et al.*, (*ARS*) 230P
——, Sonoclot analysis, HETT, D. A., *et al.* 771–776
——, The effect of colloid dilution on in vitro clot dynamics using thromboelastography, SMITH, S. N., *et al.*, (*EACTA*) **74**: A.57
Blood, colloids, The effect of colloid dilution on in vitro clot dynamics using thromboelastography, SMITH, S. N., *et al.*, (*EACTA*) **74**: A.57
Blood, flow, Propofol-induced alterations in the microcirculation of hamster striated muscle, HOLZMANN, A., *et al.* 452–456
Blood, flow, feto-uteroplacental, Effect of crystalloid and colloid preloading on uteroplacental and maternal haemodynamic state during spinal anaesthesia for Caesarean section, KARINEN, J., *et al.* 531–535
Blood, haemodilution, Blood saving effect of limited intentional normovolaemic haemodilution (INH) in patients with left main stenosis, MOERMAN, A., *et al.*, (*EACTA*) **74**: A.71
——, Effect of chronic beta blockade on haemodilution tolerance in patients with severe coronary artery disease, SPAHN, D. R., *et al.*, (*EACTA*) **74**: A.6
——, Immunologic reactions during myocardial revascularisation after haemodilution with colloid solutions, MOLTER, G., *et al.*, (*EACTA*) **74**: A.72
Blood, haemodynamics, Haemodynamic changes associated with dexmedetomidine, propofol and alfentanil anaesthesia, PEDEN, C. J., *et al.*, (*ARS*) 657P
Blood, haemoglobin, Effect of lipid and propofol on superoxide-mediated haemoglobin oxidation, STRATFORD, N., *et al.*, (*ARS*) 229–230P
Blood, haemostasis, Improved haemostasis following cardiopulmonary bypass with heparin-coated circuits is not mediated by preservation of platelets, KUITUNEN, A., *et al.*, (*EACTA*) **74**: A.66
Blood: Hemostasis, Transfusion, and Alternatives in the Perioperative Period, LAKE, C. L., *et al.*, (editors), (*R*) 670
Blood, leucocytes, Anaesthetic agents decrease the activity of nitric oxide synthase from human polymorphonuclear leucocytes, GALLEY, H. F., *et al.* 326–329
——, Effect of fentanyl on the immune response using an isolated cardiopulmonary bypass system, MCBRIDE, W. T., *et al.*, (*ARS*) 237–238P
——, Inhibition of phagocytosis and killing of bacteria by anaesthetic agents *in vitro*, KRUMHOLZ, W., *et al.* 66–70
Blood, loss, Aprotinin in paediatric cardiac surgery: blood loss and use of blood products, GOMAR, C., *et al.*, (*EACTA*) **74**: A.64
——, The influence of perioperative aspirin and/or heparin therapy on blood loss and blood products requirement in cardiac surgery, JAKICS, J., *et al.*, (*EACTA*) **74**: A.60
Blood, platelets, Improved haemostasis following cardiopulmonary bypass with heparin-coated circuits is not mediated by preservation of platelets, KUITUNEN, A., *et al.*, (*EACTA*) **74**: A.66
——, *In vitro* study of the effect of propofol, intralipid and halothane on platelet aggregation, MCDIARMID, A. J., *et al.*, (*ARS*) 658P
——, Low-dose aprotinin does not protect platelets during cardiopulmonary bypass (CPB), BASORA, M., *et al.*, (*EACTA*) **74**: A.65
Blood, replacement, Blood saving effect of limited intentional normovolaemic haemodilution (INH) in patients with left main stenosis, MOERMAN, A., *et al.*, (*EACTA*) **74**: A.71
——, Red blood cell substitutes, DRUMMOND, G. B., (*C*) 504
——, Red blood cell substitutes, JONES, J., (*C*) 504–505
Blood, substitutes, Red blood cell substitutes, DRUMMOND, G. B., (*C*) 504
——, Red blood cell substitutes, JONES, J., (*C*) 504–505
Blood, transfusion, Aprotinin, tranexamic acid, and mediastinal autotransfusion in elective coronary artery surgery, ZAHARIA, F., *et al.*, (*EACTA*) **74**: A.62
——, Red blood cell substitutes, DRUMMOND, G. B., (*C*) 504
——, Red blood cell substitutes, JONES, J., (*C*) 504–505
——, The use of allogenic blood products is reduced by autotransfusion of mediastinal shed blood in cardiac surgery, NORENG, M., *et al.*, (*EACTA*) **74**: A.63
——, Transfusion of leucocyte-depleted heart-lung machine blood improves lung function following cardiopulmonary bypass, DE VRIES, A. J., *et al.*, (*EACTA*) **74**: A.105
Blood, volume, Changes in blood volume distribution between legs and trunk during halothane anaesthesia, DRUMMOND, G. B., *et al.* 707–712
——, Haemodynamic response to simulated haemorrhage in the rabbit: interaction of i.v. anaesthesia and hypoxia, BLAKE, D. W., *et al.* 610–615
——, Systolic blood pressure variation as indicator of hypovolaemia during cardiac surgery, DALMAS, J. P., *et al.*, (*EACTA*) **74**: A.22
Book Reviews
Accident and Emergency Radiology: A Survival Guide, RABY, N., *et al.*, (editors), (*R*) 379
AIDS: A Guide to the Law, 2nd Edn, HAIGH, R., *et al.*, (*R*) 511
Ambulatory Anesthesiology: A Problem Orientated Approach, MCGOLDRICK, K. E., (editor), (*R*) 511
Anaesthesia for Thoracic Surgery, 2nd Edn, BENUMOF, J. L., (*R*) 254
Anesthesiology Review, 2nd Edn, FAUST, R. J., (editor), (*R*) 378
Anesthesiology: Specialty Board Review, 9th Edn, DEKORNFELD, T. J., *et al.*, (editors), (*R*) 512–513
Anesthetic Principles for Organ Transplantation, COOK, D. R., *et al.*, (editors), (*R*) 120
Ballière's Clinical Anaesthesiology of Post-anaesthetic Care, FROST, E. A. M., *et al.*, (editors), (*R*) 255
Basic Physics and Measurement in Anaesthesia, 4th Edn, DAVIES, P. D., *et al.*, (*R*) 670
Blood: Hemostasis, Transfusion, and Alternatives in the Perioperative Period, LAKE, C. L., *et al.*, (editors), (*R*) 670
Cardiovascular Physiology, PRIEBE, H.-J., *et al.*, (editors), (*R*) 825
Classification of Chronic Pain. Descriptions of Chronic Pain Syndromes and Definitions of Pain Terms, 2nd Edn, MERSKY, H., *et al.*, (editors), (*R*) 254
Clinical Management of the Airway, ROBERTS, J. T., (editor), (*R*) 119

Clinical Monitoring for Anesthesia and Critical Care, 2nd Edn. LAKE, C. L., (editor), (*R*) 120–121
Collection d'Anesthésiologie et de Réanimation, vol. 42: Oxygénation Tissulaire, RICHARD, CH., *et al.*, (editors), (*R*) 255
Collection D'Anesthésiologie et de Réanimation, vol. 44: Réanimation des Intoxications Aigües, BAUD, F., (editor)., (*R*) 827
Companion to Clinical Anaesthesia Exams, CORKE, C. F., *et al.*, (*R*) 378
Current Review of Pain, PRITHVI RAJ, P., (editor), (*R*) 670–671
Current Topics in Intensive Care, 2nd Edn, BION, J., *et al.*, (editors), (*R*) 825
Essays and Multiple Choice Questions in Anaesthesia and Intensive Care, MURPHY, P. M., (*R*) 254–255
Intensive Care and Clinical Biochemistry, GOSLING, P., *et al.*, (*R*) 378–379
Manual of Pediatric Anesthesia, 4th Edn, STEWARD, D. J., (*R*) 826
MCQ Selftest Companion to Lee's Synopsis of Anaesthesia, RUSHMAN, G. B., *et al.*, (*R*) 670
Monitoring in Anaesthesia and Critical Care Medicine, 3rd Edn. BLITT, C. D., *et al.*, (editors), (*R*) 510
On Call in Anesthesia and Surgery, MALT, R. A., *et al.*, (editors), (*R*) 121
Palliative Medicine: Problem Areas in Pain and Symptom Management, HANKS, G. W., (editor), (*R*) 512
Pediatric Anesthesia—A Pocket Companion, BLOCH, E. C., (*R*) 379
Procedures and Techniques in Intensive Care Management, RIPPE, J. M., *et al.*, (*R*) 510
Renal Failure, ADROUGE, H. J., *et al.*, (*R*) 827–828
The Anesthesiologist's Guide to the OR, DUTTON, R. P., *et al.*, (*R*) 671
The Casebooks of Dr John Snow, ELLIS, R. H., (editor), (*R*) 826–827
The Pharmacological Basis of Anesthesiology, BOWDLE, T. A., *et al.*, (editors), (*R*) 510–511
The Surgical Neonate: Anaesthesia & Intensive Care, HATCH, D., *et al.*, (*R*) 826
The Wards: An Introduction to Clinical Clerkships, FINE, P. L., (*R*) 511–512
Brain, anatomy, Descending control of pain, STAMFORD, J. A. 217–227
Brain, blood flow, Cerebral bloodflow velocity during the first phase of cardiocirculatory arrest, HÖRMANN, CH., *et al.*, (*EACTA*) **74**: A.51
——, Cerebral consequences of brief cardiac arrest in humans, WEYLAND, A., *et al.*, (*EACTA*) **74**: A.52
——, Cerebral oximetry during cardiac and carotid surgery in adult patients, JANKE, E., *et al.*, (*EACTA*) **74**: A.39
——, Cerebral venous oxygen saturation is no indicator of cerebral blood flow, MIELCK, F., *et al.*, (*EACTA*) **74**: A.38
——, Cerebrovascular reactivity is impaired during rewarming from hypothermic cardiopulmonary bypass, VAN DER MAATEN, J. M. A. A., *et al.*, (*EACTA*) **74**: A.36
——, Changes in the venous jugular bulb saturation during cardiac surgery, MULET, J., *et al.*, (*EACTA*) **74**: A.34
——, Effect of labetalol on cerebral blood flow, oxygen metabolism and autoregulation in healthy humans, OLSEN, K. S., *et al.* 51–54
——, Ensuring adequate cerebral perfusion during aneurysm surgery, MILLER, J. D., (*E*) 518–519
——, Intraoperative use of transcranial Doppler ultrasonography during resection of arteriovenous malformations, MATTA, B., *et al.*, (*ARS*) 242–243P
——, Postoperative delirium in the elderly, BOSE, D., (*C*) 115
——, Postoperative delirium in the elderly, O'KEEFFE, S., (*C*) 115
Brain, cortex cerebral, Imaging pain in humans, BERMAN, J. 209–216
Brain, evoked potentials, Arousal effect of suxamethonium on the auditory evoked response, BRUNNER, M. D., *et al.*, (*ARS*) 236P
——, Auditory evoked responses and near infrared spectroscopy during cardiac arrest, PILKINGTON, S. N., *et al.*, (*e*) 380
——, The auditory evoked potential and paediatric anaesthesia, O'KELLY, S. W., *et al.* 428–430
Brain, intracranial pressure, Survey of intensive care management of severely head-injured patients in the United Kingdom, JEEVARATNAM, R. D., *et al.*, (*ARS*) 660–661P
Brain, ischaemia, Effects of ketamine on ischaemia-induced striatal dopamine release, TONER, S. C., *et al.*, (*ARS*) 236–237P
——, Sevoflurane improves neurological outcome after incomplete cerebral ischaemia in rats, WERNER, C., *et al.* 756–760
Brain, magnetic resonance imaging, Imaging pain in humans, BERMAN, J. 209–216
Brain, metabolism, Effect of labetalol on cerebral blood flow, oxygen metabolism and autoregulation in healthy humans, OLSEN, K. S., *et al.* 51–54
Brain, thalamus, Imaging pain in humans, BERMAN, J. 209–216

Calcium channel block, diltiazem, Calcium-channel blocker administration improves operative conditions in beating heart coronary artery bypass grafting, KYRITSIS, A., *et al.*, (*EACTA*) **74**: A.78
Calcium channel block, nifedipine, Calcium-channel blocker administration improves operative conditions in beating heart coronary artery bypass grafting, KYRITSIS, A., *et al.*, (*EACTA*) **74**: A.78
Carbon dioxide, elimination, Absorption of nitrogen dioxide and nitric oxide by soda lime, ISHIBE, T., *et al.* 330–333
Carbon dioxide, hypocapnia, Postoperative delirium in the elderly, BOSE, D., (*C*) 115
——, Postoperative delirium in the elderly, O'KEEFFE, S., (*C*) 115
Carbon dioxide, insufflation, Conventional pneumoperitoneum compared with abdominal wall lift for laparoscopic cholecystectomy, LINDGREN, L., *et al.* 567–572
Carbon dioxide, partial pressure, Double lung transplantation without cardiopulmonary bypass: arterial to end-tidal carbon dioxide partial pressure differences, JUVIN, P., *et al.* 488–490
——, Effects of different $PaCO_2$-values on myocardial haemodynamics and energetics in patients with coronary artery disease, KAZMAIER, S., *et al.*, (*EACTA*) **74**: A.24
Carbon dioxide, pneumoperitoneum, Conventional pneumoperitoneum compared with abdominal wall lift for laparoscopic cholecystectomy, LINDGREN, L., *et al.* 567–572
Carbon dioxide, rebreathing, A subtle cause of circle system failure, FINDLAY, G. P., *et al.*, (*C*) 667–668
Cardiovascular Physiology, PRIEBE, H.-J., *et al.*, (editors), (*R*) 825
Cardiovascular system, effects, Acute postinfarction ventricular septal defect (VSD): are right ventricular haemodynamic parameters better in determining postoperative outcome? DURAND, P. G., *et al.*, (*EACTA*) **74**: A.111
——, Effect of inspired oxygen on the cardiovascular effects of protamine after cardiopulmonary bypass, LOMAX, D., *et al.* 413–416
——, Effect of nebulized lignocaine on airway irritation and haemodynamic changes during induction of anaesthesia with desflurane, BUNTING, H. E., *et al.* 631–633
——, Effects of graded infusion rates of propofol on cardiovascular haemodynamics, coronary circulation and myocardial metabolism in dogs, NAKAIGAWA, Y., *et al.* 616–621
——, Haemodynamic effects of propofol infusion for sedation after coronary artery surgery, HAMMARÉN, E., *et al.* 47–50
——, Haemodynamic management in single (SLT) and double (DLT) lung transplant, PLANUS, A., *et al.*, (*EACTA*) **74**: A.99
——, Haemodynamic response to simulated haemorrhage in the rabbit: interaction of i.v. anaesthesia and hypoxia, BLAKE, D. W., *et al.* 610–615
——, Improved haemodynamic stability with administration of aprotinin during orthotopic liver transplantation, MILROY, S. J., *et al.* 747–751
Cerebrospinal fluid, *In vitro* study of the effect of cerebrospinal fluid on coagulation and fibrinolysis of parturient blood, MACLEAN, A. R., *et al.*, (*ARS*) 230P
Children, A safe technique to monitor pulmonary artery pressure during/after paediatric cardiac surgery, MURALIDHAR, K., *et al.*, (*EACTA*) **74**: A.20
——, Aprotinin in paediatric cardiac surgery: blood loss and use of blood products, GOMAR, C., *et al.*, (*EACTA*) **74**: A.64
——, Evaluation of an amethocaine gel preparation for percutaneous analgesia before venous cannulation in children, LAWSON, R. A., *et al.* 282–285
——, Modified ultrafiltration in paediatric cardiac surgery, PEDERSEN, J., *et al.*, (*EACTA*) **74**: A.76
——, Use of suxamethonium in children, HOPKINS, P. M., (*E*) 675–677
——, Ventilatory changes induced by HFPPV in children during selective left lung collapse, REINOSO-BARBERO, F., *et al.*, (*EACTA*) **74**: A.97
Classification of Chronic Pain. Descriptions of Chronic Pain Syndromes and Definitions of Pain Terms, 2nd Edn, MERSKY, H., *et al.*, (editors), (*R*) 254

Clinical Management of the Airway, ROBERTS, J. T., (editor), (*R*) 119
Clinical Monitoring for Anesthesia and Critical Care, 2nd Edn., LAKE, C. L., (editor), (*R*) 120–121
Collection d'Anesthésiologie et de Réanimation, vol. 42: Oxygénation Tissulaire, RICHARD, CH., *et al.*, (editors), (*R*) 255
Collection D'Anesthésiologie et de Réanimation, vol. 44: Réanimation des Intoxications Aigües, BAUD, F., (editor)., (*R*) 827
Companion to Clinical Anaesthesia Exams, CORKE, C. F., *et al.*, (*R*) 378
Complications, A multifactorial analysis to explain inadequate surgical analgesia after extradural block, CURATOLO, M., *et al.* 274–281
——, Cognitive failures after operation, TZABAR, Y., *et al.*, (*ARS*) 231P
——, Complications of local anaesthesia for ophthalmic surgery, RUBIN, A. P. 93–96
——, Residual neuromuscular block in the recovery room, GOLDSMITH, A., *et al.*, (*ARS*) 235P
Complications, abscess, Extradural anaesthesia for repeated surgical treatment in the presence of infection, JAKOBSEN, K. B., *et al.* 536–540
——, The risk of extradural abscess, CARSON, D., *et al.*, (*E*) 520–521
Complications, AIDS, Anaesthetic management of Caesarean section in a patient with active recurrent genital herpes and AIDS-related dementia, BIRNBACH, D. J., *et al.* 639–641
Complications, alcohol withdrawal syndrome, Prophylaxis of alcohol withdrawal syndrome in alcohol-dependent patients admitted to the intensive care unit after tumour resection, SPIES, C. D., *et al.* 734–739
Complications, anaphylaxis, Aprotinin-re-exposure in patients undergoing repeat cardiac surgery: effect of prophylaxis with H1- and H2-receptor antagonists, LAMPARTER-SCHUMMERT, B., *et al.*, (*EACTA*) 74: A.5
Complications, aneurysm, Effects of changes in mean arterial pressure on Sj_{O_2} during cerebral aneurysm surgery, MOSS, E., *et al.* 527–530
Complications, aortic dissection, Pregnancy complicated by aortic dissection: Caesarean delivery during extradural anaesthesia, JAYARAM, A., *et al.* 358–360
Complications, apnoea, Preoperative anxiety, hypocapnia and apnoea on induction of anaesthesia, DRUMMOND, G. B., *et al.*, (*ARS*) 240–241P
Complications, arthritis, Developmental biology of inflammatory pain, FITZGERALD, M. 177–185
Complications, cardiac arrest, Cardiac arrest after unrecognized dynamic inflation, MERCER, M., (*C*) 252
——, Cardiac arrest after unrecognized dynamic inflation, MYLES, P. S., (*C*) 252
——, Cerebral bloodflow velocity during the first phase of cardiocirculatory arrest, HÖRMANN, CH., *et al.*, (*EACTA*) 74: A.51
——, Cerebral consequences of brief cardiac arrest in humans, WEYLAND, A., *et al.*, (*EACTA*) 74: A.52
Complications, cardiomyopathy, Peripartum cardiomyopathy presenting as a cardiac arrest at induction of anaesthesia for emergency Caesarean section, MCINDOE, A. K., *et al.* 97–101
Complications, catheter, misplacement, Accidental intrathecal insertion of an extradural catheter during combined spinal–extradural anaesthesia for Caesarean section, ROBBINS, P. M., *et al.* 355–357
Complications, catheter misplacement, Inadvertent extradural insertion of an internal jugular catheter in an infant, SKINNER, T. A., *et al.* 790–793
Complications, compartment syndrome, Malignant hyperthermia and compartment syndrome, BALL, D. R., (*C*) 369
——, Malignant hyperthermia and compartment syndrome, O'DONNELL, C. J., *et al.*, (*C*) 369–370
——, Malignant hyperthermia and compartment syndrome, STEELE, A. P. H., *et al.*, (*C*) 369
Complications, embolism, Prevention of postoperative venous thromboembolism, BULLINGHAM, A., *et al.* 622–630
Complications, haematoma, Airway obstruction after trans-jugular liver biopsy: anaesthetic management, SMURTHWAITE, G. J., *et al.* 102–104
——, Prevention of postoperative venous thromboembolism, BULLINGHAM, A., *et al.* 622–630
Complications, haemorrhage, Cardiovascular collapse after laparoscopic liver biopsy, SHAUGHNESSY, T. E., *et al.* 782–784
Complications, hypertrophic obstructive cardiomyopathy, Use of esmolol in a parturient with hypertrophic obstructive cardiomyopathy, FAIRLEY, C. J., *et al.* 801–804
Complications, hypoxaemia, Doxapram and the prevention of postoperative hypoxaemia, ALEXANDER-WILLIAMS, M., *et al.*, (*ARS*) 233P
Complications, intubation tracheal, Condensation on tracheal tubes is commonly seen with oesophageal intubation, HARIDAS, R. P., (*C*) 115–116
——, Detection of accidental oesophageal intubation, CALDER, I., (*C*) 247
——, Detection of accidental oesophageal intubation, CLYBURN, P., *et al.*, (*C*) 247–248
Complications, malignant hyperthermia, Calcium sensitivity of skinned muscle fibres correlates with the rapidity and severity of symptom development in the clinical reactions of malignant hyperthermia susceptible probands, SMITH, P. D., *et al.*, (*ARS*) 658–659P
——, Method for voltage clamping cut fibres of human skeletal muscle, MORRIS, T. J., *et al.*, (*ARS*) 661–662P
Complications, meningitis, Another complication of the combined extradural–subarachnoid technique, STALLARD, N., *et al.*, (*C*) 370–371
Complications, myopathy, Malignant hyperthermia and compartment syndrome, BALL, D. R., (*C*) 369
——, Malignant hyperthermia and compartment syndrome, O'DONNELL, C. J., *et al.*, (*C*) 369–370
——, Malignant hyperthermia and compartment syndrome, STEELE, A. P. H., *et al.*, (*C*) 369
Complications, myotonias, Anaesthesia and myotonia, JOHNSON, G. W., *et al.*, (*C*) 113
Complications, myotonic dystrophy, Mivacurium chloride and myotonic dystrophy, WATT, N. A., *et al.* 498–499
Complications, neurological, Maternal sequelae of childbirth, REYNOLDS, F., (*E*) 515–517
——, Neurological complications associated with pregnancy, HOLDCROFT, A., *et al.* 522–526
Complications, neuropathy, Neurotoxicity of 5% lignocaine, STRICHARTZ, G. R., *et al.*, (*C*) 376
——, Neurotoxicity of 5% lignocaine, TARKKILA, P., *et al.*, (*C*) 376
——, Peripheral nerve damage and regional anaesthesia, MOORE, D. C., *et al.*, (*C*) 117
——, Peripheral nerve damage and regional anaesthesia, RICE, A. S. C., (*C*) 116
——, Peripheral nerve damage and regional anaesthesia, SELANDER, D., (*C*) 116–117
——, Postoperative brachial plexus neuropathy after total knee replacement under spinal anaesthesia, EGGERS, K. A., *et al.* 642–644
Complications, oedema, Emergency use of the laryngeal mask airway in severe upper airway obstruction caused by supraglottic oedema, KING, C. J., *et al.* 785–786
Complications, ovarian hyperstimulation syndrome, Ovarian hyperstimulation syndrome, BECK, D. H., *et al.*, (*C*) 371
——, Ovarian hyperstimulation syndrome, MUSHAMBI, M. C., *et al.*, (*C*) 372
Complications, porphyria, Testing the porphyrinogenicity of propofol in a primed rat model, BÖHRER, H., *et al.* 334–338
Complications, postoperative bleeding, Sonoclot analysis, HETT, D. A., *et al.* 771–776
Complications, renal, Pharmacokinetics of 1R-*cis* 1′R-*cis* atracurium besylate (51W89) and plasma laudanosine concentrations in health and chronic renal failure, EASTWOOD, N. B., *et al.* 431–435
Complications, respiratory, Effect of nebulized lignocaine on airway irritation and haemodynamic changes during induction of anaesthesia with desflurane, BUNTING, H. E., *et al.* 631–633
——, Laryngeal mask airway—optimum time for insertion? KINIRONS, B., *et al.*, (*ARS*) 664–665P
——, Randomized controlled trial comparing the effect on respiration of tramadol *vs* placebo in patients receiving fentanyl, DE BEAUX, I., *et al.*, (*ARS*) 233–234P
Complications, septicaemia, Does the type of volume therapy influence endothelial-related coagulation in the critically ill? BOLDT, J., *et al.* 740–746
Complications, shivering, Perioperative body temperature does not influence postanaesthetic shivering, WARD, J. E. H., *et al.*, (*ARS*) 659–660P
Complications, subarachnoid cannulation, Retrograde cannulation of the jugular vein, FUMAGALLI, P., *et al.*, (*C*) 373
——, Retrograde cannulation of the jugular vein, MATTA, B., *et al.*, (*C*) 373
Complications, thromboendarterectomy, Nitric oxide improves hypoxaemia following reperfusion oedema after pulmonary thromboendarterectomy, GÅRDEBÄCK, M., *et al.* 798–800

Complications, thrombosis, Prevention of postoperative venous thromboembolism, BULLINGHAM, A., *et al.* 622–630
Complications, tourniquet failure, Quantitative evaluation of tourniquet leak during i.v. regional anaesthesia of the upper and lower limbs in human volunteers, HOFFMANN, A.-C., *et al.* 269–273
Complications, trauma, Does the type of volume therapy influence endothelial-related coagulation in the critically ill? BOLDT, J., *et al.* 740–746
——, Transoesophageal echocardiographic examination of a patient with venacaval and pericardial tears after blunt chest trauma, KENNEDY, N. J., *et al.* 495–497
Complications, uterine inversion, Anaesthetic management of acute puerperal uterine inversion, ABOULEISH, E., *et al.* 486–487
Complications, ventilatory arrest, Ventilatory arrest after a fluid challenge in a neonate receiving s.c. morphine, WOLF, A. R., *et al.* 787–789
Computers, Performance assessment of a fuzzy controller for atracurium-induced neuromuscular block, MASON, D. G., *et al.*, (*ARS*) 653P
——, Virtual reality in anaesthesia, BURT, D. E. R. 472–480
Current Review of Pain, PRITHVI RAJ, P., (editor), (*R*) 670–671
Current Topics in Intensive Care, 2nd Edn, BION, J., *et al.*, (editors), (*R*) 825

Dog, Effects of desflurane and isoflurane on spontaneous and reflexly mediated sympathetic activity in dogs, PAC SOO, C. K., *et al.*, (*ARS*) 231–232P
——, Effects of graded infusion rates of propofol on cardiovascular haemodynamics, coronary circulation and myocardial metabolism in dogs, NAKAIGAWA, Y., *et al.* 616–621
——, Halothane prevents hydroxy radical-related post-ischaemic injury to canine heart, DRENGER, B., *et al.*, (*EACTA*) **74**: A.84
Drug delivery, Design of nitric oxide delivery systems, POWROZNYK, A. V. V., *et al.*, (*C*) 253
——, Design of nitric oxide delivery systems, YOUNG, J. D., (*C*) 253
——, Liposomal local anaesthetics, DUNCAN, L., *et al.*, (*E*) 260–261
Drug delivery, liposomes, Biodistribution of liposome-associated bupivacaine after extradural administration to rabbits, BOOGAERTS, J. G., *et al.* 319–325
——, Biodistribution of liposomes after extradural administration in rodents, UMBRAIN, V., *et al.* 311–318
——, Liposomal local anaesthetics, DUNCAN, L., *et al.*, (*E*) 260–261

Embolism, air, Monitoring lung compliance and end-tidal oxygen content for the detection of venous air embolism, KYTTÄ, J., *et al.* 447–451
Embolism, thromboembolism, Prevention of postoperative venous thromboembolism, BULLINGHAM, A., *et al.* 622–630
Enzymes, cholinesterase, Mivacurium and prolonged neuromuscular block, DAVIS, L., (*C*) 374
——, Mivacurium and prolonged neuromuscular block, FOX, M., *et al.*, (*C*) 374
——, Mivacurium and prolonged neuromuscular block, SOCKALINGAM, I., (*C*) 374
——, Mivacurium and prolonged neuromuscular block, ZIMMER, S., (*C*) 823
Enzymes, creatine kinase, Neurological recovery and cerebrospinal fluid enzymes after normothermic (NTCPB) and hypothermic (HTCPB) cardiopulmonary bypass, KAUKINEN, L., *et al.*, (*EACTA*) **74**: A.93
——, Perioperative myocardial infarction (PMI) in coronary artery bypass graft surgery (CABG): limiting the number of serum enzyme measurements, FILLEY, S., *et al.*, (*EACTA*) **74**: A.92
——, The value of plasma kinetics of CKMB for early detection of perioperative myocardial infarction after CABG surgery, SVEDJEHOLM, R., *et al.*, (*EACTA*) **74**: A.91
Enzymes, cyclo-oxygenase, New molecules in analgesia, RANG, H. P., *et al.* 145–156
——, Somatic pain—pathogenesis and prevention, WOOLF, C. J. 169–176
Enzymes, cytochrome P450, Difference between *in vivo* and *in vitro* effects of propofol on defluorination and metabolic activities of hamster hepatic cytochrome P450-dependent mono-oxygenases, CHEN, T. L., *et al.* 462–466
——, Indocyanine green elimination measured *in vivo* by near infrared spectroscopy, PHILIPS, B. J., *et al.*, (*ARS*) 239–240P
Enzymes, hyaluronidase, Effects of adrenaline and hyaluronidase on plasma concentrations of lignocaine and bupivacaine after peribulbar anaesthesia, BARR, J., *et al.* 692–697
Enzymes, nitric oxide synthase, Anaesthetic agents decrease the activity of nitric oxide synthase from human polymorphonuclear leucocytes, GALLEY, H. F., *et al.* 326–329
Equipment, balloon pump, The effect of intra-aortic balloon pump on right ventricle function, YAPICI, N., *et al.*, (*EACTA*) **74**: A.108
Equipment, blankets, Convective warming combined with vasodilator therapy accelerates core rewarming after cardiac surgery, HARRISON, S. J., *et al.*, (*ARS*) 659P
Equipment, blood circuits, Improved haemostasis following cardiopulmonary bypass with heparin-coated circuits is not mediated by preservation of platelets, KUITUNEN, A., *et al.*, (*EACTA*) **74**: A.66
——, Postperfusion lung dysfunction: effects of heparin-coated circuits, RANUCCI, M., *et al.*, (*EACTA*) **74**: A.104
Equipment, breathing systems, A subtle cause of circle system failure, FINDLAY, G. P., *et al.*, (*C*) 667–668
——, Nitrous oxide in a very low-flow breathing system, WATTS, J. D., *et al.*, (*ARS*) 654P
Equipment, catheters, 3 Cases of pulmonary artery false aneurysm induced by Swan-Ganz catheter: treatment by early embolisation, DURAND, M., *et al.*, (*EACTA*) **74**: A.19
——, Predictive factors of Swan Ganz catheter requirement during cardiac surgery, CALVET, B., *et al.*, (*EACTA*) **74**: A.18
Equipment, catheters extradural, Extradural anaesthesia for repeated surgical treatment in the presence of infection, JAKOBSEN, K. B., *et al.* 536–540
——, Inadvertent extradural insertion of an internal jugular catheter in an infant, SKINNER, T. A., *et al.* 790–793
——, Removal of lumbar extradural catheters, CHRISTIE, I. W., (*C*) 666
——, Removal of lumbar extradural catheters, MORRIS, G. N., (*C*) 666
——, Starch, gloves and extradural catheters, GREEN, M. A., *et al.* 768–770
Equipment, computers, Manual compared with target-controlled infusion of propofol, RUSSELL, D., *et al.* 562–566
Equipment, extracorporeal circulation, Postperfusion lung dysfunction: effects of heparin-coated circuits, RANUCCI, M., *et al.*, (*EACTA*) **74**: A.104
Equipment, gloves, Starch, gloves and extradural catheters, GREEN, M. A., *et al.* 768–770
Equipment, infusion systems, Manual compared with target-controlled infusion of propofol, RUSSELL, D., *et al.* 562–566
Equipment, laryngoscopes, Comparison of the forces exerted at laryngoscopy; the Macintosh *vs* the McCoy blade, MCCOY, E. P., *et al.*, (*ARS*) 241P
Equipment, lasers, Liver microcirculation during major surgery in humans, O'BEIRNE, H., *et al.*, (*ARS*) 661P
Equipment, left ventricular assist device, Intraoperative transoesophageal echocardiography for implantation of a pulsatile left ventricular assist device, GEORGE, S. J., *et al.* 794–797
Equipment, masks anaesthesia, Emergency use of the laryngeal mask airway in severe upper airway obstruction caused by supraglottic oedema, KING, C. J., *et al.* 785–786
——, Intubating laryngeal mask airway: a preliminary assessment of performance, KAPILA, A., *et al.*, (*ARS*) 228–229P
——, Laryngeal mask airway—optimum time for insertion? KINIRONS, B., *et al.*, (*ARS*) 664–665P
——, Midazolam before induction improves conditions for laryngeal mask insertion, DRIVER, I., *et al.*, (*ARS*) 664P
——, Positive pressure ventilation and the laryngeal mask airway in ophthalmic anaesthesia, WAINWRIGHT, A. C., (*C*) 249–250
——, Preoxygenation—the importance of a good face mask seal, MCGOWAN, P., *et al.* 777–778
——, Use of the lighted stylet for tracheal intubation via the laryngeal mask airway, ASAI, T., *et al.*, (*C*) 503–504
Equipment, temperature probes, Use of i.m. temperature probes during cardiopulmonary bypass in humans, BENSON, J. P., *et al.* 483–485
Equipment, vaporizers, Performance of vaporizers in circle systems (I), WORTHINGTON, L., *et al.*, (*ARS*) 228P
Equipment, ventilators, Evaluation of the Pneupac Ventipac portable ventilator: comparison of performance in a mechanical lung and anaesthetized patients, MCCLUSKEY, A., *et al.* 645–650
Equipment, warming devices, Convective warming after hypothermic cardiopulmonary bypass, COHEN, A. M., *et al.*, (*C*) 504
——, Evaluation of two warming systems after

cardiopulmonary bypass, JANKE, E., *et al.*, (*EACTA*) **74**: A.55
——, Hypothermia during liver transplantation, HOLDCROFT, A., (*C*) 118
——, Hypothermia during liver transplantation, RUSSELL, S. H., *et al.*, (*C*) 118
——, Hypothermia during liver transplantation, RUSSELL, S. H., *et al.*, (*C*) 375–376
——, Hypothermia during liver transplantation, WALSH, T. S., *et al.*, (*C*) 375
Errata, Auditory evoked responses and near infrared spectroscopy during cardiac arrest, PILKINGTON, S. N., *et al.*, (*e*) 380
——, Intrathecal fentanyl for post-thoracotomy pain, SUDARSHAN, G., *et al.*, (*e*) 513
——, Rocuronium for Caesarean section, SWALES, H. A., *et al.*, (*e*) 121
Essays and Multiple Choice Questions in Anaesthesia and Intensive Care, MURPHY, P. M., (*R*) 254–255
Explosions, Fires and explosions, GOERIG, M., (*C*) 666–667
——, Fires and explosions with anaesthetics, FRANCO, A., *et al.*, (*C*) 821–822
Eye, intraocular pressure, Intraocular pressure decreases during intubation under propofol, RICHARDS, J. P., *et al.*, (*ARS*) 657–658P

Fluids, i.v., An evaluation of methods of increasing the flow rate of i.v. fluid administration, STONEHAM, M. D. 361–365
——, Does the type of volume therapy influence endothelial-related coagulation in the critically ill? BOLDT, J., *et al.* 740–746
Fluids, therapy, An evaluation of methods of increasing the flow rate of i.v. fluid administration, STONEHAM, M. D. 361–365
——, Dextrose versus lactated Ringer's solution infusion in paediatric cardiac patients, NEIDECKER, J., *et al.*, (*EACTA*) **74**: A.69
——, Postoperative plasma volume expansion with hypertonic saline solutions after mitral valve surgery, HONGNAT, J. M., *et al.*, (*EACTA*) **74**: A.70

Gases non-anaesthetic, carbon dioxide, Effect of respiratory obstruction on peak carbon dioxide concentrations in sleeping children using nasal capnography, SMITH, T. C., *et al.*, (*ARS*) 655P
Gases non-anaesthetic, helium, Effect of reduced density gas breathing on oxygenation in spontaneously breathing anaesthetized patients, DEVINE, A., *et al.*, (*ARS*) 653–654P
Gases non-anaesthetic, nitric oxide, Absorption of nitrogen dioxide and nitric oxide by soda lime, ISHIBE, T., *et al.* 330–333
Gases non-anaesthetic, nitrogen dioxide, Absorption of nitrogen dioxide and nitric oxide by soda lime, ISHIBE, T., *et al.* 330–333
Gastrointestinal tract, emptying, Effect of cisapride on paracetamol absorption in critically ill patients, GOLDHILL, D. R., *et al.*, (*ARS*) 240P
——, Effect of erythromycin on morphine-induced delay in gastric emptying, ROWBOTHAM, D. J., *et al.*, (*ARS*) 241P
Gastrointestinal tract, intestine, Anaesthetic experience of vertical banded gastroplasty, GOULDING, S. T., *et al.* 301–306
Gastrointestinal tract, mucosal perfusion, Gastric mucosal pH and splanchnic blood flow, TRINDER, T. J., (*C*) 248–249
——, Gastric mucosal pH and splanchnic blood flow, UUSARO, A., *et al.*, (*C*) 249
Gastrointestinal tract, pH, Effect of cardiopulmonary bypass and bypass temperature on gastric intra-mucosal pH, DUNCAN, F., *et al.*, (*EACTA*) **74**: A.25
——, Gastric mucosal pH and splanchnic blood flow, TRINDER, T. J., (*C*) 248–249
——, Gastric mucosal pH and splanchnic blood flow, UUSARO, A., *et al.*, (*C*) 249
——, Gastric pHi in cardiac surgery patients with good ventricular function, KURAL, O., *et al.*, (*EACTA*) **74**: A.26
——, Gastric tonometry, FIDDIAN-GREEN, R. G., (*C*) 508
——, Gastric tonometry, GOMERSALL, C. D., *et al.*, (*C*) 507–508
——, Positive pressure ventilation and the laryngeal mask airway in ophthalmic anaesthesia, WAINWRIGHT, A. C., (*C*) 249–250
Gastrointestinal tract, reflux, Influence of nasogastric tube on gastro-oesophageal reflux (GOR) and tracheal aspiration during cardiac surgery, RUSSELL, G. N., *et al.*, (*EACTA*) **74**: A.109
——, Positive pressure ventilation and the laryngeal mask airway in ophthalmic anaesthesia, WAINWRIGHT, A. C., (*C*) 249–250

Genetic factors, hyperthermia, Genotype and phenotype relationships for mutations in the ryanodine receptor in patients referred for diagnosis of malignant hyperthermia, FLETCHER, J. E., *et al.* 307–310

Hamster, Difference between *in vivo* and *in vitro* effects of propofol on defluorination and metabolic activities of hamster hepatic cytochrome P450-dependent mono-oxygenases, CHEN, T. L., *et al.* 462–466
——, Propofol-induced alterations in the microcirculation of hamster striated muscle, HOLZMANN, A., *et al.* 452–456
Head, injury, Survey of intensive care management of severely head-injured patients in the United Kingdom, JEEVARATNAM, R. D., *et al.*, (*ARS*) 660–661P
Heart, afterload, Assessment of changes in left ventricular wall stress from the end-systolic pressure–area product, GREIM, C.-A., *et al.* 583–587
Heart, arrhythmia, Cerebral consequences of brief cardiac arrest in humans, WEYLAND, A., *et al.*, (*EACTA*) **74**: A.52
——, General anaesthesia does not affect efficiency of automatic intra-cardial defibrillator (AICD) placement, LAßNIGG, A., *et al.*, (*EACTA*) **74**: A.50
——, Metoprolol reduces the frequency of atrial fibrillation after lung resection, JAKOBSON, C.-J., *et al.*, (*EACTA*) **74**: A.44
——, Perioperative arrhythmias in non-cardiac surgery, the role of ventricular function, MAHLA, E., *et al.*, (*EACTA*) **74**: A.112
——, ST segment changes in association with early extubation following coronary artery surgery, BARHAM, N. J., *et al.*, (*EACTA*) **74**: A.42
Heart, cardiac output, A study to investigate the effect of different injectates on cardiac output measured by the thermodilution method, TAN, K., *et al.*, (*EACTA*) **74**: A.17
Heart, cardioplegia, Neoton (phosphocreatine); an additive to cold crystalloid cardioplegia solution, PIRC, B., *et al.*, (*EACTA*) **74**: A.86
Heart, cardiopulmonary bypass, Acid-base management and systemic haemodynamics in patients undergoing hypothermic CPB, BUHRE, W., *et al.*, (*EACTA*) **74**: A.67
——, Acid-base management during cardiopulmonary bypass: current trends in the United Kingdom, GOLDSACK, C., *et al.*, (*EACTA*) **74**: A.68
——, Cerebrovascular reactivity is impaired during rewarming from hypothermic cardiopulmonary bypass, VAN DER MAATEN, J. M. A. A., *et al.*, (*EACTA*) **74**: A.36
——, Comparative study of enoximone and dobutamine in weaning from cardiopulmonary bypass, CARNERO, T., *et al.*, (*EACTA*) **74**: A.9
——, Cytokine balance and immunosuppressive changes at cardiac surgery: contrasting response between patients and isolated CPB circuits, MCBRIDE, W. T., *et al.* 724–733
——, Effect of cardiopulmonary bypass and bypass temperature on gastric intra-mucosal pH, DUNCAN, F., *et al.*, (*EACTA*) **74**: A.25
——, Effect of chronic beta blockade on haemodilution tolerance in patients with severe coronary artery disease, SPAHN, D. R., *et al.*, (*EACTA*) **74**: A.6
——, Effect of fentanyl on the immune response using an isolated cardiopulmonary bypass system, MCBRIDE, W. T., *et al.*, (*ARS*) 237–238P
——, Effect of inspired oxygen on the cardiovascular effects of protamine after cardiopulmonary bypass, LOMAX, D., *et al.* 413–416
——, Effect of preoperative anticoagulant treatment on activated coagulation time and heparin levels during normothermic cardio-pulmonary bypass (CPB), LONGROIS, D., *et al.*, (*EACTA*) **74**: A.61
——, Effect of temperature and cardiopulmonary bypass on the auditory evoked response, HETT, D. A., *et al.* 293–296
——, Effects of cardiopulmonary bypass on exhaled nitric oxide, ROVIRA, I., *et al.*, (*EACTA*) **74**: A.73
——, Effects of dexamethasone on release of endotoxin, ACTH and cortisol during hypothermic cardiopulmonary bypass, HÖCHE, A., *et al.*, (*EACTA*) **74**: A.75
——, Enoximone and warming after hypothermic cardiopulmonary bypass, DUTHIE, D. J. R., *et al.* 43–46
——, Evaluation of two warming systems after cardiopulmonary bypass, JANKE, E., *et al.*, (*EACTA*) **74**: A.55
——, Glomerular dysfunction or lesion in patients undergoing CPB/evaluation by means of IgG excretion, FAULÍ, A., *et al.*, (*EACTA*) **74**: A.80
——, Hormonal effects of thoracic extradural analgesia for cardiac surgery, MOORE, C. M., *et al.* 387–393
——, Immunologic reactions during myocardial revascularisation after haemodilution with colloid solutions, MOLTER, G., *et al.*, (*EACTA*) **74**: A.72

——, Improved haemostasis following cardiopulmonary bypass with heparin-coated circuits is not mediated by preservation of platelets, KUITUNEN, A., *et al.*, (*EACTA*) 74: A.66
——, Influence of the length of bypass time on value of pulmonary shunt after myocardial revascularization, SINDJELIC, R., *et al.*, (*EACTA*) 74: A.106
——, Low-dose aprotinin does not protect platelets during cardiopulmonary bypass (CPB), BASORA, M., *et al.*, (*EACTA*) 74: A.65
——, Modified ultrafiltration in paediatric cardiac surgery, PEDERSEN, J., *et al.*, (*EACTA*) 74: A.76
——, Neurological recovery and cerebrospinal fluid enzymes after normothermic (NTCPB) and hypothermic (HTCPB) cardiopulmonary bypass, KAUKINEN, L., *et al.*, (*EACTA*) 74: A.93
——, Observations on muscle temperature changes during cardiopulmonary bypass, JOHNSON, J., *et al.*, (*ARS*) 663P
——, Pharmacokinetics of analgesics, sedatives and anaesthetic agents during cardiopulmonary bypass, GEDNEY, J. A., *et al.* 344–351
——, Preliminary report of the use of near infrared spectroscopy during hypothermic cardiopulmonary bypass, GOWER, S. N., *et al.*, (*ARS*) 238P
——, Propofol preserves hepatic SvO_2 during cardiopulmonary bypass, CHRISTIANSEN, C. L., *et al.*, (*EACTA*) 74: A.28
——, Relationship between right ventricle function and pulmonary shunt after cardiopulmonary bypass, VLAJKOVIC, G., *et al.*, (*EACTA*) 74: A.107
——, Similar brain oxygen consumption with thiopentone or midazolam in cardiopulmonary bypass, SÜZER, A., *et al.*, (*EACTA*) 74: A.37
——, The auditory evoked response during hypothermic cardiopulmonary bypass, HETT, D., *et al.*, (*EACTA*) 74: A.53
——, The effect of cardiopulmonary bypass on renal tubular function: does mannitol provide renal tubular protection? CARCOANA, O. V., *et al.*, (*EACTA*) 74: A.74
——, Transfusion of leucocyte-depleted heart-lung machine blood improves lung function following cardiopulmonary bypass, DE VRIES, A. J., *et al.*, (*EACTA*) 74: A.105
——, Use of i.m. temperature probes during cardiopulmonary bypass in humans, BENSON, J. P., *et al.* 483–485
Heart, coronary artery bypass, Influence of inspired nitrogen concentration during anaesthesia for coronary artery bypass grafting on postoperative atelectasis, JOYCE, C. J., *et al.* 422–427
Heart, coronary artery disease, Blood saving effect of limited intentional normovolaemic haemodilution (INH) in patients with left main stenosis, MOERMAN, A., *et al.*, (*EACTA*) 74: A.71
——, Effect of chronic beta blockade on haemodilution tolerance in patients with severe coronary artery disease, SPAHN, D. R., *et al.*, (*EACTA*) 74: A.6
——, Right coronary artery disease and right ventricular function: antegrade vs retrograde cardioplegia, HONKONEN, E., *et al.*, (*EACTA*) 74: A.85
Heart, dobutamine, Gastric mucosal pH and splanchnic blood flow, TRINDER, T. J., (*C*) 248–249
——, Gastric mucosal pH and splanchnic blood flow, UUSARO, A., *et al.*, (*C*) 249
Heart, dopexamine, Gastric mucosal pH and splanchnic blood flow, TRINDER, T. J., (*C*) 248–249
——, Gastric mucosal pH and splanchnic blood flow, UUSARO, A., *et al.*, (*C*) 249
Heart, enoximone, Enoximone and warming after hypothermic cardiopulmonary bypass, DUTHIE, D. J. R., *et al.* 43–46
Heart, esmolol, Use of esmolol in a parturient with hypertrophic obstructive cardiomyopathy, FAIRLEY, C. J., *et al.* 801–804
Heart, heart rate, Heart rate variability before, during and after peripheral vascular surgery, NEIDHART, P., *et al.*, (*EACTA*) 74: A.23
Heart, ischaemia, Early detection and treatment of myocardial ischaemia after operation using continual ambulatory arterial pressure monitoring and ECG ST segment analysis, EDWARDS, N. D., *et al.* 491–494
——, Effects of anaesthetic drugs on dopamine release in a model of hypoxia and hypoglycaemia, TONER, C. C., *et al.*, (*ARS*) 660P
——, Halothane prevents hydroxy radical-related post-ischaemic injury to canine heart, DRENGER, B., *et al.*, (*EACTA*) 74: A.84
——, Ischaemia induces release of atrial and brain natriuretic peptide from the human heart, MAIR, P., *et al.*, (*EACTA*) 74: A.83
——, Myocardial ischaemia following coronary artery bypass grafting—early vs late extubation, BERRY, P. D., *et al.*, (*EACTA*) 74: A.41
Heart, isolated preparation, Dose response curve comparisons for midazolam and thiopental in isolated perfused rat hearts, SÜZER, Ö., *et al.*, (*EACTA*) 74: A.45
Heart, metabolism, Effects of different $PaCO_2$-values on myocardial haemodynamics and energetics in patients with coronary artery disease, KAZMAIER, S., *et al.*, (*EACTA*) 74: A.24
——, Effects of graded infusion rates of propofol on cardiovascular haemodynamics, coronary circulation and myocardial metabolism in dogs, NAKAIGAWA, Y., *et al.* 616–621
Heart, milrinone, Comparison of the haemodynamic effects of milrinone and GTN on pulmonary hypertension following mitral valve surgery, BOOMERS, O. W., *et al.*, (*EACTA*) 74: A.12
Heart, myocardial function, Are electrocardiographic Q-wave criteria reliable for diagnosis of perioperative myocardial infarction (PMI) in cardiac surgery? SVEDJEHOLM, R., *et al.*, (*EACTA*) 74: A.43
——, Assessment of changes in left ventricular wall stress from the end-systolic pressure–area product, GREIM, C.-A., *et al.* 583–587
——, Comparison of the effects of propofol and isoflurane anaesthesia on right ventricular function and shunt fraction during thoracic surgery, KELLOW, N. H., *et al.* 578–582
——, Does protamine affect right ventricular function? BERTOLISSI, M., *et al.*, (*EACTA*) 74: A.8
——, Estimation of left and right ventricular volume, clinically with open chest compared to transoesophageal echocardiography and fast response thermodilution, SAMUELSSON, S., *et al.*, (*EACTA*) 74: A.33
——, Right coronary artery disease and right ventricular function: antegrade vs retrograde cardioplegia, HONKONEN, E., *et al.*, (*EACTA*) 74: A.85
Heart, myopathy, Use of esmolol in a parturient with hypertrophic obstructive cardiomyopathy, FAIRLEY, C. J., *et al.* 801–804
Heart, preservation, Can the myocardium be preconditioned with ischaemia under hypothermic conditions in man? HEMMING, A., *et al.*, (*EACTA*) 74: A.90
——, Cardioprotection by lidocaine and cardioplegia: analysis with troponin-T, RINNE, T., *et al.*, (*EACTA*) 74: A.89
——, Cardioprotective effect of warm reperfusion in patients undergoing coronary bypass surgery, RÄTSEP, I., *et al.*, (*EACTA*) 74: A.88
——, Neoton (phosphocreatine); an additive to cold crystalloid cardioplegia solution, PIRC, B., *et al.*, (*EACTA*) 74: A.86
——, Right coronary artery disease and right ventricular function: antegrade vs retrograde cardioplegia, HONKONEN, E., *et al.*, (*EACTA*) 74: A.85
——, Trimetazidine (TMZ) does not reduce myocardial stunning, VEDRINNE, C., *et al.*, (*EACTA*) 74: A.87
Heart, resuscitation, Auditory evoked responses and near infrared spectroscopy during cardiac arrest, PILKINGTON, S. N., *et al.*, (*e*) 380
Heart, transplantation, Anaesthesiological management of patients undergoing left ventricular assist system implant as a bridge to cardiac transplantation, DOMENEGATI, E., *et al.*, (*EACTA*) 74: A.49
——, Comparison between inhaled nitric oxide and prostaglandin E1 infusion after heart transplantation, RAJEK, A. M., *et al.*, (*EACTA*) 74: A.4
Heart, valves, Biplane transoesophageal echocardiography (TOE) and decision making during mitral valve surgery, MOERMAN, A., *et al.*, (*EACTA*) 74: A.29
——, Comparison of the haemodynamic effects of milrinone and GTN on pulmonary hypertension following mitral valve surgery, BOOMERS, O. W., *et al.*, (*EACTA*) 74: A.12
——, Intraoperative transoesophageal echocardiography (TOE) utility in patients undergoing mitral valve repair, FLAMENS, C., *et al.*, (*EACTA*) 74: A.30
——, Postoperative plasma volume expansion with hypertonic saline solutions after mitral valve surgery, HONGNAT, J. M., *et al.*, (*EACTA*) 74: A.70
Heart, ventricles, Does protamine affect right ventricular function? BERTOLISSI, M., *et al.*, (*EACTA*) 74: A.8
——, Perioperative arrhythmias in non-cardiac surgery, the role of ventricular function, MAHLA, E., *et al.*, (*EACTA*) 74: A.112
——, Relationship between right ventricle function and pulmonary shunt after cardiopulmonary bypass, VLAJKOVIC, G., *et al.*, (*EACTA*) 74: A.107
——, The effect of intra-aortic balloon pump on right ventricle function, YAPICI, N., *et al.*, (*EACTA*) 74: A.108
Histamine, Histamine-release haemodynamic changes produced by rocuronium, vecuronium, mivacurium, atracurium and tubocurarine, NAGUIB, M., *et al.* 588–592

——, Inflammatory mediators of pain, DRAY, A. 125–131
History, anaesthesia, Fires and explosions, GOERIG, M., (*C*) 666–667
——, Fires and explosions with anaesthetics, FRANCO, A., *et al.*, (*C*) 821–822
——, Thiopentone anaesthesia at Pearl Harbor, BENNETTS, F. E. 366–368
——, Thiopentone anaesthesia at Pearl Harbor, KIDD, A. G., *et al.*, (*C*) 823
Hormones, corticosteroid, Effects of dexamethasone on release of endotoxin, ACTH and cortisol during hypothermic cardiopulmonary bypass, HÖCHE, A., *et al.*, (*EACTA*) **74**: A.75
——, Hormonal effects of thoracic extradural analgesia for cardiac surgery, MOORE, C. M., *et al.* 387–393
——, Survey of intensive care management of severely head-injured patients in the United Kingdom, JEEVARATNAM, R. D., *et al.*, (*ARS*) 660–661P
Hormones, progesterone, Cerebrospinal fluid progesterone in pregnant women, HIRABAYASHI, Y., *et al.* 683–687
Hormones, somatostatin, Spinal cord pharmacology of pain, DICKENSON, A. H. 193–200
Hypnotics benzodiazepine, Pharmacokinetics of analgesics, sedatives and anaesthetic agents during cardiopulmonary bypass, GEDNEY, J. A., *et al.* 344–351
Hypnotics benzodiazepine, flunitrazepam, Inhibition of phagocytosis and killing of bacteria by anaesthetic agents *in vitro*, KRUMHOLZ, W., *et al.* 66–70
Hypnotics benzodiazepine, midazolam, Comparison of two anaesthetic techniques with sufentanil and midazolam for mitral valve surgery: continuous infusion versus bolus administration, D'ATTELLIS, N., *et al.*, (*EACTA*) **74**: A.47
——, Dose response curve comparisons for midazolam and thiopental in isolated perfused rat hearts, SÜZER, Ö., *et al.*, (*EACTA*) **74**: A.45
——, Similar brain oxygen consumption with thiopentone or midazolam in cardiopulmonary bypass, SÜZER, A., *et al.*, (*EACTA*) **74**: A.37
Hypothermia, Hypothermia during liver transplantation, HOLDCROFT, A., (*C*) 118
——, Hypothermia during liver transplantation, RUSSELL, S. H., *et al.*, (*C*) 118
——, Hypothermia during liver transplantation, RUSSELL, S. H., *et al.*, (*C*) 375–376
——, Hypothermia during liver transplantation, WALSH, T. S., *et al.*, (*C*) 375
Hypovolaemia, Haemodynamic response to simulated haemorrhage in the rabbit: interaction of i.v. anaesthesia and hypoxia, BLAKE, D. W., *et al.* 610–615
Hypoxaemia, Doxapram and the prevention of postoperative hypoxaemia, ALEXANDER-WILLIAMS, M., *et al.*, (*ARS*) 233P
——, Nitric oxide improves hypoxaemia following reperfusion oedema after pulmonary thromboendarterectomy, GÅRDEBÄCK, M., *et al.* 798–800
——, Nocturnal hypoxaemia in late pregnancy, BOURNE, T., *et al.* 678–682
Hypoxia, Comparison of the effects of sub-hypnotic concentrations of propofol and halothane on the acute ventilatory response to hypoxia, NAGYOVA, B., *et al.* 713–718
——, Dependence of pulmonary venous admixture on inspired oxygen fraction and time during regional hypoxia in the rabbit, O'NEILL, M., *et al.* 603–609
——, Haemodynamic response to simulated haemorrhage in the rabbit: interaction of i.v. anaesthesia and hypoxia, BLAKE, D. W., *et al.* 610–615

Immune response, suppression, Cytokine balance and immunosuppressive changes at cardiac surgery: contrasting response between patients and isolated CPB circuits, MCBRIDE, W. T., *et al.* 724–733
Infants, A safe technique to monitor pulmonary artery pressure during/after paediatric cardiac surgery, MURALIDHAR, K., *et al.*, (*EACTA*) **74**: A.20
——, Dextrose versus lactated Ringer's solution infusion in paediatric cardiac patients, NEIDECKER, J., *et al.*, (*EACTA*) **74**: A.69
——, Modified ultrafiltration in paediatric cardiac surgery, PEDERSEN, J., *et al.*, (*EACTA*) **74**: A.76
——, Vecuronium infusion requirements in paediatric patients in intensive care units and the use of acceleromyography, HODGES, U., (*ARS*) 234P
Infection, bacterial, The role of an anaesthetist in a field hospital during the cholera epidemic among Rwandan refugees in Goma, GINOSAR, Y., *et al.* 810–816
Infusions, i.v., An evaluation of methods of increasing the flow rate of i.v. fluid administration, STONEHAM, M. D. 361–365
Infusions, rate, An evaluation of methods of increasing the flow rate of i.v. fluid administration, STONEHAM, M. D. 361–365
Intensive care, A progressive care programme for prolonged ventilatory failure: analysis of outcome, SMITH, I. E., *et al.* 399–404
——, Does the type of volume therapy influence endothelial-related coagulation in the critically ill? BOLDT, J., *et al.* 740–746
——, Effect of cisapride on paracetamol absorption in critically ill patients, GOLDHILL, D. R., *et al.*, (*ARS*) 240P
——, Gastric tonometry, FIDDIAN-GREEN, R. G., (*C*) 508
——, Gastric tonometry, GOMERSALL, C. D., *et al.*, (*C*) 507–508
——, Prophylaxis of alcohol withdrawal syndrome in alcohol-dependent patients admitted to the intensive care unit after tumour resection, SPIES, C. D., *et al.* 734–739
——, The short-term prognostic value of SVO_2 measurements of admission to ICU after CABG surgery, SVEDJEHOLM, R., *et al.*, (*EACTA*) **74**: A.40
Intensive care, alcohol withdrawal, Prophylaxis of alcohol withdrawal syndrome in alcohol-dependent patients admitted to the intensive care unit after tumour resection, SPIES, C. D., *et al.* 734–739
Intensive Care and Clinical Biochemistry, GOSLING, P., *et al.*, (*R*) 378–379
Interactions (drug), Comparative potency of steroidal neuromuscular blocking drugs and isobolographic analysis of the interaction between rocuronium and other aminosteroids, NAGUIB, M., *et al.* 37–42
Intubation tracheal, Airway obstruction after trans-jugular liver biopsy: anaesthetic management, SMURTHWAITE, G. J., *et al.* 102–104
——, Increase in Mallampati score during pregnancy, CORMACK, R. S., (*C*) 822
——, Increase in Mallampati score during pregnancy, KINSELLA, S. M., *et al.*, (*C*) 822
——, Intubating laryngeal mask airway: a preliminary assessment of performance, KAPILA, A., *et al.*, (*ARS*) 228–229P
——, Use of the lighted stylet for tracheal intubation via the laryngeal mask airway, ASAI, T., *et al.*, (*C*) 503–504
Intubation tracheal, complications, Condensation on tracheal tubes is commonly seen with oesophageal intubation, HARIDAS, R. P., (*C*) 115–116
——, Detection of accidental oesophageal intubation, CALDER, I., (*C*) 247
——, Detection of accidental oesophageal intubation, CLYBURN, P., *et al.*, (*C*) 247–248
Intubation tracheal, responses, EEG arousal during laryngoscopy and intubation: comparison of thiopentone or propofol supplemented with nitrous oxide, WILDER-SMITH, O. H. G., *et al.* 441–446
Intubation tracheal, technique, Use of the lighted stylet for tracheal intubation via the laryngeal mask airway, ASAI, T., *et al.*, (*C*) 503–504
Ions, calcium, Actions of isoflurane and halothane on whole cell calcium and potassium currents in cultured, identified, mollusc neurones, MOGHADAM, H. F., *et al.*, (*ARS*) 661P
——, Thiopentone inhibits potassium-stimulated calcium influx in SH-SY5Y human neuroblastoma cells, WILLETS, J. M., *et al.*, (*ARS*) 243–244P
Ions, ion channels, New molecules in analgesia, RANG, H. P., *et al.* 145–156
Ions, ion channels, pharmacology, Capsaicin and pain mechanisms, WINTER, J., *et al.* 157–168
Ions, potassium, Actions of isoflurane and halothane on whole cell calcium and potassium currents in cultured, identified, mollusc neurones, MOGHADAM, H. F., *et al.*, (*ARS*) 661P
——, Enflurane reduces potassium-stimulated release of acetylcholine from rat cortical slices, ELTON, C., *et al.*, (*ARS*) 663P
——, Thiopentone inhibits potassium-stimulated calcium influx in SH-SY5Y human neuroblastoma cells, WILLETS, J. M., *et al.*, (*ARS*) 243–244P

Kidney, failure, CAVH and CVVH in the treatment of acute renal failure after cardiovascular surgery, JULIANO, G., *et al.*, (*EACTA*) **74**: A.82
——, Continuous veno-venous haemofiltration (CVVH) after cardiac surgery: indications and prognosis in 39 patients, SICARD-DESNUELLE, M. P., *et al.*, (*EACTA*) **74**: A.81
——, Pharmacokinetics and pharmacodynamics of the three isomers of mivacurium in health, in end-stage renal failure and in patients with impaired renal function, HEAD-RAPSON, A. G., *et al.* 31–36
Kidney, filtration, CAVH and CVVH in the treatment of

acute renal failure after cardiovascular surgery, JULIANO, G., *et al.*, (*EACTA*) **74**: A.82
——, Continuous veno-venous haemofiltration (CVVH) after cardiac surgery: indications and prognosis in 39 patients, SICARD-DESNUELLE, M. P., *et al.*, (*EACTA*) **74**: A.81
Kidney, function, Effects of enalapril on haemodynamics and renal function during cardiac surgery, RYCKWAERT, F., *et al.*, (*EACTA*) **74**: A.7
——, Glomerular dysfunction or lesion in patients undergoing CPB/evaluation by means of IgG excretion, FAULÍ, A., *et al.*, (*EACTA*) **74**: A.80
——, The effect of cardiopulmonary bypass on renal tubular function: does mannitol provide renal tubular protection? CARCOANA, O. V., *et al.*, (*EACTA*) **74**: A.74

Larynx, muscles, Mechanism of the differential sensitivity in the rat adductor and abductor laryngeal muscles to a non-depolarizing neuromuscular blocker, IGARASHI, M., *et al.* 339–343
Liver, blood flow, Hepatic blood flow during heart surgery assessed by trans-oesophageal echocardiography, GÅRDEBÄCK, M., *et al.*, (*EACTA*) **74**: A.27
——, Liver microcirculation during major surgery in humans, O'BEIRNE, H., *et al.*, (*ARS*) 661P
Liver, cirrhosis, Effect of hepatic cirrhosis on the pharmacokinetics of rocuronium bromide, VAN MIERT, M. M., *et al.*, (*ARS*) 235P
Liver, disease, Effects of intraoperative *N*-acetylcysteine in orthotopic liver transplantation, BROMLEY, P. N., *et al.* 352–354
Liver, metabolism, Difference between *in vivo* and *in vitro* effects of propofol on defluorination and metabolic activities of hamster hepatic cytochrome P450-dependent mono-oxygenases, CHEN, T. L., *et al.* 462–466
Liver, microsomes, Difference between *in vivo* and *in vitro* effects of propofol on defluorination and metabolic activities of hamster hepatic cytochrome P450-dependent mono-oxygenases, CHEN, T. L., *et al.* 462–466
Liver, oxygen consumption, Propofol preserves hepatic SvO_2 during cardiopulmonary bypass, CHRISTIANSEN, C. L., *et al.*, (*EACTA*) **74**: A.28
Liver, transplantation, Combined orthotopic liver transplantation and Caesarean section for the Budd–Chiari syndrome, VALENTINE, J. M. J., *et al.* 105–108
——, Effects of intraoperative *N*-acetylcysteine in orthotopic liver transplantation, BROMLEY, P. N., *et al.* 352–354
——, Hypothermia during liver transplantation, HOLDCROFT, A., (*C*) 118
——, Hypothermia during liver transplantation, RUSSELL, S. H., *et al.*, (*C*) 118
——, Hypothermia during liver transplantation, RUSSELL, S. H., *et al.*, (*C*) 375–376
——, Hypothermia during liver transplantation, WALSH, T. S., *et al.*, (*C*) 375
——, Improved haemodynamic stability with administration of aprotinin during orthotopic liver transplantation, MILROY, S. J., *et al.* 747–751
Lung, anatomy, The anatomy of the human tracheobronchial tree in relation to double lumen tube design, ROMER, H. C., *et al.*, (*EACTA*) **74**: A.95
Lung, aneurysm, 3 Cases of pulmonary artery false aneurysm induced by Swan-Ganz catheter: treatment by early embolisation, DURAND, M., *et al.*, (*EACTA*) **74**: A.19
Lung, atelectasis, Effects of inspired gas composition during anaesthesia for abdominal hysterectomy on postoperative lung volumes, JOYCE, C. J., *et al.* 417–421
——, Influence of inspired nitrogen concentration during anaesthesia for coronary artery bypass grafting on postoperative atelectasis, JOYCE, C. J., *et al.* 422–427
Lung, compliance, Monitoring lung compliance and end-tidal oxygen content for the detection of venous air embolism, KYTTÄ, J., *et al.* 447–451
Lung, complications, Influence of nasogastric tube on gastro-oesophageal reflux (GOR) and tracheal aspiration during cardiac surgery, RUSSELL, G. N., *et al.*, (*EACTA*) **74**: A.109
Lung, damage, Postperfusion lung dysfunction: effects of heparin-coated circuits, RANUCCI, M., *et al.*, (*EACTA*) **74**: A.104
Lung, function, Transfusion of leucocyte-depleted heart-lung machine blood improves lung function following cardiopulmonary bypass, DE VRIES, A. J., *et al.*, (*EACTA*) **74**: A.105
Lung, functional residual capacity, Changes in blood volume distribution between legs and trunk during halothane anaesthesia, DRUMMOND, G. B., *et al.* 707–712
Lung, hyperinflation, Cardiac arrest after unrecognized dynamic inflation, MERCER, M., (*C*) 252
——, Cardiac arrest after unrecognized dynamic inflation, MYLES, P. S., (*C*) 252
Lung, hypertension, Comparison between inhaled nitric oxide and prostaglandin E1 infusion after heart transplantation, RAJEK, A. M., *et al.*, (*EACTA*) **74**: A.4
——, Comparison of milrinone and dobutamine in pulmonary hypertensive patients following cardiac surgery, FENECK, R., *et al.*, (*EACTA*) **74**: A.11
——, Ventilatory management of lung transplantation patients with severe pulmonary hypertension, DE VRIES, A. J., (*EACTA*) **74**: A.100
Lung, hypoxia, Dependence of pulmonary venous admixture on inspired oxygen fraction and time during regional hypoxia in the rabbit, O'NEILL, M., *et al.* 603–609
Lung, mechanics, The effects of one-lung ventilation on lung mechanics, SPRUNG, J., *et al.*, (*EACTA*) **74**: A.96
Lung, oedema, Emergency use of the laryngeal mask airway in severe upper airway obstruction caused by supraglottic oedema, KING, C. J., *et al.* 785–786
Lung, radiography, The value of immediate postoperative chest radiography in adult cardiac surgery, STEVENS, J. J. W. M., *et al.*, (*EACTA*) **74**: A.110
Lung, shunting, Influence of the length of bypass time on value of pulmonary shunt after myocardial revascularization, SINDJELIC, R., *et al.*, (*EACTA*) **74**: A.106
——, Relationship between right ventricle function and pulmonary shunt after cardiopulmonary bypass, VLAJKOVIC, G., *et al.*, (*EACTA*) **74**: A.107
Lung, transplantation, Cardiopulmonary bypass during single lung transplantation: patient characteristics, LOUBSER, P., *et al.*, (*EACTA*) **74**: A.98
——, Double lung transplantation without cardiopulmonary bypass: arterial to end-tidal carbon dioxide partial pressure differences, JUVIN, P., *et al.* 488–490
——, Haemodynamic management in single (SLT) and double (DLT) lung transplant, PLANUS, A., *et al.*, (*EACTA*) **74**: A.99
——, Ventilatory management of lung transplantation patients with severe pulmonary hypertension, DE VRIES, A. J., (*EACTA*) **74**: A.100
Lung, volume, Effects of inspired gas composition during anaesthesia for abdominal hysterectomy on postoperative lung volumes, JOYCE, C. J., *et al.* 417–421
——, Influence of inspired nitrogen concentration during anaesthesia for coronary artery bypass grafting on postoperative atelectasis, JOYCE, C. J., *et al.* 422–427

Malignant hyperthermia, Alterations of inositol polyphosphates in skeletal muscle during porcine malignant hyperthermia, TONNER, P. H., *et al.* 467–471
——, Calcium sensitivity of skinned muscle fibres correlates with the rapidity and severity of symptom development in the clinical reactions of malignant hyperthermia susceptible probands, SMITH, P. D., *et al.*, (*ARS*) 658–659P
——, Genotype and phenotype relationships for mutations in the ryanodine receptor in patients referred for diagnosis of malignant hyperthermia, FLETCHER, J. E., *et al.* 307–310
——, Malignant hyperthermia and compartment syndrome, BALL, D. R., (*C*) 369
——, Malignant hyperthermia and compartment syndrome, O'DONNELL, C. J., *et al.*, (*C*) 369–370
——, Malignant hyperthermia and compartment syndrome, STEELE, A. P. H., *et al.*, (*C*) 369
——, Method for voltage clamping cut fibres of human skeletal muscle, MORRIS, T. J., *et al.*, (*ARS*) 661–662P
Manual of Pediatric Anesthesia, 4th Edn, STEWARD, D. J., (*R*) 826
MCQ Selftest Companion to Lee's Synopsis of Anaesthesia, RUSHMAN, G. B., *et al.*, (*R*) 670
Measurement techniques, calorimetry, Comparison between oxygen consumption calculated by Fick's principle using a continuous thermodilution technique and measured by indirect calorimetry, BIZOUARN, P., *et al.* 719–723
Measurement techniques, cardiac output, Comparison between oxygen consumption calculated by Fick's principle using a continuous thermodilution technique and measured by indirect calorimetry, BIZOUARN, P., *et al.* 719–723
——, Comparison between two methods of measuring cardiac output: misleading analyses? LAMB, F. J., *et al.*, (*C*) 821
Measurement techniques, coagulation, An evaluation of the hemochron RxDx heparin and protamine dose predicting system, GOWER, S. N., *et al.*, (*EACTA*) **74**: A.56
——, Monitoring intra-operative generation of thrombin by thrombin fragment 1+2 during CABG surgery, AHLBURG, P., *et al.*, (*EACTA*) **74**: A.59
——, Sonoclot analysis, HETT, D. A., *et al.* 771–776

——, Thromboelastography is a predictor of bleeding after cardiac surgery, WALKER, D., *et al.*, (*EACTA*) **74**: A.58
Measurement techniques, Doppler echocardiography, Comparison between two methods of measuring cardiac output: misleading analyses? LAMB, F. J., *et al.*, (*C*) 821
Measurement techniques, electrophysiology, Effect of temperature and cardiopulmonary bypass on the auditory evoked response, HETT, D. A., *et al.* 293–296
Measurement techniques, extradural radiography, Extensive extradural spread in the elderly may not relate to decreased leakage through intervertebral foramina, SAITOH, K., *et al.* 688–691
Measurement techniques, fluorescence microscopy, Inhibition of phagocytosis and killing of bacteria by anaesthetic agents *in vitro*, KRUMHOLZ, W., *et al.* 66–70
Measurement techniques, infrared spectroscopy, Indocyanine green elimination measured *in vivo* by near infrared spectroscopy, PHILIPS, B. J., *et al.*, (*ARS*) 239–240P
——, Preliminary report of the use of near infrared spectroscopy during hypothermic cardiopulmonary bypass, GOWER, S. N., *et al.*, (*ARS*) 238P
Measurement techniques, neuromuscular block, Effect of stabilization on the onset of neuromuscular block when assessed using accelerometry, GIRLING, K. J., *et al.*, (*ARS*) 653P
Measurement techniques, nuclear magnetic resonance, Anatomical configuration of the spinal column in the supine position. I. A study using magnetic resonance imaging, HIRABAYASHI, Y., *et al.* 3–5
——, Anatomical configuration of the spinal column in the supine position. II. Comparison of pregnant and non-pregnant women, HIRABAYASHI, Y., *et al.* 6–8
Measurement techniques, Sonoclot analysis, Sonoclot analysis, HETT, D. A., *et al.* 771–776
Measurement techniques, spectroscopy, Auditory evoked responses and near infrared spectroscopy during cardiac arrest, PILKINGTON, S. N., *et al.*, (*e*) 380
Measurement techniques, thermodilution, A study to investigate the effect of different injectates on cardiac output measured by the thermodilution method, TAN, K., *et al.*, (*EACTA*) **74**: A.17
——, Comparison between oxygen consumption calculated by Fick's principle using a continuous thermodilution technique and measured by indirect calorimetry, BIZOUARN, P., *et al.* 719–723
——, Oxygen consumption calculated by the Fick principle using a continuous thermodilution technique, BIZOUARN, P., *et al.*, (*EACTA*) **74**: A.15
Measurement techniques, thrombelastography, Effect of ketorolac, bupivacaine and low-dose heparin on thrombelastographic variables *in vitro*, GIBBS, N. M., *et al.* 27–30
——, *In vitro* study of the effect of cerebrospinal fluid on coagulation and fibrinolysis of parturient blood, MACLEAN, A. R., *et al.*, (*ARS*) 230P
——, Sonoclot analysis, HETT, D. A., *et al.* 771–776
——, The effect of colloid dilution on in vitro clot dynamics using thromboelastography, SMITH, S. N., *et al.*, (*EACTA*) **74**: A.57
——, Thromboelastography is a predictor of bleeding after cardiac surgery, WALKER, D., *et al.*, (*EACTA*) **74**: A.58
Measurement techniques, tomography, Imaging pain in humans, BERMAN, J. 209–216
Medicolegal, Condensation on tracheal tubes is commonly seen with oesophageal intubation, HARIDAS, R. P., (*C*) 115–116
Memory, Intraoperative awareness and the isolated forearm technique, HEALY, T. E. J., *et al.*, (*C*) 820–821
——, Intraoperative awareness and the isolated forearm technique, RUSSELL, I. F., *et al.*, (*C*) 819–820
——, Post traumatic stress disorders, CUNDY, J. M., (*C*) 501–502
Metabolism, fasting, Preoperative fasting for paediatric anaesthesia, STACK, C. G., *et al.*, (*C*) 375
Metabolism, inositol polyphosphates, Alterations of inositol polyphosphates in skeletal muscle during porcine malignant hyperthermia, TONNER, P. H., *et al.* 467–471
Metabolism, lipid, Effect of lipid and propofol on superoxide-mediated haemoglobin oxidation, STRATFORD, N., *et al.*, (*ARS*) 229–230P
Metabolism, oxygen consumption, Oxygen consumption calculated by the Fick principle using a continuous thermodilution technique, BIZOUARN, P., *et al.*, (*EACTA*) **74**: A.15
——, Oxygen consumption during early mobilization after cardiac surgery in patients with hypertrophic hearts, KIRKEBY-GARSTAD, I., *et al.*, (*EACTA*) **74**: A.16
Model, computer simulation, Artificial neural network and multiple logistic regression modelling of outcome data from cardiac surgery, MOSHAL, D., *et al.*, (*ARS*) 239P
——, Fuzzy logic: new ways of thinking for anaesthesia, ASBURY, A. J., *et al.*, (*E*) 1–2
——, Performance assessment of a fuzzy controller for atracurium-induced neuromuscular block, MASON, D. G., *et al.*, (*ARS*) 653P
——, Pre-weighted sum scores and stepwise logistic regression in explaining mortality from cardiac surgery, DAY, C., *et al.*, (*ARS*) 242P
——, The world of Null-A, ASBURY, J., *et al.*, (*C*) 669
——, The world of Null-A, MILLER, B. M., (*C*) 668–669
——, Virtual reality in anaesthesia, BURT, D. E. R. 472–480
——, Which modelling approach for multicentre audit of clinical outcomes? BLACK, A., *et al.*, (*ARS*) 241–242P
Model, lung, Evaluation of the Pneupac Ventipac portable ventilator: comparison of performance in a mechanical lung and anaesthetized patients, MCCLUSKEY, A., *et al.* 645–650
Model, mollusc, Actions of isoflurane and halothane on whole cell calcium and potassium currents in cultured, identified, mollusc neurones, MOGHADAM, H. F., *et al.*, (*ARS*) 661P
——, Volatile anaesthetics and barbiturates have different actions on the input resistance of an identified molluscan neurone, QAZZAZ, M., *et al.*, (*ARS*) 656–657P
Model, neuroblastoma cells, Do nitrous oxide and halothane influence opioid receptor binding in SH-SY5Y human neuroblastoma cells? CAMPBELL, D. J., *et al.* 752–755
——, μ_2-opioid receptors couple to phospholipase C in SH-SY5Y human neuroblastoma cells, SMART, D., *et al.*, (*ARS*) 662–663P
——, Thiopentone inhibits potassium-stimulated calcium influx in SH-SY5Y human neuroblastoma cells, WILLETS, J. M., *et al.*, (*ARS*) 243–244P
Model, pharmacokinetic, Calculation of an effect compartment rate constant using recovery indices obtained with an isolated arm technique, SHANKS, C. A., *et al.* 109–112
Model, rat, Developmental biology of inflammatory pain, FITZGERALD, M. 177–185
——, Effects of anaesthetic drugs on dopamine release in a model of hypoxia and hypoglycaemia, TONER, C. C., *et al.*, (*ARS*) 660P
——, Enflurane reduces potassium-stimulated release of acetylcholine from rat cortical slices, ELTON, C., *et al.*, (*ARS*) 663P
——, Rat model to study the effects of anaesthetic drugs on the auditory evoked response, RUSHTON, A. R. A., *et al.*, (*ARS*) 243P
——, Testing the porphyrinogenicity of propofol in a primed rat model, BÖHRER, H., *et al.* 334–338
Monitoring, arterial pressure, A safe technique to monitor pulmonary artery pressure during/after paediatric cardiac surgery, MURALIDHAR, K., *et al.*, (*EACTA*) **74**: A.20
——, Early detection and treatment of myocardial ischaemia after operation using continual ambulatory arterial pressure monitoring and ECG ST segment analysis, EDWARDS, N. D., *et al.* 491–494
Monitoring, carbon dioxide, Double lung transplantation without cardiopulmonary bypass: arterial to end-tidal carbon dioxide partial pressure differences, JUVIN, P., *et al.* 488–490
Monitoring, depth of anaesthesia, Intraoperative awareness and the isolated forearm technique, HEALY, T. E. J., *et al.*, (*C*) 820–821
——, Intraoperative awareness and the isolated forearm technique, RUSSELL, I. F., *et al.*, (*C*) 819–820
Monitoring, echocardiography, Assessment of changes in left ventricular wall stress from the end-systolic pressure–area product, GREIM, C.-A., *et al.* 583–587
——, Biplane transoesophageal echocardiography (TOE) and decision making during mitral valve surgery, MOERMAN, A., *et al.*, (*EACTA*) **74**: A.29
——, Changes in clinical management induced by transoesophageal echocardiography, BASTIDA, E., *et al.*, (*EACTA*) **74**: A.31
——, Estimation of left and right ventricular volume, clinically with open chest compared to transoesophageal echocardiography and fast response thermodilution, SAMUELSSON, S., *et al.*, (*EACTA*) **74**: A.33
——, Hepatic blood flow during heart surgery assessed by trans-oesophageal echocardiography, GÅRDEBÄCK, M., *et al.*, (*EACTA*) **74**: A.27
——, Intraoperative transoesophageal echocardiography for implantation of a pulsatile left ventricular assist device, GEORGE, S. J., *et al.* 794–797
——, Intraoperative transoesophageal echocardiography (TOE) utility in patients undergoing mitral valve repair, FLAMENS, C., *et al.*, (*EACTA*) **74**: A.30

——, Transoesophageal echocardiographic examination of a patient with venacaval and pericardial tears after blunt chest trauma, KENNEDY, N. J., *et al.* 495–497
——, Transoesophageal echocardiography and intraoperative assessment of aortic and pulmonary valve annulus for the Ross procedure, SANGWAN, S., *et al.*, (*EACTA*) **74**: A.32
Monitoring, electrocardiography, Are electrocardiographic Q-wave criteria reliable for diagnosis of perioperative myocardial infarction (PMI) in cardiac surgery? SVEDJEHOLM, R., *et al.*, (*EACTA*) **74**: A.43
——, Early detection and treatment of myocardial ischaemia after operation using continual ambulatory arterial pressure monitoring and ECG ST segment analysis, EDWARDS, N. D., *et al.* 491–494
——, Myocardial ischaemia following coronary artery bypass grafting—early vs late extubation, BERRY, P. D., *et al.*, (*EACTA*) **74**: A.41
——, ST segment changes in association with early extubation following coronary artery surgery, BARHAM, N. J., *et al.*, (*EACTA*) **74**: A.42
Monitoring, electroencephalography, EEG arousal during laryngoscopy and intubation: comparison of thiopentone or propofol supplemented with nitrous oxide, WILDER-SMITH, O. H. G., *et al.* 441–446
Monitoring, electromyography, Are changes in the EMG response during anaesthesia caused by failure of supramaximal nerve stimulation? POLHILL, S. L., *et al.*, (*ARS*) 652P
——, Effect of neuromuscular block on the shape of the evoked electromyogram, SMITH, D. C., *et al.*, (*ARS*) 651–652P
Monitoring, evoked potentials, Auditory evoked responses and near infrared spectroscopy during cardiac arrest, PILKINGTON, S. N., *et al.*, (*e*) 380
——, Effect of temperature and cardiopulmonary bypass on the auditory evoked response, HETT, D. A., *et al.* 293–296
——, Rat model to study the effects of anaesthetic drugs on the auditory evoked response, RUSHTON, A. R. A., *et al.*, (*ARS*) 243P
——, Surgical stimulation increases median nerve somatosensory evoked responses during isoflurane–nitrous oxide anaesthesia, RUNDSHAGEN, I., *et al.* 598–602
——, The auditory evoked potential and paediatric anaesthesia, O'KELLY, S. W., *et al.* 428–430
——, The auditory evoked response during hypothermic cardiopulmonary bypass, HETT, D., *et al.*, (*EACTA*) **74**: A.53
Monitoring in Anaesthesia and Critical Care Medicine, 3rd Edn., BLITT, C. D., *et al.*, (editors), (*R*) 510
Monitoring, neuromuscular function, Are changes in the EMG response during anaesthesia caused by failure of supramaximal nerve stimulation? POLHILL, S. L., *et al.*, (*ARS*) 652P
——, Comparison of the potency of mivacurium on laryngeal and adductor pollicis muscles, CONNOLLY, F. M., *et al.*, (*ARS*) 235–236P
——, Effect of neuromuscular block on the shape of the evoked electromyogram, SMITH, D. C., *et al.*, (*ARS*) 651–652P
——, Vecuronium infusion requirements in paediatric patients in intensive care units and the use of acceleromyography, HODGES, U., (*ARS*) 234P
Monitoring, oxygen, Cerebral oximetry during cardiac and carotid surgery in adult patients, JANKE, E., *et al.*, (*EACTA*) **74**: A.39
——, Cerebral venous oxygen saturation is no indicator of cerebral blood flow, MIELCK, F., *et al.*, (*EACTA*) **74**: A.38
——, Cerebrovascular reactivity is impaired during rewarming from hypothermic cardiopulmonary bypass, VAN DER MAATEN, J. M. A. A., *et al.*, (*EACTA*) **74**: A.36
——, Changes in the venous jugular bulb saturation during cardiac surgery, MULET, J., *et al.*, (*EACTA*) **74**: A.34
——, Intraoperative use of transcranial Doppler ultrasonography during resection of arteriovenous malformations, MATTA, B., *et al.*, (*ARS*) 242–243P
——, Jugular bulb oxygen saturation in surgery requiring deep hypothermic circulatory arrest, SILVAY, G., *et al.*, (*EACTA*) **74**: A.35
——, Monitoring lung compliance and end-tidal oxygen content for the detection of venous air embolism, KYTTÄ, J., *et al.* 447–451
——, Similar brain oxygen consumption with thiopentone or midazolam in cardiopulmonary bypass, SÜZER, A., *et al.*, (*EACTA*) **74**: A.37
——, The short-term prognostic value of SVO_2 measurements of admission to ICU after CABG surgery, SVEDJEHOLM, R., *et al.*, (*EACTA*) **74**: A.40
——, Usefulness of jugular venous haemoglobin saturation in cardiac surgery, RIESGO, M. J., *et al.*, (*EACTA*) **74**: A.116
Monitoring, pH gastric, Gastric tonometry, FIDDIAN-GREEN, R. G., (*C*) 508
——, Gastric tonometry, GOMERSALL, C. D., *et al.*, (*C*) 507–508
Monitoring, pH oesophageal, Effect of cardiopulmonary bypass and bypass temperature on gastric intra-mucosal pH, DUNCAN, F., *et al.*, (*EACTA*) **74**: A.25
——, Gastric pHi in cardiac surgery patients with good ventricular function, KURAL, O., *et al.*, (*EACTA*) **74**: A.26
Monitoring, spirometry, Monitoring lung compliance and end-tidal oxygen content for the detection of venous air embolism, KYTTÄ, J., *et al.* 447–451
Monitoring, temperature, Hypothermia during liver transplantation, HOLDCROFT, A., (*C*) 118
——, Hypothermia during liver transplantation, RUSSELL, S. H., *et al.*, (*C*) 118
——, Hypothermia during liver transplantation, RUSSELL, S. H., *et al.*, (*C*) 375–376
——, Hypothermia during liver transplantation, WALSH, T. S., *et al.*, (*C*) 375
Monitoring, venous pressure, Intraoperative corrected diagnosis of a Valsalva sinus aneurysm by means of CVP wave interpretation: a case report, MEDINA, H., *et al.*, (*EACTA*) **74**: A.21
Muscle, skeletal, Anaesthesia and myotonia, JOHNSON, G. W., *et al.*, (*C*) 113
——, Method for voltage clamping cut fibres of human skeletal muscle, MORRIS, T. J., *et al.*, (*ARS*) 661–662P
——, Observations on muscle temperature changes during cardiopulmonary bypass, JOHNSON, J., *et al.*, (*ARS*) 663P
Muscle skeletal, blood flow, Propofol-induced alterations in the microcirculation of hamster striated muscle, HOLZMANN, A., *et al.* 452–456
Muscle skeletal, metabolism, Alterations of inositol polyphosphates in skeletal muscle during porcine malignant hyperthermia, TONNER, P. H., *et al.* 467–471
Muscle vascular, responses, Effects of propofol on isolated rabbit mesenteric arteries and veins, KAMITANI, K., *et al.* 457–461

Neonates, Developmental biology of inflammatory pain, FITZGERALD, M. 177–185
Nerve, damage, Peripheral nerve damage and regional anaesthesia, MOORE, D. C., *et al.*, (*C*) 117
——, Peripheral nerve damage and regional anaesthesia, RICE, A. S. C., (*C*) 116
——, Peripheral nerve damage and regional anaesthesia, SELANDER, D., (*C*) 116–117
Nerve, neurotransmitters, Enflurane reduces potassium-stimulated release of acetylcholine from rat cortical slices, ELTON, C., *et al.*, (*ARS*) 663P
——, Glutamate uptake is not a major target site for anaesthetic agents, NICOL, B., *et al.* 61–65
——, Nerve growth factor regulates nociception in human health and disease, ANAND, P. 201–208
——, Volatile anaesthetics and barbiturates have different actions on the input resistance of an identified molluscan neurone, QAZZAZ, M., *et al.*, (*ARS*) 656–657P
Nerve, phrenic, Observations on phrenic nerve function during coronary artery surgery, KHAN, Z. P., *et al.*, (*ARS*) 652–653P
Neuromuscular block, Effect of neuromuscular block on the shape of the evoked electromyogram, SMITH, D. C., *et al.*, (*ARS*) 651–652P
——, Residual neuromuscular block in the recovery room, GOLDSMITH, A., *et al.*, (*ARS*) 235P
Neuromuscular block, 51W89, Pharmacokinetics of 1R-*cis* 1′R-*cis* atracurium besylate (51W89) and plasma laudanosine concentrations in health and chronic renal failure, EASTWOOD, N. B., *et al.* 431–435
——, Pharmacokinetics of 51W89 administered by constant infusion: a comparison with atracurium besylate, SMITH, C. E., *et al.*, (*ARS*) 651P
Neuromuscular block, atracurium, Calculation of an effect compartment rate constant using recovery indices obtained with an isolated arm technique, SHANKS, C. A., *et al.* 109–112
——, Histamine-release haemodynamic changes produced by rocuronium, vecuronium, mivacurium, atracurium and tubocurarine, NAGUIB, M., *et al.* 588–592
——, Performance assessment of a fuzzy controller for atracurium-induced neuromuscular block, MASON, D. G., *et al.*, (*ARS*) 653P
——, Pharmacokinetics of 1R-*cis* 1′R-*cis* atracurium besylate (51W89) and plasma laudanosine concentrations in health and chronic renal failure, EASTWOOD, N. B., *et al.* 431–435
——, Pharmacokinetics of 51W89 administered by constant infusion: a comparison with atracurium besylate, SMITH, C. E., *et al.*, (*ARS*) 651P

Neuromuscular block, measurement of response, Effect of stabilization on the onset of neuromuscular block when assessed using accelerometry, GIRLING, K. J., *et al.*, (*ARS*) 653P
——, Onset of neuromuscular block after tourniquet inflation: comparison of suxamethonium with vecuronium, AUDIBERT, G., *et al.* 436–440
Neuromuscular block, mivacurium, Comparison of the potency of mivacurium on laryngeal and adductor pollicis muscles, CONNOLLY, F. M., *et al.*, (*ARS*) 235–236P
——, Histamine-release haemodynamic changes produced by rocuronium, vecuronium, mivacurium, atracurium and tubocurarine, NAGUIB, M., *et al.* 588–592
——, Mivacurium and prolonged neuromuscular block, DAVIS, L., (*C*) 374
——, Mivacurium and prolonged neuromuscular block, FOX, M., *et al.*, (*C*) 374
——, Mivacurium and prolonged neuromuscular block, SOCKALINGAM, I., (*C*) 374
——, Mivacurium and prolonged neuromuscular block, ZIMMER, S., (*C*) 823
——, Mivacurium chloride and myotonic dystrophy, WATT, N. A., *et al.* 498–499
——, Pharmacokinetics and pharmacodynamics of the three isomers of mivacurium in health, in end-stage renal failure and in patients with impaired renal function, HEAD-RAPSON, A. G., *et al.* 31–36
Neuromuscular block, pancuronium, Calculation of an effect compartment rate constant using recovery indices obtained with an isolated arm technique, SHANKS, C. A., *et al.* 109–112
——, Comparative potency of steroidal neuromuscular blocking drugs and isobolographic analysis of the interaction between rocuronium and other aminosteroids, NAGUIB, M., *et al.* 37–42
Neuromuscular block, pipecuronium, Comparative potency of steroidal neuromuscular blocking drugs and isobolographic analysis of the interaction between rocuronium and other aminosteroids, NAGUIB, M., *et al.* 37–42
Neuromuscular block, rocuronium, Comparative potency of steroidal neuromuscular blocking drugs and isobolographic analysis of the interaction between rocuronium and other aminosteroids, NAGUIB, M., *et al.* 37–42
——, Effect of hepatic cirrhosis on the pharmacokinetics of rocuronium bromide, VAN MIERT, M. M., *et al.*, (*ARS*) 235P
——, Histamine-release haemodynamic changes produced by rocuronium, vecuronium, mivacurium, atracurium and tubocurarine, NAGUIB, M., *et al.* 588–592
——, Rocuronium for Caesarean section, SWALES, H. A., *et al.*, (*e*) 121
Neuromuscular block, suxamethonium, Arousal effect of suxamethonium on the auditory evoked response, BRUNNER, M. D., *et al.*, (*ARS*) 236P
——, Onset of neuromuscular block after tourniquet inflation: comparison of suxamethonium with vecuronium, AUDIBERT, G., *et al.* 436–440
——, Use of suxamethonium in children, HOPKINS, P. M., (*E*) 675–677
Neuromuscular block, tubocurarine, Histamine-release haemodynamic changes produced by rocuronium, vecuronium, mivacurium, atracurium and tubocurarine, NAGUIB, M., *et al.* 588–592
——, Mechanism of the differential sensitivity in the rat adductor and abductor laryngeal muscles to a non-depolarizing neuromuscular blocker, IGARASHI, M., *et al.* 339–343
Neuromuscular block, vecuronium, Calculation of an effect compartment rate constant using recovery indices obtained with an isolated arm technique, SHANKS, C. A., *et al.* 109–112
——, Comparative potency of steroidal neuromuscular blocking drugs and isobolographic analysis of the interaction between rocuronium and other aminosteroids, NAGUIB, M., *et al.* 37–42
——, Effect of neuromuscular block with vecuronium on oxygen consumption in postoperative cardiac surgical patients, LOAN, P. B., *et al.*, (*ARS*) 238–239P
——, Histamine-release haemodynamic changes produced by rocuronium, vecuronium, mivacurium, atracurium and tubocurarine, NAGUIB, M., *et al.* 588–592
——, Onset of neuromuscular block after tourniquet inflation: comparison of suxamethonium with vecuronium, AUDIBERT, G., *et al.* 436–440
——, Vecuronium infusion requirements in paediatric patients in intensive care units and the use of acceleromyography, HODGES, U., (*ARS*) 234P
Neuromuscular transmission, Effects of 5-HT antagonists on the rat phrenic nerve diaphragm preparation, HINDLE, A. T., *et al.*, (*ARS*) 229P
Non-steroidal anti-inflammatory drugs, New molecules in analgesia, RANG, H. P., *et al.* 145–156
——, Somatic pain—pathogenesis and prevention, WOOLF, C. J. 169–176

On Call in Anesthesia and Surgery, MALT, R. A., *et al.*, (editors), (*R*) 121
Oxygen, consumption, Comparison between oxygen consumption calculated by Fick's principle using a continuous thermodilution technique and measured by indirect calorimetry, BIZOUARN, P., *et al.* 719–723
——, Gastric mucosal pH and splanchnic blood flow, TRINDER, T. J., (*C*) 248–249
——, Gastric mucosal pH and splanchnic blood flow, UUSARO, A., *et al.*, (*C*) 249
——, Inflammatory mediators of pain, DRAY, A. 125–131
——, Oxygen consumption calculated by the Fick principle using a continuous thermodilution technique, BIZOUARN, P., *et al.*, (*EACTA*) **74**: A.15
——, Oxygen consumption during early mobilization after cardiac surgery in patients with hypertrophic hearts, KIRKEBY-GARSTAD, I., *et al.*, (*EACTA*) **74**: A.16
Oxygen, delivery systems, Effect of neuromuscular block with vecuronium on oxygen consumption in postoperative cardiac surgical patients, LOAN, P. B., *et al.*, (*ARS*) 238–239P
——, End-tidal oxygen concentrations produced by oxygen delivered through nasal cannulae, MICHELS, A. M. J., *et al.*, (*ARS*) 234P
Oxygen, inspired concentration, Dependence of pulmonary venous admixture on inspired oxygen fraction and time during regional hypoxia in the rabbit, O'NEILL, M., *et al.* 603–609
——, Effect of inspired oxygen on the cardiovascular effects of protamine after cardiopulmonary bypass, LOMAX, D., *et al.* 413–416
Oxygen, measurement, End-tidal oxygen concentrations produced by oxygen delivered through nasal cannulae, MICHELS, A. M. J., *et al.*, (*ARS*) 234P
Oxygen, saturation, Auditory evoked responses and near infrared spectroscopy during cardiac arrest, PILKINGTON, S. N., *et al.*, (*e*) 380
——, Cerebral oximetry during cardiac and carotid surgery in adult patients, JANKE, E., *et al.*, (*EACTA*) **74**: A.39
——, Cerebral venous oxygen saturation is no indicator of cerebral blood flow, MIELCK, F., *et al.*, (*EACTA*) **74**: A.38
——, Changes in the venous jugular bulb saturation during cardiac surgery, MULET, J., *et al.*, (*EACTA*) **74**: A.34
——, Effects of changes in mean arterial pressure on Sj_{O_2} during cerebral aneurysm surgery, MOSS, E., *et al.* 527–530
——, Jugular bulb oxygen saturation in surgery requiring deep hypothermic circulatory arrest, SILVAY, G., *et al.*, (*EACTA*) **74**: A.35
——, Nocturnal hypoxaemia in late pregnancy, BOURNE, T., *et al.* 678–682
——, Usefulness of jugular venous haemoglobin saturation in cardiac surgery, RIESGO, M. J., *et al.*, (*EACTA*) **74**: A.116
Oxygen, tissue, Gastric tonometry, FIDDIAN-GREEN, R. G., (*C*) 508
——, Gastric tonometry, GOMERSALL, C. D., *et al.*, (*C*) 507–508

Pain, A multifactorial analysis to explain inadequate surgical analgesia after extradural block, CURATOLO, M., *et al.* 274–281
——, Temporal summation during extradural anaesthesia, CURATOLO, M., *et al.* 634–635
Pain, acute, Developmental biology of inflammatory pain, FITZGERALD, M. 177–185
Pain, chronic, Developmental biology of inflammatory pain, FITZGERALD, M. 177–185
——, Inflammatory mediators of pain, DRAY, A. 125–131
Pain, experimental, Analgesic effect in humans of subanaesthetic isoflurane concentrations evaluated by experimentally induced pain, PETERSEN-FELIX, S., *et al.* 55–60
——, Inflammatory and neurogenic pain: new molecules, new mechanisms, WALL, P. D., (*E*) 123–124
——, Molecular biology of pain, MUNGLANI, R., *et al.* 186–192
Pain, inflammation, Inflammatory mediators of pain, DRAY, A. 125–131
Pain, inflammatory, Developmental biology of inflammatory pain, FITZGERALD, M. 177–185
Pain, mechanism, Capsaicin and pain mechanisms, WINTER, J., *et al.* 157–168
——, Imaging pain in humans, BERMAN, J. 209–216

——, Inflammatory and neurogenic pain: new molecules, new mechanisms, WALL, P. D., (*E*) 123–124
——, Molecular biology of pain, MUNGLANI, R., *et al.* 186–192
——, New molecules in analgesia, RANG, H. P., *et al.* 145–156
——, Somatic pain—pathogenesis and prevention, WOOLF, C. J. 169–176
Pain, nerve growth factor, Nerve growth factor regulates nociception in human health and disease, ANAND, P. 201–208
Pain, neuropathic, Somatic pain—pathogenesis and prevention, WOOLF, C. J. 169–176
Pain, nociceptive, Somatic pain—pathogenesis and prevention, WOOLF, C. J. 169–176
Pain, pathological, New molecules in analgesia, RANG, H. P., *et al.* 145–156
Pain, pharmacology, Spinal cord pharmacology of pain, DICKENSON, A. H. 193–200
Pain, physiological, Developmental biology of inflammatory pain, FITZGERALD, M. 177–185
——, Inflammatory mediators of pain, DRAY, A. 125–131
——, Somatic pain—pathogenesis and prevention, WOOLF, C. J. 169–176
Pain, postoperative, A prospective, randomized comparison of interpleural and paravertebral analgesia in thoracic surgery, RICHARDSON, J., *et al.* 405–408
——, Comparison of i.m. and local infiltration of ketorolac with and without local anaesthetic, BEN-DAVID, B., *et al.* 409–412
——, Developmental biology of inflammatory pain, FITZGERALD, M. 177–185
——, Extradural, paravertebral and intercostal nerve blocks for post-thoracotomy pain, PERTTUNEN, K., *et al.* 541–547
——, NSAID for Caesarean section, JONES, S. F., (*C*) 666
——, Optimum opioid for extradural administration, CHRUBASIK, S., *et al.*, (*C*) 251
——, Optimum opioid for extradural administration, COOK, T. M., *et al.*, (*C*) 250–251
——, Peritonsillar infiltration with low-dose tenoxicam after tonsillectomy, KNUDSEN, K. E., *et al.* 286–288
——, Post operative pain after lobectomy or wedge resection: videoendoscopic approach versus anteroaxillary thoracotomy, TSCHERNKO, E., *et al.*, (*EACTA*) **74**: A.102
——, Preoperative oral naproxen for pain relief after day-case laparoscopic sterilization, DUNN, T. J., *et al.* 12–14
Pain, psychological variables, Visceral pain, MCMAHON, S. B., *et al.* 132–144
Pain, receptor, Nerve growth factor regulates nociception in human health and disease, ANAND, P. 201–208
Pain, somatic, Visceral pain, MCMAHON, S. B., *et al.* 132–144
Pain, threshold, Capsaicin and pain mechanisms, WINTER, J., *et al.* 157–168
——, Nerve growth factor regulates nociception in human health and disease, ANAND, P. 201–208
——, Temporal summation during extradural anaesthesia, CURATOLO, M., *et al.* 634–635
Pain, visceral, Visceral pain, MCMAHON, S. B., *et al.* 132–144
——, Visceral pain during Caesarean section: effect of varying dose of spinal amethocaine, HIRABAYASHI, Y., *et al.* 266–268
Palliative Medicine: Problem Areas in Pain and Symptom Management, HANKS, G. W., (editor), (*R*) 512
Partial pressure, alveolar–arterial, Effect of reduced density gas breathing on oxygenation in spontaneously breathing anaesthetized patients, DEVINE, A., *et al.*, (*ARS*) 653–654P
Partial pressure, arterial, Double lung transplantation without cardiopulmonary bypass: arterial to end-tidal carbon dioxide partial pressure differences, JUVIN, P., *et al.* 488–490
Partial pressure, arterial–end-tidal, Double lung transplantation without cardiopulmonary bypass: arterial to end-tidal carbon dioxide partial pressure differences, JUVIN, P., *et al.* 488–490
Partial pressure, carbon dioxide, Double lung transplantation without cardiopulmonary bypass: arterial to end-tidal carbon dioxide partial pressure differences, JUVIN, P., *et al.* 488–490
——, Effects of different $PaCO_2$-values on myocardial haemodynamics and energetics in patients with coronary artery disease, KAZMAIER, S., *et al.*, (*EACTA*) **74**: A.24
Partial pressure, end-tidal, Double lung transplantation without cardiopulmonary bypass: arterial to end-tidal carbon dioxide partial pressure differences, JUVIN, P., *et al.* 488–490
Partial pressure, oxygen, Effect of reduced density gas breathing on oxygenation in spontaneously breathing anaesthetized patients, DEVINE, A., *et al.*, (*ARS*) 653–654P
Pediatric Anesthesia—A Pocket Companion, BLOCH, E. C., (*R*) 379
Pharmacodynamics, Comparison of the pharmacodynamics of ketamine in the isolated neonatal and adult porcine airway, HODGSON, P. E., *et al.* 71–79
——, Pharmacokinetics and pharmacodynamics of the three isomers of mivacurium in health, in end-stage renal failure and in patients with impaired renal function, HEAD-RAPSON, A. G., *et al.* 31–36
Pharmacokinetics, Pharmacokinetics of analgesics, sedatives and anaesthetic agents during cardiopulmonary bypass, GEDNEY, J. A., *et al.* 344–351
Pharmacokinetics, 51W89, Pharmacokinetics of 1R-*cis* 1′R-*cis* atracurium besylate (51W89) and plasma laudanosine concentrations in health and chronic renal failure, EASTWOOD, N. B., *et al.* 431–435
Pharmacokinetics, atracurium, Pharmacokinetics of 1R-*cis* 1′R-*cis* atracurium besylate (51W89) and plasma laudanosine concentrations in health and chronic renal failure, EASTWOOD, N. B., *et al.* 431–435
——, Pharmacokinetics of 51W89 administered by constant infusion: a comparison with atracurium besylate, SMITH, C. E., *et al.*, (*ARS*) 651P
Pharmacokinetics, bupivacaine, Biodistribution of liposome-associated bupivacaine after extradural administration to rabbits, BOOGAERTS, J. G., *et al.* 319–325
Pharmacokinetics, ketamine, Pharmacokinetics of ketamine enantiomers, GEISSLINGER, G., *et al.*, (*C*) 506–507
Pharmacokinetics, laudanosine, Pharmacokinetics of 1R-*cis* 1′R-*cis* atracurium besylate (51W89) and plasma laudanosine concentrations in health and chronic renal failure, EASTWOOD, N. B., *et al.* 431–435
Pharmacokinetics, liposomes, Biodistribution of liposome-associated bupivacaine after extradural administration to rabbits, BOOGAERTS, J. G., *et al.* 319–325
——, Biodistribution of liposomes after extradural administration in rodents, UMBRAIN, V., *et al.* 311–318
Pharmacokinetics, mivacurium, Pharmacokinetics and pharmacodynamics of the three isomers of mivacurium in health, in end-stage renal failure and in patients with impaired renal function, HEAD-RAPSON, A. G., *et al.* 31–36
Pharmacokinetics, rocuronium, Effect of hepatic cirrhosis on the pharmacokinetics of rocuronium bromide, VAN MIERT, M. M., *et al.*, (*ARS*) 235P
Pharmacokinetics, stereoisomers, Pharmacokinetics and pharmacodynamics of the three isomers of mivacurium in health, in end-stage renal failure and in patients with impaired renal function, HEAD-RAPSON, A. G., *et al.* 31–36
——, Pharmacokinetics of 1R-*cis* 1′R-*cis* atracurium besylate (51W89) and plasma laudanosine concentrations in health and chronic renal failure, EASTWOOD, N. B., *et al.* 431–435
——, Pharmacokinetics of ketamine enantiomers, GEISSLINGER, G., *et al.*, (*C*) 506–507
Pharmacology, allopurinol, Cardioprotective effect of warm reperfusion in patients undergoing coronary bypass surgery, RÄTSEP, I., *et al.*, (*EACTA*) **74**: A.88
Pharmacology, antihistamines, Aprotinin-re-exposure in patients undergoing repeat cardiac surgery: effect of prophylaxis with H1- and H2-receptor antagonists, LAMPARTER-SCHUMMERT, B., *et al.*, (*EACTA*) **74**: A.5
Pharmacology, aprotinin, Aprotinin in paediatric cardiac surgery: blood loss and use of blood products, GOMAR, C., *et al.*, (*EACTA*) **74**: A.64
——, Aprotinin, tranexamic acid, and mediastinal autotransfusion in elective coronary artery surgery, ZAHARIA, F., *et al.*, (*EACTA*) **74**: A.62
——, Aprotinin-re-exposure in patients undergoing repeat cardiac surgery: effect of prophylaxis with H1- and H2-receptor antagonists, LAMPARTER-SCHUMMERT, B., *et al.*, (*EACTA*) **74**: A.5
——, Low-dose aprotinin does not protect platelets during cardiopulmonary bypass (CPB), BASORA, M., *et al.*, (*EACTA*) **74**: A.65
Pharmacology, aspirin, The influence of perioperative aspirin and/or heparin therapy on blood loss and blood products requirement in cardiac surgery, JAKICS, J., *et al.*, (*EACTA*) **74**: A.60
Pharmacology, clonidine, Effect of clonidine added to the anaesthetic solution: duration of analgesia and oxygen uptake after intercostal nerve blockade, TSCHERNKO, E., *et al.*, (*EACTA*) **74**: A.14
——, Effect of oral clonidine on the ventilatory response to sustained isocapnic hypoxia in humans, FOO, I. T. H., *et al.*, (*ARS*) 232–233P
Pharmacology, dobutamine, Comparative study of enoximone and dobutamine in weaning from cardiopulmonary bypass, CARNERO, T., *et al.*, (*EACTA*) **74**: A.9
——, Comparison of milrinone and dobutamine in pulmonary hypertensive patients following cardiac surgery, FENECK, R., *et al.*, (*EACTA*) **74**: A.11

Pharmacology, doxapram, Doxapram and the prevention of postoperative hypoxaemia, ALEXANDER-WILLIAMS, M., *et al.*, (*ARS*) 233P
Pharmacology, enalapril, Effects of enalapril on haemodynamics and renal function during cardiac surgery, RYCKWAERT, F., *et al.*, (*EACTA*) **74**: A.7
Pharmacology, enoximone, Comparative study of enoximone and dobutamine in weaning from cardiopulmonary bypass, CARNERO, T., *et al.*, (*EACTA*) **74**: A.9
Pharmacology, glutamate, Cardioprotective effect of warm reperfusion in patients undergoing coronary bypass surgery, RÄTSEP, I., *et al.*, (*EACTA*) **74**: A.88
Pharmacology, glyceryl trinitrate, Comparison of the haemodynamic effects of milrinone and GTN on pulmonary hypertension following mitral valve surgery, BOOMERS, O. W., *et al.*, (*EACTA*) **74**: A.12
Pharmacology, heparin, Effect of preoperative anticoagulant treatment on activated coagulation time and heparin levels during normothermic cardio-pulmonary bypass (CPB), LONGROIS, D., *et al.*, (*EACTA*) **74**: A.61
——, The influence of perioperative aspirin and/or heparin therapy on blood loss and blood products requirement in cardiac surgery, JAKICS, J., *et al.*, (*EACTA*) **74**: A.60
Pharmacology, inositol(1,4,5)triphosphate, μ_2-opioid receptors couple to phospholipase C in SH-SY5Y human neuroblastoma cells, SMART, D., *et al.*, (*ARS*) 662–663P
Pharmacology, ketamine, Comparative effects of ketamine and propofol on neurologic outcome and neuronal damage following incomplete cerebral ischaemia in rats, DURAND, P. G., *et al.*, (*EACTA*) **74**: A.94
Pharmacology, lignocaine, Cardioprotection by lidocaine and cardioplegia: analysis with troponin-T, RINNE, T., *et al.*, (*EACTA*) **74**: A.89
Pharmacology, mannitol, The effect of cardiopulmonary bypass on renal tubular function: does mannitol provide renal tubular protection? CARCOANA, O. V., *et al.*, (*EACTA*) **74**: A.74
Pharmacology, metoprolol, Metoprolol reduces the frequency of atrial fibrillation after lung resection, JAKOBSON, C.-J., *et al.*, (*EACTA*) **74**: A.44
——, Preoperative metoprolol attenuates postoperative stress response after thoracotomy, JAKOBSEN, C.-J., *et al.*, (*EACTA*) **74**: A.101
Pharmacology, milrinone, Comparison of milrinone and dobutamine in pulmonary hypertensive patients following cardiac surgery, FENECK, R., *et al.*, (*EACTA*) **74**: A.11
——, Inotropic effects of milrinone and piroximone: a comparison, STEVENS, J. J. W. M., *et al.*, (*EACTA*) **74**: A.10
Pharmacology, nitric oxide, Comparison between inhaled nitric oxide and prostaglandin E1 infusion after heart transplantation, RAJEK, A. M., *et al.*, (*EACTA*) **74**: A.4
——, Design of nitric oxide delivery systems, POWROZNYK, A. V. V., *et al.*, (*C*) 253
——, Design of nitric oxide delivery systems, YOUNG, J. D., (*C*) 253
——, Effects of cardiopulmonary bypass on exhaled nitric oxide, ROVIRA, I., *et al.*, (*EACTA*) **74**: A.73
——, Evaluation of a universal nitric oxide delivery system using predilution of nitric oxide, FOUBERT, L., *et al.*, (*EACTA*) **74**: A.1
——, Evaluation of soda lime as a nitric oxide and nitrogen dioxide scavenger, FOUBERT, L., *et al.*, (*EACTA*) **74**: A.3
——, Nitric oxide improves hypoxaemia following reperfusion oedema after pulmonary thromboendarterectomy, GÅRDEBÄCK, M., *et al.* 798–800
——, Nitric oxide uptake from oxygen/air during mechanical ventilation for cardiac surgery, ROVIRA, I., *et al.*, (*EACTA*) **74**: A.2
Pharmacology, nitrogen dioxide, Evaluation of a universal nitric oxide delivery system using predilution of nitric oxide, FOUBERT, L., *et al.*, (*EACTA*) **74**: A.1
——, Evaluation of soda lime as a nitric oxide and nitrogen dioxide scavenger, FOUBERT, L., *et al.*, (*EACTA*) **74**: A.3
Pharmacology, phosphodiesterase inhibitors, Comparison of the haemodynamic effects of milrinone and GTN on pulmonary hypertension following mitral valve surgery, BOOMERS, O. W., *et al.*, (*EACTA*) **74**: A.12
——, Inotropic effects of milrinone and piroximone: a comparison, STEVENS, J. J. W. M., *et al.*, (*EACTA*) **74**: A.10
Pharmacology, piroximone, Inotropic effects of milrinone and piroximone: a comparison, STEVENS, J. J. W. M., *et al.*, (*EACTA*) **74**: A.10
Pharmacology, propofol, Comparative effects of ketamine and propofol on neurologic outcome and neuronal damage following incomplete cerebral ischaemia in rats, DURAND, P. G., *et al.*, (*EACTA*) **74**: A.94
——, Propofol preserves hepatic SvO_2 during cardiopulmonary bypass, CHRISTIANSEN, C. L., *et al.*, (*EACTA*) **74**: A.28
Pharmacology, prostaglandins, Comparison between inhaled nitric oxide and prostaglandin E1 infusion after heart transplantation, RAJEK, A. M., *et al.*, (*EACTA*) **74**: A.4
Pharmacology, protamine, Does protamine affect right ventricular function? BERTOLISSI, M., *et al.*, (*EACTA*) **74**: A.8
Pharmacology, toxins, Animal toxins, KARALLIEDDE, L., (*C*) 372
——, Animal toxins, WHITEHEAD, C. F., (*C*) 372
——, Animal toxins: Scorpaenidae and stingrays, LALWANI, K., (*C*) 247
——, Management of puffer fish poisoning, KARALLIEDDE, L., (*C*) 500
——, Management of puffer fish poisoning, SUN, K. O., (*C*) 500
Pharmacology, tramadol, Is tramadol a suitable analgesic for high-risk patients after heart surgery? LOMOVÁ, J., (*EACTA*) **74**: A.13
Pharmacology, tranexamic acid, Aprotinin, tranexamic acid, and mediastinal autotransfusion in elective coronary artery surgery, ZAHARIA, F., *et al.*, (*EACTA*) **74**: A.62
Pharmacology, trimetazidine, Trimetazidine (TMZ) does not reduce myocardial stunning, VEDRINNE, C., *et al.*, (*EACTA*) **74**: A.87
Pig, Alterations of inositol polyphosphates in skeletal muscle during porcine malignant hyperthermia, TONNER, P. H., *et al.* 467–471
——, Comparison of the pharmacodynamics of ketamine in the isolated neonatal and adult porcine airway, HODGSON, P. E., *et al.* 71–79
Polypeptides, aprotinin, Aprotinin therapy, THORPE, C. M., *et al.*, (*C*) 246
——, Improved haemodynamic stability with administration of aprotinin during orthotopic liver transplantation, MILROY, S. J., *et al.* 747–751
Polypeptides, atrial natriuretic peptide, Ischaemia induces release of atrial and brain natriuretic peptide from the human heart, MAIR, P., *et al.*, (*EACTA*) **74**: A.83
Polypeptides, cytokines, Cytokine balance and immunosuppressive changes at cardiac surgery: contrasting response between patients and isolated CPB circuits, MCBRIDE, W. T., *et al.* 724–733
——, Effect of fentanyl on the immune response using an isolated cardiopulmonary bypass system, MCBRIDE, W. T., *et al.*, (*ARS*) 237–238P
——, Inflammatory mediators of pain, DRAY, A. 125–131
Polypeptides, endothelin, Effects of halothane, enflurane and isoflurane on contraction of rat aorta induced by endothelin-1, BOILLOT, A., *et al.* 761–767
Polypeptides, substance P, Capsaicin and pain mechanisms, WINTER, J., *et al.* 157–168
——, Spinal cord pharmacology of pain, DICKENSON, A. H. 193–200
Position, supine, Anatomical configuration of the spinal column in the supine position. I. A study using magnetic resonance imaging, HIRABAYASHI, Y., *et al.* 3–5
——, Anatomical configuration of the spinal column in the supine position. II. Comparison of pregnant and non-pregnant women, HIRABAYASHI, Y., *et al.* 6–8
Potency anaesthetic, ED_{50}, Comparative potency of steroidal neuromuscular blocking drugs and isobolographic analysis of the interaction between rocuronium and other aminosteroids, NAGUIB, M., *et al.* 37–42
Potency, anaesthetic, MAC, Intrathecal administration of *N*-methyl-D-aspartate receptor antagonist reduces the minimum alveolar anaesthetic concentration of isoflurane in rats, ISHIZAKI, K., *et al.* 636–638
Pregnancy, Anatomical configuration of the spinal column in the supine position. II. Comparison of pregnant and non-pregnant women, HIRABAYASHI, Y., *et al.* 6–8
——, Increase in Mallampati score during pregnancy, CORMACK, R. S., (*C*) 822
——, Increase in Mallampati score during pregnancy, KINSELLA, S. M., *et al.*, (*C*) 822
——, Maternal sequelae of childbirth, REYNOLDS, F., (*E*) 515–517
——, Neurological complications associated with pregnancy, HOLDCROFT, A., *et al.* 522–526
——, Nocturnal hypoxaemia in late pregnancy, BOURNE, T., *et al.* 678–682
——, Pregnancy complicated by aortic dissection: Caesarean delivery during extradural anaesthesia, JAYARAM, A., *et al.* 358–360
——, Use of esmolol in a parturient with hypertrophic obstructive cardiomyopathy, FAIRLEY, C. J., *et al.* 801–804

Premedication, Effect of erythromycin on morphine-induced delay in gastric emptying, ROWBOTHAM, D. J., *et al.*, (*ARS*) 241P
Premedication, clonidine, Effects of clonidine premedication on the pressor response to α-adrenergic agonists, TANAKA, M., *et al.* 593–597
Procedures and Techniques in Intensive Care Management, RIPPE, J. M., *et al.*, (*R*) 510
Protein, amino acids, Nerve growth factor regulates nociception in human health and disease, ANAND, P. 201–208
——, Spinal cord pharmacology of pain, DICKENSON, A. H. 193–200
Protein, neuropeptides, New molecules in analgesia, RANG, H. P., *et al.* 145–156
Protein, troponin-T, Cardioprotection by lidocaine and cardioplegia: analysis with troponin-T, RINNE, T., *et al.*, (*EACTA*) **74**: A.89
——, Perioperative myocardial infarction (PMI) in coronary artery bypass graft surgery (CABG): limiting the number of serum enzyme measurements, FILLEY, S., *et al.*, (*EACTA*) **74**: A.92
——, The value of plasma kinetics of CKMB for early detection of perioperative myocardial infarction after CABG surgery, SVEDJEHOLM, R., *et al.*, (*EACTA*) **74**: A.91
Psychological responses, Expanding the applications of patient-controlled techniques, MACKENZIE, J., (*C*) 377
——, Psychological characteristics and patient-controlled analgesia, MCCONAGHY, P. M., (*C*) 376
Psychological responses, postoperative, Postoperative delirium in the elderly, BOSE, D., (*C*) 115
——, Postoperative delirium in the elderly, O'KEEFFE, S., (*C*) 115
——, Use of the abbreviated mental test to detect postoperative delirium in elderly people, NÍ CHONCHUBHAIR, Á., *et al.* 481–482
Publications, abstracts, Citation of anaesthesia abstracts in original papers published in five anaesthesia journals, GOODMAN, N. W., *et al.*, (*ARS*) 655–656P
Publications, citation, Citation of anaesthesia abstracts in original papers published in five anaesthesia journals, GOODMAN, N. W., *et al.*, (*ARS*) 655–656P

Rabbit, Biodistribution of liposome-associated bupivacaine after extradural administration to rabbits, BOOGAERTS, J. G., *et al.* 319–325
——, Biodistribution of liposomes after extradural administration in rodents, UMBRAIN, V., *et al.* 311–318
——, Dependence of pulmonary venous admixture on inspired oxygen fraction and time during regional hypoxia in the rabbit, O'NEILL, M., *et al.* 603–609
——, Effects of propofol on isolated rabbit mesenteric arteries and veins, KAMITANI, K., *et al.* 457–461
——, Haemodynamic response to simulated haemorrhage in the rabbit: interaction of i.v. anaesthesia and hypoxia, BLAKE, D. W., *et al.* 610–615
Rat, Biodistribution of liposomes after extradural administration in rodents, UMBRAIN, V., *et al.* 311–318
——, Effects of 5-HT antagonists on the rat phrenic nerve diaphragm preparation, HINDLE, A. T., *et al.*, (*ARS*) 229P
——, Effects of halothane, enflurane and isoflurane on contraction of rat aorta induced by endothelin-1, BOILLOT, A., *et al.* 761–767
——, Effects of ketamine on ischaemia-induced striatal dopamine release, TONER, S. C., *et al.*, (*ARS*) 236–237P
——, Intrathecal administration of *N*-methyl-D-aspartate receptor antagonist reduces the minimum alveolar anaesthetic concentration of isoflurane in rats, ISHIZAKI, K., *et al.* 636–638
——, Mechanism of the differential sensitivity in the rat adductor and abductor laryngeal muscles to a non-depolarizing neuromuscular blocker, IGARASHI, M., *et al.* 339–343
——, Rat model to study the effects of anaesthetic drugs on the auditory evoked response, RUSHTON, A. R. A., *et al.*, (*ARS*) 243P
——, Sevoflurane improves neurological outcome after incomplete cerebral ischaemia in rats, WERNER, C., *et al.* 756–760
——, Testing the porphyrinogenicity of propofol in a primed rat model, BÖHRER, H., *et al.* 334–338
Receptors, amino acid, Intrathecal administration of *N*-methyl-D-aspartate receptor antagonist reduces the minimum alveolar anaesthetic concentration of isoflurane in rats, ISHIZAKI, K., *et al.* 636–638
Receptors, chemoreceptors, Nerve growth factor regulates nociception in human health and disease, ANAND, P. 201–208
Receptors, opioid, μ_2-opioid receptors couple to phospholipase C in SH-SY5Y human neuroblastoma cells, SMART, D., *et al.*, (*ARS*) 662–663P
——, Do nitrous oxide and halothane influence opioid receptor binding in SH-SY5Y human neuroblastoma cells? CAMPBELL, D. J., *et al.* 752–755
Receptors, ryanodine, Alterations of inositol polyphosphates in skeletal muscle during porcine malignant hyperthermia, TONNER, P. H., *et al.* 467–471
——, Genotype and phenotype relationships for mutations in the ryanodine receptor in patients referred for diagnosis of malignant hyperthermia, FLETCHER, J. E., *et al.* 307–310
Records, medical, In defence of the Arkive, DZWONCZYK, R., (*C*) 503
——, In defence of the Arkive, SANDERSON, I. C., *et al.*, (*C*) 502
Recovery, neurological, Comparative effects of ketamine and propofol on neurologic outcome and neuronal damage following incomplete cerebral ischaemia in rats, DURAND, P. G., *et al.*, (*EACTA*) **74**: A.94
——, Neurological recovery and cerebrospinal fluid enzymes after normothermic (NTCPB) and hypothermic (HTCPB) cardiopulmonary bypass, KAUKINEN, L., *et al.*, (*EACTA*) **74**: A.93
Recovery, postoperative, Comparison of desflurane and isoflurane in anaesthesia for dental surgery, LOAN, P. B., *et al.* 289–292
——, Postoperative delirium in the elderly, BOSE, D., (*C*) 115
——, Postoperative delirium in the elderly, O'KEEFFE, S., (*C*) 115
——, Use of the abbreviated mental test to detect postoperative delirium in elderly people, NÍ CHONCHUBHAIR, Á., *et al.* 481–482
Recovery, psychomotor, Recovery after electroconvulsive therapy: comparison of propofol with methohexitone anaesthesia, MATTERS, R. M., *et al.* 297–300
Renal Failure, ADROUGE, H. J., *et al.*, (*R*) 827–828

Safety, equipment, Absorption of nitrogen dioxide and nitric oxide by soda lime, ISHIBE, T., *et al.* 330–333
Sedation, Haemodynamic effects of propofol infusion for sedation after coronary artery surgery, HAMMARÉN, E., *et al.* 47–50
Serotonin (5-hydroxytryptamine), Descending control of pain, STAMFORD, J. A. 217–227
——, Inflammatory mediators of pain, DRAY, A. 125–131
Serotonin (5-hydroxytryptamine), antagonism, Effects of 5-HT antagonists on the rat phrenic nerve diaphragm preparation, HINDLE, A. T., *et al.*, (*ARS*) 229P
Skin, temperature, Cutaneous heat loss during anaesthesia, ENGLISH, M. J. M., *et al.*, (*C*) 505–506
——, Cutaneous heat loss during anaesthesia, PUHAKKA, K., *et al.*, (*C*) 506
Sleep apnoea, Effect of respiratory obstruction on peak carbon dioxide concentrations in sleeping children using nasal capnography, SMITH, T. C., *et al.*, (*ARS*) 655P
Spinal cord, Spinal cord pharmacology of pain, DICKENSON, A. H. 193–200
Statistics, cusum, A statistical approach to measuring the competence of anaesthetic trainees at practical procedures, KESTIN, I. G. 805–809
——, Measurement of competence, ELLIS, F. R., (*E*) 673–674
Strabismus, Prevention of vomiting after paediatric strabismus surgery: a systematic review using the numbers-needed-to-treat method, TRAMÈR, M., *et al.* 556–561
Stress, Preoperative metoprolol attenuates postoperative stress response after thoracotomy, JAKOBSEN, C.-J., *et al.*, (*EACTA*) **74**: A.101
Surgery, aneurysm, Ensuring adequate cerebral perfusion during aneurysm surgery, MILLER, J. D., (*E*) 518–519
——, Intraoperative corrected diagnosis of a Valsalva sinus aneurysm by means of CVP wave interpretation: a case report, MEDINA, H., *et al.*, (*EACTA*) **74**: A.21
Surgery, audit, Cardiopulmonary resuscitation; a one year study of patients resuscitated following cardiac surgery, EL-BANAYOSY, A, *et al.*, (*EACTA*) **74**: A.114
——, Outcome predictors in cardiac surgery: a comparison of UKACTA data and Parsonnet risk stratification scoring systems, DUNCAN, F., *et al.*, (*EACTA*) **74**: A.115
——, Use of Detsky's cardiac risk index in a vascular surgery centre, GEORGE, M., *et al.*, (*EACTA*) **74**: A.113
Surgery, cardiac, Pre-weighted sum scores and stepwise logistic regression in explaining mortality from cardiac surgery, DAY, C., *et al.*, (*ARS*) 242P
Surgery, cardiovascular, A safe technique to monitor pulmonary artery pressure during/after paediatric cardiac surgery, MURALIDHAR, K., *et al.*, (*EACTA*) **74**: A.20

——, Acid-base management and systemic haemodynamics in patients undergoing hypothermic CPB, BUHRE, W., *et al.*, (*EACTA*) **74**: A.67
——, Acid-base management during cardiopulmonary bypass: current trends in the United Kingdom, GOLDSACK, C., *et al.*, (*EACTA*) **74**: A.68
——, Acute postinfarction ventricular septal defect (VSD): are right ventricular haemodynamic parameters better in determining postoperative outcome? DURAND, P. G., *et al.*, (*EACTA*) **74**: A.111
——, Anaesthetic management for coronary surgery without cardiopulmonary bypass, DUCART, A., *et al.*, (*EACTA*) **74**: A.77
——, Aprotinin in paediatric cardiac surgery: blood loss and use of blood products, GOMAR, C., *et al.*, (*EACTA*) **74**: A.64
——, Aprotinin, tranexamic acid, and mediastinal autotransfusion in elective coronary artery surgery, ZAHARIA, F., *et al.*, (*EACTA*) **74**: A.62
——, Aprotinin-re-exposure in patients undergoing repeat cardiac surgery: effect of prophylaxis with H1- and H2-receptor antagonists, LAMPARTER-SCHUMMERT, B., *et al.*, (*EACTA*) **74**: A.5
——, Are electrocardiographic Q-wave criteria reliable for diagnosis of perioperative myocardial infarction (PMI) in cardiac surgery? SVEDJEHOLM, R., *et al.*, (*EACTA*) **74**: A.43
——, Artificial neural network and multiple logistic regression modelling of outcome data from cardiac surgery, MOSHAL, D., *et al.*, (*ARS*) 239P
——, Awareness during cardiac surgery, BOOTH, J. V., *et al.*, (*EACTA*) **74**: A.54
——, Benefits of coronary surgery without cardiopulmonary bypass, COLLARD, E., *et al.*, (*EACTA*) **74**: A.79
——, Biplane transoesophageal echocardiography (TOE) and decision making during mitral valve surgery, MOERMAN, A., *et al.*, (*EACTA*) **74**: A.29
——, Blood saving effect of limited intentional normovolaemic haemodilution (INH) in patients with left main stenosis, MOERMAN, A., *et al.*, (*EACTA*) **74**: A.71
——, Calcium-channel blocker administration improves operative conditions in beating heart coronary artery bypass grafting, KYRITSIS, A., *et al.*, (*EACTA*) **74**: A.78
——, Cardioprotective effect of warm reperfusion in patients undergoing coronary bypass surgery, RÄTSEP, I., *et al.*, (*EACTA*) **74**: A.88
——, Cardiopulmonary resuscitation; a one year study of patients resuscitated following cardiac surgery, EL-BANAYOSY, A, *et al.*, (*EACTA*) **74**: A.114
——, CAVH and CVVH in the treatment of acute renal failure after cardiovascular surgery, JULIANO, G., *et al.*, (*EACTA*) **74**: A.82
——, Cerebral oximetry during cardiac and carotid surgery in adult patients, JANKE, E., *et al.*, (*EACTA*) **74**: A.39
——, Cerebrovascular reactivity is impaired during rewarming from hypothermic cardiopulmonary bypass, VAN DER MAATEN, J. M. A. A., *et al.*, (*EACTA*) **74**: A.36
——, Changes in clinical management induced by transoesophageal echocardiography, BASTIDA, E., *et al.*, (*EACTA*) **74**: A.31
——, Changes in the venous jugular bulb saturation during cardiac surgery, MULET, J., *et al.*, (*EACTA*) **74**: A.34
——, Comparative study of enoximone and dobutamine in weaning from cardiopulmonary bypass, CARNERO, T., *et al.*, (*EACTA*) **74**: A.9
——, Comparison of methohexitone/fentanyl and propofol/fentanyl anaesthesia for myocardial revascularisation, PICKETT, J. A., *et al.*, (*EACTA*) **74**: A.46
——, Comparison of milrinone and dobutamine in pulmonary hypertensive patients following cardiac surgery, FENECK, R., *et al.*, (*EACTA*) **74**: A.11
——, Comparison of the haemodynamic effects of milrinone and GTN on pulmonary hypertension following mitral valve surgery, BOOMERS, O. W., *et al.*, (*EACTA*) **74**: A.12
——, Comparison of two anaesthetic techniques with sufentanil and midazolam for mitral valve surgery: continuous infusion versus bolus administration, D'ATTELLIS, N., *et al.*, (*EACTA*) **74**: A.47
——, Continuous veno-venous haemofiltration (CVVH) after cardiac surgery: indications and prognosis in 39 patients, SICARD-DESNUELLE, M. P., *et al.*, (*EACTA*) **74**: A.81
——, Convective warming after hypothermic cardiopulmonary bypass, COHEN, A. M., *et al.*, (*C*) 504
——, Convective warming combined with vasodilator therapy accelerates core rewarming after cardiac surgery, HARRISON, S. J., *et al.*, (*ARS*) 659P
——, Cytokine balance and immunosuppressive changes at cardiac surgery: contrasting response between patients and isolated CPB circuits, MCBRIDE, W. T., *et al.* 724–733
——, Dextrose versus lactated Ringer's solution infusion in paediatric cardiac patients, NEIDECKER, J., *et al.*, (*EACTA*) **74**: A.69
——, Effect of chronic beta blockade on haemodilution tolerance in patients with severe coronary artery disease, SPAHN, D. R., *et al.*, (*EACTA*) **74**: A.6
——, Effect of neuromuscular block with vecuronium on oxygen consumption in postoperative cardiac surgical patients, LOAN, P. B., *et al.*, (*ARS*) 238–239P
——, Effect of preoperative anticoagulant treatment on activated coagulation time and heparin levels during normothermic cardio-pulmonary bypass (CPB), LONGROIS, D., *et al.*, (*EACTA*) **74**: A.61
——, Effect of temperature and cardiopulmonary bypass on the auditory evoked response, HETT, D. A., *et al.* 293–296
——, Effects of cardiopulmonary bypass on exhaled nitric oxide, ROVIRA, I., *et al.*, (*EACTA*) **74**: A.73
——, Effects of different $PaCO_2$-values on myocardial haemodynamics and energetics in patients with coronary artery disease, KAZMAIER, S., *et al.*, (*EACTA*) **74**: A.24
——, Effects of enalapril on haemodynamics and renal function during cardiac surgery, RYCKWAERT, F., *et al.*, (*EACTA*) **74**: A.7
——, Enoximone and warming after hypothermic cardiopulmonary bypass, DUTHIE, D. J. R., *et al.* 43–46
——, Estimation of left and right ventricular volume, clinically with open chest compared to transoesophageal echocardiography and fast response thermodilution, SAMUELSSON, S., *et al.*, (*EACTA*) **74**: A.33
——, Evaluation of two warming systems after cardiopulmonary bypass, JANKE, E., *et al.*, (*EACTA*) **74**: A.55
——, Gastric pHi in cardiac surgery patients with good ventricular function, KURAL, O., *et al.*, (*EACTA*) **74**: A.26
——, General anaesthesia does not affect efficiency of automatic intra-cardial defibrillator (AICD) placement, LAßNIGG, A., *et al.*, (*EACTA*) **74**: A.50
——, Glomerular dysfunction or lesion in patients undergoing CPB/evaluation by means of IgG excretion, FAULÍ, A., *et al.*, (*EACTA*) **74**: A.80
——, Haemodynamic effects of desflurane and isoflurane in patients with coronary artery disease, GRUNDMANN, U., *et al.*, (*EACTA*) **74**: A.48
——, Haemodynamic effects of propofol infusion for sedation after coronary artery surgery, HAMMARÉN, E., *et al.* 47–50
——, Hepatic blood flow during heart surgery assessed by trans-oesophageal echocardiography, GÄRDEBÄCK, M., *et al.*, (*EACTA*) **74**: A.27
——, Hormonal effects of thoracic extradural analgesia for cardiac surgery, MOORE, C. M., *et al.* 387–393
——, Immunologic reactions during myocardial revascularisation after haemodilution with colloid solutions, MOLTER, G., *et al.*, (*EACTA*) **74**: A.72
——, Influence of inspired nitrogen concentration during anaesthesia for coronary artery bypass grafting on postoperative atelectasis, JOYCE, C. J., *et al.* 422–427
——, Influence of nasogastric tube on gastro-oesophageal reflux (GOR) and tracheal aspiration during cardiac surgery, RUSSELL, G. N., *et al.*, (*EACTA*) **74**: A.109
——, Intraoperative transoesophageal echocardiography (TOE) utility in patients undergoing mitral valve repair, FLAMENS, C., *et al.*, (*EACTA*) **74**: A.30
——, Is tramadol a suitable analgesic for high-risk patients after heart surgery? LOMOVÁ, J., (*EACTA*) **74**: A.13
——, Ischaemia induces release of atrial and brain natriuretic peptide from the human heart, MAIR, P., *et al.*, (*EACTA*) **74**: A.83
——, Jugular bulb oxygen saturation in surgery requiring deep hypothermic circulatory arrest, SILVAY, G., *et al.*, (*EACTA*) **74**: A.35
——, Modified ultrafiltration in paediatric cardiac surgery, PEDERSEN, J., *et al.*, (*EACTA*) **74**: A.76
——, Monitoring intra-operative generation of thrombin by thrombin fragment 1+2 during CABG surgery, AHLBURG, P., *et al.*, (*EACTA*) **74**: A.59
——, Myocardial ischaemia following coronary artery bypass grafting—early vs late extubation, BERRY, P. D., *et al.*, (*EACTA*) **74**: A.41
——, Neoton (phosphocreatine); an additive to cold crystalloid cardioplegia solution, PIRC, B., *et al.*, (*EACTA*) **74**: A.86
——, Neurological recovery and cerebrospinal fluid enzymes after normothermic (NTCPB) and hypothermic (HTCPB) cardiopulmonary bypass, KAUKINEN, L., *et al.*, (*EACTA*) **74**: A.93
——, Nitric oxide uptake from oxygen/air during mechanical ventilation for cardiac surgery, ROVIRA, I., *et al.*, (*EACTA*) **74**: A.2
——, Observations on phrenic nerve function during coronary artery surgery, KHAN, Z. P., *et al.*, (*ARS*) 652–653P

——, Outcome predictors in cardiac surgery: a comparison of UKACTA data and Parsonnet risk stratification scoring systems, DUNCAN, F., *et al.*, (*EACTA*) **74**: A.115
——, Oxygen consumption during early mobilization after cardiac surgery in patients with hypertrophic hearts, KIRKEBY-GARSTAD, I., *et al.*, (*EACTA*) **74**: A.16
——, Perioperative myocardial infarction (PMI) in coronary artery bypass graft surgery (CABG): limiting the number of serum enzyme measurements, FILLEY, S., *et al.*, (*EACTA*) **74**: A.92
——, Postoperative plasma volume expansion with hypertonic saline solutions after mitral valve surgery, HONGNAT, J. M., *et al.*, (*EACTA*) **74**: A.70
——, Predictive factors of Swan Ganz catheter requirement during cardiac surgery, CALVET, B., *et al.*, (*EACTA*) **74**: A.18
——, Propofol preserves hepatic SvO_2 during cardiopulmonary bypass, CHRISTIANSEN, C. L., *et al.*, (*EACTA*) **74**: A.28
——, ST segment changes in association with early extubation following coronary artery surgery, BARHAM, N. J., *et al.*, (*EACTA*) **74**: A.42
——, Systolic blood pressure variation as indicator of hypovolaemia during cardiac surgery, DALMAS, J. P., *et al.*, (*EACTA*) **74**: A.22
——, The auditory evoked response during hypothermic cardiopulmonary bypass, HETT, D., *et al.*, (*EACTA*) **74**: A.53
——, The effect of cardiopulmonary bypass on renal tubular function: does mannitol provide renal tubular protection? CARCOANA, O. V., *et al.*, (*EACTA*) **74**: A.74
——, The influence of perioperative aspirin and/or heparin therapy on blood loss and blood products requirement in cardiac surgery, JAKICS, J., *et al.*, (*EACTA*) **74**: A.60
——, The short-term prognostic value of SVO_2 measurements of admission to ICU after CABG surgery, SVEDJEHOLM, R., *et al.*, (*EACTA*) **74**: A.40
——, The use of allogenic blood products is reduced by autotransfusion of mediastinal shed blood in cardiac surgery, NORENG, M., *et al.*, (*EACTA*) **74**: A.63
——, The value of immediate postoperative chest radiography in adult cardiac surgery, STEVENS, J. J. W. M., *et al.*, (*EACTA*) **74**: A.110
——, The value of plasma kinetics of CKMB for early detection of perioperative myocardial infarction after CABG surgery, SVEDJEHOLM, R., *et al.*, (*EACTA*) **74**: A.91
——, Thromboelastography is a predictor of bleeding after cardiac surgery, WALKER, D., *et al.*, (*EACTA*) **74**: A.58
——, Transfusion of leucocyte-depleted heart-lung machine blood improves lung function following cardiopulmonary bypass, DE VRIES, A. J., *et al.*, (*EACTA*) **74**: A.105
——, Transoesophageal echocardiography and intraoperative assessment of aortic and pulmonary valve annulus for the Ross procedure, SANGWAN, S., *et al.*, (*EACTA*) **74**: A.32
——, Use of Detsky's cardiac risk index in a vascular surgery centre, GEORGE, M., *et al.*, (*EACTA*) **74**: A.113
——, Use of i.m. temperature probes during cardiopulmonary bypass in humans, BENSON, J. P., *et al.* 483–485
——, Usefulness of jugular venous haemoglobin saturation in cardiac surgery, RIESGO, M. J., *et al.*, (*EACTA*) **74**: A.116
Surgery, dental, Comparison of desflurane and isoflurane in anaesthesia for dental surgery, LOAN, P. B., *et al.* 289–292
Surgery, gastrointestinal, Anaesthetic experience of vertical banded gastroplasty, GOULDING, S. T., *et al.* 301–306
Surgery, gynaecological, Effects of inspired gas composition during anaesthesia for abdominal hysterectomy on postoperative lung volumes, JOYCE, C. J., *et al.* 417–421
——, Preoperative oral naproxen for pain relief after day-case laparoscopic sterilization, DUNN, T. J., *et al.* 12–14
Surgery, hepatic, Airway obstruction after trans-jugular liver biopsy: anaesthetic management, SMURTHWAITE, G. J., *et al.* 102–104
——, Hypothermia during liver transplantation, HOLDCROFT, A., (*C*) 118
——, Hypothermia during liver transplantation, RUSSELL, S. H., *et al.*, (*C*) 118
——, Hypothermia during liver transplantation, RUSSELL, S. H., *et al.*, (*C*) 375–376
——, Hypothermia during liver transplantation, WALSH, T. S., *et al.*, (*C*) 375
Surgery, laparoscopy, Cardiovascular collapse after laparoscopic liver biopsy, SHAUGHNESSY, T. E., *et al.* 782–784
——, Conventional pneumoperitoneum compared with abdominal wall lift for laparoscopic cholecystectomy, LINDGREN, L., *et al.* 567–572
——, Propofol/alfentanil without neuromuscular block for gynaecological laparoscopy, SABAR, M. A., *et al.*, (*ARS*) 232P
Surgery, neurological, Effects of changes in mean arterial pressure on Sj_{O_2} during cerebral aneurysm surgery, MOSS, E., *et al.* 527–530
Surgery, ophthalmological, Complications of local anaesthesia for ophthalmic surgery, RUBIN, A. P. 93–96
——, General anaesthesia for day-case cataract surgery, WHITEHEAD, P. N., (*C*) 252–253
——, Positive pressure ventilation and the laryngeal mask airway in ophthalmic anaesthesia, WAINWRIGHT, A. C., (*C*) 249–250
——, Prevention of vomiting after paediatric strabismus surgery: a systematic review using the numbers-needed-to-treat method, TRAMÈR, M., *et al.* 556–561
——, Single medial injection peribulbar anaesthesia, HAMILTON, R. C., (*C*) 668
——, Single medial injection peribulbar anaesthesia, XIFARAS, G. P., (*C*) 668
——, Techniques of orbital regional anaesthesia, HAMILTON, R. C. 88–92
Surgery, orthopaedic, Assessment of intrathecal morphine 6-glucuronide as analgesic for hip replacement, GRACE, D., *et al.*, (*ARS*) 230P
——, Does the addition of morphine to brachial plexus block improve analgesia after shoulder surgery? FLORY, N., *et al.* 23–26
——, Intra-articular analgesia for arthroscopic meniscectomy, LYONS, B., *et al.* 552–555
——, Peripheral analgesic effect of morphine, FLORY, N., (*C*) 823
——, Peripheral analgesic effect of morphine, MALLICK, A., *et al.*, (*C*) 822–823
——, Postoperative analgesia for arthrolysis of the elbow joint, FRIZELLE, H. P., *et al.*, (*C*) 372
——, Postoperative analgesia for arthrolysis of the elbow joint, PARIKH, R. K., *et al.*, (*C*) 372
——, Postoperative brachial plexus neuropathy after total knee replacement under spinal anaesthesia, EGGERS, K. A., *et al.* 642–644
——, Surgical stimulation increases median nerve somatosensory evoked responses during isoflurane–nitrous oxide anaesthesia, RUNDSHAGEN, I., *et al.* 598–602
Surgery, otolaryngological, Peritonsillar infiltration with low-dose tenoxicam after tonsillectomy, KNUDSEN, K. E., *et al.* 286–288
Surgery, thoracic, A prospective, randomized comparison of interpleural and paravertebral analgesia in thoracic surgery, RICHARDSON, J., *et al.* 405–408
——, Comparison of the effects of propofol and isoflurane anaesthesia on right ventricular function and shunt fraction during thoracic surgery, KELLOW, N. H., *et al.* 578–582
——, Effect of clonidine added to the anaesthetic solution: duration of analgesia and oxygen uptake after intercostal nerve blockade, TSCHERNKO, E., *et al.*, (*EACTA*) **74**: A.14
——, Extradural, paravertebral and intercostal nerve blocks for post-thoracotomy pain, PERTTUNEN, K., *et al.* 541–547
——, Intrathecal fentanyl for post-thoracotomy pain, SUDARSHAN, G., *et al.* 19–22
——, Intrathecal fentanyl for post-thoracotomy pain, SUDARSHAN, G., *et al.*, (*e*) 513
——, Metoprolol reduces the frequency of atrial fibrillation after lung resection, JAKOBSON, C.-J., *et al.*, (*EACTA*) **74**: A.44
——, Post operative pain after lobectomy or wedge resection: videoendoscopic approach versus anteroaxillary thoracotomy, TSCHERNKO, E., *et al.*, (*EACTA*) **74**: A.102
——, Preoperative metoprolol attenuates postoperative stress response after thoracotomy, JAKOBSEN, C.-J., *et al.*, (*EACTA*) **74**: A.101
——, Ventilatory changes induced by HFPPV in children during selective left lung collapse, REINOSO-BARBERO, F., *et al.*, (*EACTA*) **74**: A.97
Surgery, transplantation, Effects of intraoperative *N*-acetylcysteine in orthotopic liver transplantation, BROMLEY, P. N., *et al.* 352–354
Surgery, urological, Spinal anaesthesia for transurethral surgery: comparison of 2% lignocaine with hyperbaric 0.5% bupivacaine, WILLIAMS, N., *et al.* 9–11
Surgery, vascular, Anaesthetic implications of aortic stent surgery, GREIFF, J. M. C., *et al.* 779–781
——, Heart rate variability before, during and after peripheral vascular surgery, NEIDHART, P., *et al.*, (*EACTA*) **74**: A.23
Sympathetic nervous system, Developmental biology of inflammatory pain, FITZGERALD, M. 177–185
——, Effects of desflurane and isoflurane on spontaneous and reflexly mediated sympathetic activity in dogs, PAC SOO, C. K., *et al.*, (*ARS*) 231–232P
——, Inflammatory mediators of pain, DRAY, A. 125–131
Sympathetic nervous system, adrenaline, Comparison of the effects of adrenaline, clonidine and ketamine on the

duration of caudal analgesia produced by bupivacaine in children, COOK, B., *et al.* 698–701
——, Effects of adrenaline and hyaluronidase on plasma concentrations of lignocaine and bupivacaine after peribulbar anaesthesia, BARR, J., *et al.* 692–697
Sympathetic nervous system, adrenergic block, Effect of chronic beta blockade on haemodilution tolerance in patients with severe coronary artery disease, SPAHN, D. R., *et al.*, (*EACTA*) **74**: A.6
Sympathetic nervous system, catecholamines, Hormonal effects of thoracic extradural analgesia for cardiac surgery, MOORE, C. M., *et al.* 387–393
Sympathetic nervous system, clonidine, Comparison of the effects of adrenaline, clonidine and ketamine on the duration of caudal analgesia produced by bupivacaine in children, COOK, B., *et al.* 698–701
——, Effects of clonidine premedication on the pressor response to α-adrenergic agonists, TANAKA, M., *et al.* 593–597
Sympathetic nervous system, dexmedetomidine, Dexmedetomidine decreases dose and concentration of propofol required to suppress consciousness, CLOOTE, A. H., *et al.*, (*ARS*) 657P
Sympathetic nervous system, dopamine, Effects of anaesthetic drugs on dopamine release in a model of hypoxia and hypoglycaemia, TONER, C. C., *et al.*, (*ARS*) 660P
Sympathetic nervous system, labetalol, Effect of labetalol on cerebral blood flow, oxygen metabolism and autoregulation in healthy humans, OLSEN, K. S., *et al.* 51–54
Sympathetic nervous system, noradrenaline, Descending control of pain, STAMFORD, J. A. 217–227
——, Effects of clonidine premedication on the pressor response to α-adrenergic agonists, TANAKA, M., *et al.* 593–597
Sympathetic nervous system, phenylephrine, Effects of clonidine premedication on the pressor response to α-adrenergic agonists, TANAKA, M., *et al.* 593–597

Temperature, body, Convective warming combined with vasodilator therapy accelerates core rewarming after cardiac surgery, HARRISON, S. J., *et al.*, (*ARS*) 659P
——, Enoximone and warming after hypothermic cardiopulmonary bypass, DUTHIE, D. J. R., *et al.* 43–46
——, Observations on muscle temperature changes during cardiopulmonary bypass, JOHNSON, J., *et al.*, (*ARS*) 663P
——, Perioperative body temperature does not influence postanaesthetic shivering, WARD, J. E. H., *et al.*, (*ARS*) 659–660P
Temperature, effect, Effect of cardiopulmonary bypass and bypass temperature on gastric intra-mucosal pH, DUNCAN, F., *et al.*, (*EACTA*) **74**: A.25
——, Effect of temperature and cardiopulmonary bypass on the auditory evoked response, HETT, D. A., *et al.* 293–296
Temperature, monitoring, Cutaneous heat loss during anaesthesia, ENGLISH, M. J. M., *et al.*, (*C*) 505–506
——, Cutaneous heat loss during anaesthesia, PUHAKKA, K., *et al.*, (*C*) 506
——, Hypothermia during liver transplantation, HOLDCROFT, A., (*C*) 118
——, Hypothermia during liver transplantation, RUSSELL, S. H., *et al.*, (*C*) 118
——, Hypothermia during liver transplantation, RUSSELL, S. H., *et al.*, (*C*) 375–376
——, Hypothermia during liver transplantation, WALSH, T. S., *et al.*, (*C*) 375
——, Use of i.m. temperature probes during cardiopulmonary bypass in humans, BENSON, J. P., *et al.* 483–485
Temperature, regulation, Convective warming after hypothermic cardiopulmonary bypass, COHEN, A. M., *et al.*, (*C*) 504
Temperature, skin, Enoximone and warming after hypothermic cardiopulmonary bypass, DUTHIE, D. J. R., *et al.* 43–46
The Anesthesiologist's Guide to the OR, DUTTON, R. P., *et al.*, (*R*) 671
The Casebooks of Dr John Snow, ELLIS, R. H., (editor), (*R*) 826–827
The Pharmacological Basis of Anesthesiology, BOWDLE, T. A., *et al.*, (editors), (*R*) 510–511
The Surgical Neonate: Anaesthesia & Intensive Care, HATCH, D., *et al.*, (*R*) 826
The Wards: An Introduction to Clinical Clerkships, FINE, P. L., (*R*) 511–512
Theories of anaesthetic action, cellular mechanisms, Inflammatory and neurogenic pain: new molecules, new mechanisms, WALL, P. D., (*E*) 123–124
——, Molecular biology of pain, MUNGLANI, R., *et al.* 186–192
Toxicity, Maximum dose of lignocaine for brachial plexus block, PÄLVE, H., (*C*) 824
——, Maximum dose of lignocaine for brachial plexus block, SUN, K. O., (*C*) 823–824
——, Maximum doses of local anaesthetics, GRANGE, C., (*C*) 502
——, Maximum doses of local anaesthetics, PÄLVE, H., (*C*) 502
——, Use of suxamethonium in children, HOPKINS, P. M., (*E*) 675–677
Toxicity, local anaesthetics, Effects of adrenaline and hyaluronidase on plasma concentrations of lignocaine and bupivacaine after peribulbar anaesthesia, BARR, J., *et al.* 692–697
——, Maximum dose of lignocaine for brachial plexus block, PÄLVE, H., (*C*) 824
——, Maximum dose of lignocaine for brachial plexus block, SUN, K. O., (*C*) 823–824
——, Maximum doses of local anaesthetics, GRANGE, C., (*C*) 502
——, Maximum doses of local anaesthetics, PÄLVE, H., (*C*) 502
Toxicity, metabolites, Absorption of nitrogen dioxide and nitric oxide by soda lime, ISHIBE, T., *et al.* 330–333
Toxicity, neurotoxicity, Capsaicin and pain mechanisms, WINTER, J., *et al.* 157–168
Toxins, animal, Animal toxins, KARALLIEDDE, L., (*C*) 372
——, Animal toxins, WHITEHEAD, C. F., (*C*) 372
——, Animal toxins: Scorpaenidae and stingrays, LALWANI, K., (*C*) 247
——, Management of puffer fish poisoning, KARALLIEDDE, L., (*C*) 500
——, Management of puffer fish poisoning, SUN, K. O., (*C*) 500
Transfusion, autotransfusion, Aprotinin, tranexamic acid, and mediastinal autotransfusion in elective coronary artery surgery, ZAHARIA, F., *et al.*, (*EACTA*) **74**: A.62
——, The use of allogenic blood products is reduced by autotransfusion of mediastinal shed blood in cardiac surgery, NORENG, M., *et al.*, (*EACTA*) **74**: A.63

Veins, Effects of propofol on isolated rabbit mesenteric arteries and veins, KAMITANI, K., *et al.* 457–461
Veins, jugular, cannulation, Effects of changes in mean arterial pressure on Sj_{O_2} during cerebral aneurysm surgery, MOSS, E., *et al.* 527–530
——, Inadvertent extradural insertion of an internal jugular catheter in an infant, SKINNER, T. A., *et al.* 790–793
——, Retrograde cannulation of the jugular vein, FUMAGALLI, P., *et al.*, (*C*) 373
——, Retrograde cannulation of the jugular vein, MATTA, B., *et al.*, (*C*) 373
Ventilation, carbon dioxide response, Interaction of extradural morphine and lignocaine on ventilatory response, SAITO, Y., *et al.* 394–398
Ventilation, effects, Effect of i.v. lignocaine on the breathing of patients anaesthetized with propofol, GOODMAN, N. W., *et al.* 573–577
Ventilation, failure, A progressive care programme for prolonged ventilatory failure: analysis of outcome, SMITH, I. E., *et al.* 399–404
Ventilation, high frequency jet, High frequency jet ventilation (HFJV) and alveolar gas trapping, SPACKMAN, D. R., *et al.*, (*EACTA*) **74**: A.103
Ventilation, hyperventilation, Survey of intensive care management of severely head-injured patients in the United Kingdom, JEEVARATNAM, R. D., *et al.*, (*ARS*) 660–661P
Ventilation, hypoxic response, Comparison of the effects of sub-hypnotic concentrations of propofol and halothane on the acute ventilatory response to hypoxia, NAGYOVA, B., *et al.* 713–718
——, Effect of oral clonidine on the ventilatory response to sustained isocapnic hypoxia in humans, FOO, I. T. H., *et al.*, (*ARS*) 232–233P
Ventilation, intermittent positive pressure, Ventilatory management of lung transplantation patients with severe pulmonary hypertension, DE VRIES, A. J., (*EACTA*) **74**: A.100
Ventilation, mechanical, A progressive care programme for prolonged ventilatory failure: analysis of outcome, SMITH, I. E., *et al.* 399–404
——, Nitric oxide uptake from oxygen/air during mechanical ventilation for cardiac surgery, ROVIRA, I., *et al.*, (*EACTA*) **74**: A.2
Ventilation, one-lung, The anatomy of the human tracheobronchial tree in relation to double lumen tube design, ROMER, H. C., *et al.*, (*EACTA*) **74**: A.95
——, The effects of one-lung ventilation on lung mechanics, SPRUNG, J., *et al.*, (*EACTA*) **74**: A.96

——, Ventilatory changes induced by HFPPV in children during selective left lung collapse, REINOSO-BARBERO, F., *et al.*, (*EACTA*) **74**: A.97
Ventilation, partial pressure, Effect of respiratory obstruction on peak carbon dioxide concentrations in sleeping children using nasal capnography, SMITH, T. C., *et al.*, (*ARS*) 655P
Ventilation, positive end-expiratory pressure, Cardiac arrest after unrecognized dynamic inflation, MERCER, M., (*C*) 252
——, Cardiac arrest after unrecognized dynamic inflation, MYLES, P. S., (*C*) 252
Vomiting, antiemetics, Prevention of vomiting after paediatric strabismus surgery: a systematic review using the numbers-needed-to-treat method, TRAMÈR, M., *et al.* 556–561